### GRANGLER PLUS FLOWABLE

Pli 21

1 1

.

Ł

## Insecticide and Funsicide Cereal Seed Treatment

### Contains MERIECIR\*\*

### FOR AGRICULTURAL CONNERCIAL USE ONLY

### WEAT

This product contains: 1.33 lbs. manch per sallon 0.053 lbs. thinbendazole per sallon 1.01 lbs. lindane per sallon

## KEEP OUT OF REACH OF CHILDREN

### CAUTION

See side ranel for additional rrecautionary information.

EPA Est. No. 2935-473

### NET CONTENTS 30 GALLONS

SCHEMOL is a registered trademark of C-I-L Inc., Canada SMERTECT is a registered trademark of Herck and Co., Inc.

## **BEST AVAILABLE COPT**

JUN 5 1991

• .

2935-473

# PRECAUTIONARY STATEMENTS HAZAROS TO HEMANS AN MESTIC ANIMALS

CAUTION: Harmful if suallowed or absorbed through the skin.
Causes moderate eve irritation. Avoid contact with skin, eyes or clothing. Do not rub eyes or mouth with hands. See First Aid (Practical Treatment Section).

HANDLERS (MIXERS, LOADERS, AND APPLICATORS) MUST WEAR THE FOLLOWING PROTECTIVE CLOTHING AND EQUIPMENT: a long-sleeve shirt and long mants on a overall, chemical resistant ploves, hat, socks, boots, a disposable, maner dust mask which covers at least one-third of the face, and popules on a face shield. During mixing and loading, a chemical resistant appear must be worn.

IMPORTANT! Before removing ploves, wash them with soap and water. Always wash hands, face, and arms with soap and water before eating, smoking and drinking. Always wash hands and arms with soap and water before using the toilet.

. .

After work take off all clothes and shoes. Shower using soar and water. Hear only clean clothes. Be not use contaminated clothins. Hash protective clothins and protective equipment with soar and water after each use. Personal clothing worn during use must be laundered severately from household articles. Clothing and protective equipment drenched with maneb must be destroyed according to state and local regulations.

Treat outdoors or in a well ventilated place. Avoid contamination of feed, food and foodstuffs. Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed connercially treated with GRANOL Plus Flowable must be labeled in accord with all applicable requirements of the Federal Seed Act.

### STATEMENT OF PRACTICAL TREATMENT

If swallowed, call a physician and/or the Poison Control Center immediately. Drink one or two large plasses of water and induce voniting by touching the back of the threat with finger or, if possible, by administering syrup of ipicac. Do not induce voniting or give anything by mouth to an unconscious person.

If on skin, wash with plenty of soap and water.

If in eyes, flush with plenty of water. Get medical attention if irritation persists.

If inhaled, recove victim to fresh air. Arrly artificial respiration if indicated.

#### ENVIRONMENTAL HAZAROS

This resticide is textic to fish, birds, and other wildlife. Exposed treated seeds may be hazardous to birds and other wildlife.

Cover or incorrorate smilled treated seed. Dismose of all excess treated seeds by burial. Do not contaminate water when dismosins of equipment wash waters.

BEST AVAILABLE COPY

In case of significant spill, call CHEMTREC (800) 424-9300.

CRANCL Plus Flowable is a special seed treatment formulation of maneb and thiabendazole funcicides, and lindane which, when used at the correct dosage rate, protects wheat against the seed-borne disease stinking smut (bunt). It also protects wheat against certain seed and soil-borne diseases such as root rot and seedling blight during permination and in the early seedling stage, and gives temporary protection of seeds and seedlings against wireworms. CRANCL Plus Flowable is designed for on-the-farm treatment using a seed treater suitable for metering and mixing flowable seed treatments and for use by commercial seed treaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labelins.

SHAKE OR STIR WELL BEFORE USING. Use at temperatures above OF.

GRANOL Plus Floumble is a ready-to-use seed treatment for contercial seed treatment or by connercial seed treatment at the following rate:

Wheat - 3 fl. ez. rer bushel

Use only the recommended rate — lower amounts may not sive the desired control. Hisber amounts may cause seed injury. Seed should be well cured, dry and cleaned before treatment. For maximum benefits, avoid deer seeding and excertionally early sowing under poor proving conditions.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Note To User: Seed connercially treated with this product must be adequately dyed with a suitable color to prevent its accidental use as a food for man or feed for animals.

ł

### STURAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disrosal.

STURNGES Store above 0 7. Product stored at a lower temperature will reconstitute to satisfactory utility if warned to approximately 70 F and thoroughly shaken or stirred before use. Keep container tightly closed when not in use. Store treated seed in a well ventilated place away from water, food and feed. In case of spill or leak on floor or raved surfaces, absorb on sand, earth or synthetic absorbent and shovel into a leak-proof container. Wash area with a solution of 50% household bleach and water and let stand for 10 minutes. Then cover with hydrated line and let stand for 1-2 hours. Cover with absorbent and shovel into waste container. Ringe area with water and pick up with absorbent. Label and remove waste container to chemical waste area.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Immorer disposal of excess resticide, smay mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control America or the Hazardous Maste representative at the nearest EPA Regional Office for guidance.

**BEST AVAILABLE COPY** 

.....

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or runcture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

### NOTICE TO BUYER

Seller's suarantee shall be limited to the terms of the label and subject thereto, buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition.

Vilbur-Ellis Commany P. O. Box 16458 Fresno, CA 93755

F-890

**BEST AVAILABLE COPY**