

Mr. F. Bruce Jones ICI Americas Inc. Registration Section Wilimington, DE 19897

Dear Mr. Jones:

Subject: GRANOX Plus Flowable Cereal Seed Treatment Fungicide EPA Registration No. 8203-39 Your Submission Dated June 24, 1989

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records.

The new statement "Do not contaminate water when disposing of equipment washwaters" should replace the old one. Please delete the old statement.

Sincerely yours,

Lois A. Rossi Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

1

PRECAU: JONARY STATEMENTS

HAZ ARDS TO HUMANS AND I OMESTIC ANIMALS

CAUTION

Harmful it swallowed. May cause irritation of nose, throat, eyes, and skin. Protective clothing (long pants, long sleeve shirts, gloves, hal and boots) must be worn during mixing and loading. Use of rubber gloves is recommended Avoid inhalation of any dust from treated seed. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and by the National Institute for Occupational Safety and Health under provisions of 30 CFR Part II. Wash thoroughly after handling and before eating, drinking or smoking. Treat seed in a welf ventilated place. Do not graze or cut green forage for livestock feed from fields planted with treated seed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with GRANOX Plus Flowable must be labeled in accordance with all applicable requirements of the "ederal Seed Act.

STATE :NT OF PRACTICAL TREATMENT

"I swallowed, induce vomiting by drinking 1 or 2 large lasses of water and then touch back of throat with finger. Repeat until vomit fluid is clear. Get medical attention If in eyes, flush with clean water for at least 15 minutes and then get medical attention. If on skin, wash with soap and water.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleacing or equipment or disposal of wastes. Exposed treated seeds may be hazardous to birds and other wildlife. Dispose of all treated seeds by burial away from bodies of wall?

PRODUCT INFORMATION

GRANOX Plus Flowable is a special seed treatment in the mulation of maneb and thiabendazole fungreides when when used at the correct dosage rate, protects when against the seed-borne disease Stinking Smut (Burt) of

⁴⁷heat. It also protects wheat against certain seed and il-borne diseases causing Root Rot and Seedling Blight

The diseases causing floor flor and becoming

DIRECTIONS FOR USE

is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STIR WELL BEFORE USE. Use at temperatures above 0°F

Use GRANOX Plus Flowable in liquid and sturry seed treaters at the following rates:

Wheat - 1.6 fl oz per bushel


Use only recommended rates - lower amounts may not give the desired control. Higher amounts may cause seed injury. Seed should be well cured, dried and cleaned before treatment. For maximum benefits avoid deep seeding and exceptionally early sowing under poor growing conditions.

ACCEPTED with COMMENTS In ÉPA Letter Dated:

١

JUN 29 1988

Under the Federal Insecticido, Fungicido, and Rotenticide Act as antended, for the pesticido registered under EI'A Reg. No.



Thiabendazole (2-(4-thiazolyl) benzimidazole)	1
INERT INGREDIENTS:	. 74
TOTAL	100

This product contains: 2.42 lb per gallon of maneb. 0.10 lb per gallon of thiabendazole.

This product contains the toxic inert rhodomine B

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional precautionary information

EPA Est 8203-CN-1 EPA Reg. No. 8203-39

GRANOX is a registered trademark of C.I.L.Inc., Canada MERTECT is a registered trademark of Merck & Co. Inc.

NET CONTENTS

250 gallons

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Store above 0°F Product stored at a lower temperature will reconstitute to satisfactory utility il warmed to approximately 20°F and thoroughly shaken or stirred before use. Keep container tightly closed when not in use. Store treated seed in a well ventilated place away from water, food and feed

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed on site or at an approved waste disposal facility. CONTAINER DISPOSAL: Triple rinse, then puncture


and dispose of container in a sanitary landfill or by other procedures approved by State and local authorities.

NOTICE TO BUYER

Seller's guarantee shall be limited to the terms of the label and subject thereto, buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the product on that condition. 0887

Manufactured by

Chipman, A Business Unit of C·I·L Inc Stoney Creek, Ontario LBG 3Z1 CONTENTS AND CONTAINER MADE IN CANADA



(CAN) Maneb Preparation, Dangerous When Wet, Class 4.3, UN 2968, PG III (USA) Not Regulated