31

AGROSOLTN*

Systemic Soybean Seed Treatment Fungicide

Contains MERTECT***

This product contains 9.5% molybdenum from sodium molybdate

ACTIVE INGREDIENTS	By Wt.
*Captan	24 . 448
related perivatives	A 564
**Thiabendazole	0.68%
INERT INGREDIENTS:	74.328
TOTAL	100.00%

*N-Trichloromethylthio-4-cyclohexene-1,2-dicarboximide **2-(4-thiazolyl) benzimidazole

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. If in eyes, flush with plenty of water for about 15 minutes. Call a physician. If inhaled, remove victim to fresh air. If not breathing give artificial respiration, preferably mouth-to-mouth. Get medical attention. If on skin, remove any contaminated clothing and wash with plenty of soap and water. If irritation persists get medical attention.

See side panel for additional precautionary information

EPA Est. No. 37429-GA-1

EPA Reg. No 2935-476

NET CONTENTS 5 LB.

*Agrosol is a registered trademark of C-I-L Inc., Canada **MERTECT is a registered trademark of Merck & Co. Inc.

Measuring Scoop Enclosed

In Case of Emergency,

Call CHEMTREC: (800)424-9300



Under the Pederal Insenticide. Fungicuse, and Rodenticide Act as amended, for the pesticide received under EPA Reg. No. 2425-476



Precautionary Statements Hazards to Humans and Domestic Animals Danger

Causes irreversible eye damage. Harmful if swallowed or inhaled. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse. Wash with soap and water after handling and before eating, drinking or smoking. Avoid contamination of feed, food and foodstuffs. Do not use or store near animal feed. Do not use or process for food, feed or oil purposes. Do not graze or cut soybean forage for feed.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

PRODUCT INFORMATION

AGROSOL, when used at the correct rate, protects seeds from soil and seed borne diseases that cause damping-off, seed decay, seedling blights and pod and stem blight (Phomopsis spp.) during the germination and early seedling stages. AGROSOL provides essential molybdenum for plant growth where soils are found to be deficient in availble molybdenum.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

الهاجما

Use Precautions

34

Treated seed must not be used for human consumption nor for animal feed, excess treated seeds must be buried underground away from any body of water or destroyed in accordance with state and local authorities.

Planter box application - Use AGROSOL at a rate of 2 oz. per bushel (one scoop per bushel). Mix thoroughly with seed in the planter box. For Conventional Plate Planters and MAXEMERGE® Plateless Planters by John Deere - Pour one bushel of seed into each planter box as follow: Pour enough AGROSOL or top of the seed to treat one bushel. Stir thoroughly with an axe handle (purchased and used for this purpose only) until all the seed is uniformly coated. (MAXEMERGE® is a reg. T.M. of Deere and Co.). NOTE: Avoid very deep seeding and exceptionally early sowing under poor growing conditions for maximun benefits. Use only recommended rates. Lower amounts may not give the desired control. Regularly inspect planter plates of seed drill and clean as required. If coating of planter plate occurs (i.e. under conditions of high humidity), add small amounts of graphite to facilitate uniform seeding.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric eye monitors with brushes provided by the planter manufacturers, according to their directions.

Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time. Treated seed must not be used for or mixed with food or animal feed, or processed for oil.

A dust mask must be worn when mixing and loading this product.

Wear goggles or face shield when handling. Remove contaminated clothing and separately launder clothing before reuse.

Mixer/loaders when mixing and loading this product must wear a long-sleeve shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron.

AFTER WORK: Take off all clothes an shoes. Shower using soap and water. Do not wear containinated claiming. Wash protective clothing and equipment with soap and water after each use. Personal clthing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

424

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty container and tap side and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned stay out of smoke.

WARRENTY STATEMENT

Sellar's guarantee shall be limited to the terms set out in the label and subject thereto, the buyer assumes the risk to persons or property arising from the use or handling of this product and accepts the producty on that condition.

WILBUR-ELLIS COMPANY P.O. BOX 16458 PRESNO, CA 93755