ż

1.37

OCT OF 1884

Ns. Joanne Pratt Wilber-Ellis Company 191 W. Shaw Ave., Suite 107 Fresno, CA 93704

Dear Ms. Pratt:

Subject: Agrosol Systemic boybean Seed Treatment Fungicide EPA Registration No. 2935-476 Application To Amend Registraton Dated August 22, 1991 and To Use and Alternate Brand Name and Resubmission Dated September 19, 1991.

The following alternate brand name is acceptable for the subject product and has been added to the record:

"Agrosol Systemic Hopper Box Seed Treatment Fungicide and holybdenum"

The amendments referred to above, submitted in connection with registration under section $\beta(c)(7)(A)$ of the Federal Insecticion, fungicide and Rodenticide Act (FIFRA), are acceptable provided that your

- 1. Submit/cite all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
- Correct the spelling of the word "suppress" in the claim statement for the systemic action of this bendagole, under the "Product Information" section.
- Submit five (5) printed copies of the final printed labeling before releasing the product for shipment.

It theme conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA Section



6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,

Joanne I. Miller Product Manager (23) Yungicide-Herbicide Branch Registration Division (H-7505C)

tholosure

E.Wilson: Diskette #008: 10-03-91



AGROSOL TM*

SYSTEMIC HOPPER BOX SEED TREATMENT TUNGICIDE WITH MOLYDDENUM

CONTAINS THIABENUAZOLE

FOR USE ON SOYBEANS

THIS PRODUCT CONTAINS 9.5% MOLYBDENUM FROM SUDIUM MOLYBDATE

ACTIVE INGREDIENTS	BY WT.
*CAPTAN	24.44%
RELATED DERIVATIVES	0.56%
**THIABENDAZOLE	0.98X.
INERT INGREDIENTS	74.32%
TOTAL	100.00%
*N-TRICHLOROMETHYLTHIO-4-CYCLOHEXENE-1,2-DICARBOXII **2-(4-THIAZULYL) BENZIMIDAZOLE	ACCEPTION WITH CONNENTS IN EPA Letter Dated:

KEEP OUT OF REACH OF CHILDREN

OCT 0 4 1991

DANGER

STATEMENT OF PRACTICAL TREATMENT

Under the Federal Insecticide Pungicide, and Rodentiers as amended, for the peregistered under El'A kie for

IF IN EYES, FLUSH WITH PLENTY OF WATER. CALL PHYSICIAN.

IF SWALLOWED, DRINK PROMPTLY A LARGE QUANTITY OF MILK, EGG WHITES, GELATIN SOLUTION, OR, IF THESE ARE NOT AVAILABLE, DRINK LARGE QUANTITIES OF WATER. AVOID ALCOHOL. CALL A PHYSICIAN.

IF INHALED, REMOVE VICTIM TO FRESH AIR. IF NOT BREATHING GIVE ARTIFICIAL RESPIRATION, FREFERABLY MOUTH-TO-MOUTH. GET MEDICAL ATTENTION.

IF ON SKIN, WASH WITH PLENTY OF SUAP AND WATER.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY INFORMATION EPA EST. NO. 70-KY 1 EPA REG. NO. 2935-476

NET CONTENIS 5 LB.

*AGROSOL IS A REGISTERED TRADEMARK OF U-I-L INC., CANADA

BEST ATAILANCE GUFT

FRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
LIANGER

CAUSES IRREVERSIBLE EYE DAMAGE. HARMFUL IF SWALLOWED OR INHALED. MAY CAUSE ALLEROIC SKIN REACTIONS. DO NOT GET IN EYES. WEAK GOGGLES OR FACE SHIELD WHEN HANDLING. AVOID CONTACT WITH SKIN AND CLOTHING. REMOVE AND SEPARATELY LAUNDER CLOTHING BEFORE REUSE. WASH WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING OR SMOKING. AVOID CONTAMINATION OF FLEID, FOOD AND FOODSTUFFS. DO NOT GRAZE OR OUT SOYBEAN FORAGE FOR FEED.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH. DO NOT CLEAN EQUIPMENT OR DISPOSE OF EQUIPME T WASHWATERS IN A MANNER THAT WILL CONTAMINATE WATER RESOURCES. DO NOT APPLY DIRECTLY TO WATER, AREAS WHERE SURFACE WATER IS PRESENT, OR TO INTERTIDAL AREAS BELOW THE MEAN HIGH WATER MARK. EXPOSED TREATED EEDS MAY BE HAZARDOUS TO BIRDS AND OTHER WILDLIFE. IN THE EVENT THAT REATED SEEDS ARE SPILLED AND CANNOT BE SALVAGED, COMPLETELY COVER THEM WITH SOIL. DISPOSE OF ALL EXCESS TREATED SEEDS BY BURIAL AWAY FROM BODIES OF WATER.

PRODUCT INFORMATION

AGRUSUL, WHEN USED AT THE LORRECT USE RATE, PROTECTS SEEDS FROM SOIL AND SEED BORNE DISEASES THAT CAUSE DAMPING-OFF, SEED DECAY, AND SEFDLING BLIGHTS. THE SYSTEMIC ACTION OF THE THIABENDAZOLE PRESENT IN AGROSUL WILL SUPRESS POD AND STEM BLIGHT (PHOMOPSIS SPP.) OF SUYBEANS DURING GERMINATION AND EARLY SEEDLING STAGES. AGROSUL ALSO PROVIDES ESSENTIAL MOLYBDENUM FOR PLANT GROWTH WHERE SOILS ARE FOUND TO BE DEFICIENT IN AVAILABLE MOLYBDENUM.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

ALWAYS READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH ALL APPLICABLE STATE AND FEDERAL REGULATIONS.

APPLICATION INSTRUCTIONS

AGROSOL MAY BE APPLIED AS A PLANTER BOX APPLICATION OR BY THE USE OF ANY SUITABLE DRY TREATING EQUIPMENT. IN PLANTING EQUIPMENT, APPLY AGROSOL TO GEED AND MIX THOROUGHLY WITH THE SEED IN THE PLANTER BOX OR DRILL AT THE FOLLOWING USE RATES:

SOYBEANS: 2 OZ. FER BUSHEL (ONE SCOOP FER BUSHEL).

SUBSESTED MIXING INSTRUCTIONS

PLANTER: 1. POUR ONE BUSHEL OF SEED INTO LACH PLANTER BOX.

2. PUT ONE SCOOP OF AGROSOL ON FOR UP SEED IN FACH. PLANTER BOX.

BEST AVAILABLE COPY

AXE HANDLE OR PADDLE USED FOR SEED INFATMENT PURPOSES ONLY) UNTIL ALL SEEDS ARE UNITORMLY COVERED.

DRILL:

- . FILL DRILL ONE-HALF FULL, KEEPING TRACK OF THE NUMBER OF BAGS (BUSHELS) YOU POURED INTO THE ORILL.
- 2. PUT ONE SCOOP OF AGROSOL ON TOP OF EACH BUSHEL OF SEED JUST PUT INTO THE DRILL.
- 3. MIX THOROUGHLY WITH AN AXE HANDLE OR PADULE (AN AXE HANDLE OR PADULE USED FOR SEED TREATMENT PURPOSES ONLY) UNTIL ALL SEEDS ARE UNIFORMLY COATED.
- 4. FILL THE REMAINDER OF THE DRILL AND REPEAT THE PROCESS IN ITEMS 2 AND 3.

NOTE: AVOID VERY DEEP SEEDING AND EXCEPTIONALLY EARLY SOWING UNDER POOR GROWING CONDITIONS FOR MAXIMUM BENEFITS. USE UNLY RECOMMENDED RATES. LOWER AMOUNTS MAY NOT DIVE THE DESIRED CONTROL. OVER APPLICATION COULD CAUSE BUILD-UP IN PLANTER OR DRILL. REGULARLY INSPECT PLANTER PLATES OF SEED DRILL AND CLEAN AS REQUIRED. IF COATING OF PLANTER PLATE OCCURS (I.E. UNDER CONDITIONS OF HIGH HUMIDITY), ADD SMALL AMOUNTS OF GRAPHITE TO FACILITATE UNIFORM SEEDING.

CLEAN-UP FOR ELECTRIC EYE POPULATION MONITORS: AT THE END OF EACH DAY OF USE, OR AS OFTEN AS NEEDED, CLEAN OUT THE ELECTRIC EYE MONITORS WITH BRUSHES PROVIDED BY THE PLANTER MANUFACTURERS, ACCORDING TO THEIR DIRECTIONS. UNDER EXTREMELY HUMID WEATHER CONDITIONS, THE CLEAN-UP PROCESS MAY NEED TO BE DONE MORE OFTEN.

A DUST MASK MUST BE WORN WHEN MIXING AND LOADING THIS PRODUCT.

WEAR GOOGLES OR FACE SHIELD WHEN HANDLING.

WASH THOROUGHLY WITH SUAP AND WATER AFTER HANDLING.

MIXER/LOADERS WHEN MIXING AND LOADING THIS PRODUCT MUST WEAR A LONG-SLEEVE SHIRT AND LONG PANTS OR A COVERALL THAT COVERS ALL PARTS OF THE BODY EXCEPT THE HEAD, HANDS AND FEET. WEAR CHEMICAL RESISTANT GLOVES, GOGGLES OR A FACE SHIELD AND A CHEMICALLY RESISTANT APRON.

WILBUR-ELLIS COMPANY RECOMMENDS THE USE OF A PESTICIDE RESPIRATOR JOINTLY APPROVED BY THE MINING SAFETY AND HEALTH ADMINISTRATION (FORMERLY THE U.S. BUREAU OF MINES) AND BY THE NATIONAL INSTITUTE OF OCCUPATIONAL SAFETY AND HEALTH UNDER PROVISIONS OF 30 CER PART II.

WEAR SAFETY GUGGLES WHEN HANDLING TREATED SEED, MIXING PRODUCTS AND DURING TREATING OPERATIONS.

STAND UPWIND WHILE TREATING OR HANDEING TREATED SEED.

BEST AVAILABLE COPY

ALWAYS WASH BLOVES WITH SOME AND WATER BLEOKE REMOVING.

ALWAYS WASH HANDS AND ARMS WITH SOME AND WATER BEFORE USING FOILET.

ARTER WORK: TAKE OFF ALL CLOTHES AND SHOES, SHOWER USING SOME AND WATER. DO NOT WEAR CONTAMINATED CLOTHING, WASH PROTECTIVE CLOTHING AND EQUIPMENT WITH SOME AND WATER AFTER EACH USE.

6.77

PERSONAL CLOTHING WORN DURING USE MOST BE LAUNDERED SEPARATELY FROM HOUSEHOLD ARTICLES. CLOTHING AND PROTECTIVE EQUIPMENT HEAVILY CONTAMINATED OR DRENCHED WITH CAPTAN MUST BE DESTROYED ACCORDING TO STATE AND LOCAL REQUESTIONS.

REMOVE CONTAMINATED CLOTHING AND SEPARATELY LAUNDER CLOTHING BEFORE REUSE.

AVOID CONTAMINATION OF FOOD OR ANIMAL FEED.

TREAT ONLY THOSE SEEDS NEEDED FOR IMMEDIATE USE, MINIMIZING THE INTERVAL BETWEEN TREATMENT AND PLANTING. DO NOT STORE EXCESS TREATED SEED BEYOND PLANTING TIME. TREATED SEED MUST NOT BE USED FOR OR MIXED WITH FOOD OR ANIMAL FEED, OR PROCESSED FOR OIL.

TREATED SEED MUST NOT BE USED FOR HUMAN CONSUMPTION NOR FOR ANIMAL FEED, EXCESS TREATED SEEDS MUST BE BURIED UNDERGROUND AWAY FROM ANY BODY OF WATER OR DESTROYED IN ACCORDANCE WITH STATE AND LOCAL AUTHORITIES.

STURAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: KEEP CONTAINER TIGHTLY CLOSED WHEN NOT IN USE.

DO NOT USE OR STORE NEAR ANIMAL FEED.

PESTICIDE DISPOSAL: PESTICIDE WASTES ARE ACUTELY HAZARDOUS.
IMPROPER DISPOSAL OF EXCESS PESTICIDE, SPRAY MIXTURE OR RINSATE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REFRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

CONTAINER DISPOSAL: COMPLETELY EMPTY CONTAINER AND TAP SIDE AND BOTTOM TO LUGSEN CLINGING PARTICLES. EMPTY RESIDUE INTO APPLICATION EQUIPMENT. THEN DISPOSE OF IN A SANITARY LANDFILL, OR INCINERATION, OR IF ALLUWED BY STATE AND LUCAL AUTHORITIES, BY BURNING. IF BURNED STAY OUT OF SMOKE.

BEST AVAILABLE LUPY

CONDITIONS OF SALE

NOTICE: THE STATEMENTS MODE ON THIS LABEL ARE BELIEVED TO BE TRUE AND ACCURATE, BUT BECAUSE OF CONDITIONS OF USE WHICH ARE BEYOND OUR CUNTROL, WILDURSELLIS COMPANY DOES NOT MAKE, NOR DOES IT DUTHORIZE ANY AGENT OR REPRESENTATIVE TO MAKE, ANY WARRANTY, GUARANTY OR REPRESENTATION, EXPRESSED OR IMPLIED, CONCERNING THIS MATERIAL OR THE USE THEREOF, EXCEPT IN CONFORMITY WITH THE STATEMENTS ON THE LABEL. NEITHER WILBURSELLIS COMPANY NOR THE SELLER SHALL BE HELD RESPONSIBLE IN ANY MANNER FOR ANY PERSONAL INJURY OR PROPERTY DAMAGE OR LOSS RESULTING TO THE BUYER OR TO THE OTHER PERSON FROM HANDLING, STORAGE OR USE OF THIS MATERIAL, NOT IN ACCORDANCE WITH DIRECTIONS. THE BUYER ASSUMES ALL RISK AND LIABILITY RESULTING FROM IMPORPER HANDLING, STORAGE OR USE AND ACCEPTS AND USES THIS MATERIAL ON THESE CONDITIONS.

P. O. BOX 16458 FRESNO, CA 93755

F-691

IN CASE OF EMERGENCY CALL CHEMTRED 800/424-9300