06/12/1991

revised laber

AGREEOLIM* Four on

Systemic Sorbean Seed Treatment Fundicide

Best copy available

Contains MERHICI(R)**

this product contains 4.14% molyodenum from sodium molybdate

ACTIVE INGREDIENTS:	By Wt.
Thiram (tetramethy) thiuram disulfide)	11.400%
2-(4-Thiazoly)) bendimidazolo (thiahendazole).	. 0.314%
INCRT INGREDIENTS:	83,248%
TOTAL	100.000%
This product contains 1.09 lb. thiram per gallon.	

0.03 lb. thiabendazole per sallon

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary information

EPA Res. No. 2935-477 EPA Est. No. 37429-6A-1 NET CUNTLNTS: 32 fl. oz.

*AGRUSUL is a trademark of C-I-L Inc., Canada **MERTECT is a resistered trademark of Merck & Co., Inc.

ACCEPTED

JUN 1 2 1991

Under the Federal Insecticide, Fungiciae, and Rodenticide Act, as amended, for the pesticide regulated under EPA Rag. No. 2935-477



For Conventional Flate Flanters and MAX-EMERGE(R) Flateless Planters by John Decre - Pour one bushel of seed into each planter box. Pour enaugh AGRUSOL Pour on on top of the seed to treat one bushel. Stir thoroughly with an axe handle (purchased and used for this purpose only) until all seed is uniformly coated. (MAX CMERGE(R) is a rep. f.M. of Decre and Co.)

NOTE: Avoid very deep seeding and exceptionally early sowing under poor prowing conditions for maximum benefits. Use only recommended rates. Lower amounts may not give the desired control. Regularly inspect planter plates of seed drill and clean as required.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean out the electric-eye monitors with brushes provided by the planter manufacturers, according to their directions.

COMMERCIAL TREATMENT: Use at temperatures above 40 F. Use AGROX Pour-on in liquid and slurry treaters at a rate of 4 fl. oz. per bushel of sorbean seed (6.6 fl. oz. per 100 lbs. of sorbean seed).

**OTE: The purchaser of this product is responsible for ensuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, Fart 180.1001.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time.

Seed commercially treated with Aprosol Pour-On must be labelled:

"This seed has been treated with Thiram and Thiabendazole. Do not use treated seed for food, feed, or oil purposes. Stone away from feed and foodstuffs."

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

}

STORAGE: Store above 32xF. Product stored at a lower temperature will reconstitute to satisfactory utility if warmed to approximately 70xF and thoroughly shaken or stirred defore use. Keep container tightly closed when not in use. Store away from water, food and feed.

COSSIGNE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess posticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EMA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, then puncture and dispose of container in a sanitary landfill or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

PRECAUTIONARY STATEMENTS HAZAKUS TO HUMANS AND DOMESTIC ANIMALS CAUTION:

Causes skin and eye irritation. Harmful if swallowed, inhaled or absorbed through skin. Do not get in eyes, on skin, or on clothing. Wear sommles or face shield and rubber aloves when handlims. Avoid inhaling dust. So not store near food and feed. During commercial exposure in seed treatment and loading operations, wear societies, clean rubber ploves, protective clothing, and a pesticide respirator vointly approved by the Mine Safety and Moalth Administration (formerly the U.S. Bureau of Mincs) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR, Part II. Wash hands, arms and face thoroughly with some and water after handling and before eating and smoking. Routinely shower or bathe after work. Wash all clothing with some and hot water before reusing. Bo not use or store near food or feed. Consumption of alcoholic beverages increases the toxic effects of thiram.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by drinking 1 or 2 large classes of water and then touch back of throat with finger. Get medical attention. If in eyes, flush with clean water for at least 15 minutes and then set medical attention. If on skin, wash with soar and water. Get medical attention if skin irritation persists.

ENVIRONMENTAL HAZARUS

This product is toxic to fish. We not contaminate water when disposing of equipment washwaters. Do not contaminate any body of water by cleaning of equipment and disposal of wastes and containers. Exposed treated seeds may be harmfour to birds and other wildlife. Dispose of all excess treated seed by burial away from bodies of water.

PRODUCT INFORMATION

AGROSOL Pour-on when used at the correct rate protects seeds from soil and seed borne diseases that cause damping-off, seed decay, seedling blights, and pod and stem blight (Phomopsis spp) during germination and early seedling stages. AGROSOL Pour-on provides essential molybdenum for plant growth where soils are found to be deficient in available molybdenum.

DIRECTIONS COR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE OR STAR WILL BEFORE USING.

HOPFER BOX TREATMENT: Aprily AGROVAL Pour-on to sowhern seed at a rate of 4 (). oz. Fer bushel as a plantor box application. Mix thoroughly with seed in the planter box as follow:

4/4

" Yeller's anarantee shalk be limited to the terms of the label and subject thereto, buyer assumes the risk to persons or property arisina from the use or handling of this product and accepts the product on that condition.

Wilbur-Ellis Commany F. O. Box 16458 Fresno, CA 78755

F 1220

