



IDEAS TO GROW WITH™

AGROSOL® T FLOWABLE

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by drinking 1 or 2 large glasses of water and then touch back of throat with finger. Get medical attention. If in eyes, flush with plenty of clean water for at least 15 minutes and then get medical attention. If on skin, remove any contaminated clothing and wash with plenty of soap and water. If irritation persists, get medical attention. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if inhaled. Do not breathe dust, vapor, or spray mist. Causes eye and skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. During seed treatment and loading operations, wear goggles, clean rubber gloves, protective clothing and a pesticide respirator jointly approved by the Mining Safety and Health Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under provisions of 30 CFR Part II. Wash hands, arms and face thoroughly with soap and water after handling and before eating, drinking or smoking. Routinely shower or bathe after work. Wash all clothing with soap and hot water before reusing.

Consumption of alcoholic beverages increases the toxic effects of thiram.

Do not use or store near food or feed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with Agrosol T must be labeled in accordance with all applicable requirements of the Federal Seed Act.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Exposed treated seeds may be hazardous to birds and other wildlife. Avoid spreading treated seeds or spilled and cannot be salvaged, completely contaminated soil. Dispose of all excess treated seed by burial away from bodies of water.

PRODUCT INFORMATION

AGROSOL T is a seed treatment fungicide, specially prepared for commercial seed treatment. AGROSOL T, when used at the correct rate, will protect wheat and soybean seeds from soil and seed borne diseases that cause damping-off, seed decay, and seedling blights. In soybeans, AGROSOL T protects seeds infected with Pod and Stem Blight (Phomopsis spp.) during germination and early seedling stages.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALWAYS READ ENTIRE LABEL, USE IT ONLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS, DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

PRECAUTIONS

AFTER WORK: Remove all clothing and shoes. Shower using soap and water. Do not wear contaminated clothing or protective clothing and equipment with soap and water after each use. Clothing worn during use must be laundered separately from household laundry.

In Case of Emergency,
Call CHEMTREC: (800) 424-9300

Commercial Flowable Systemic Fungicide Seed Treatment

Contains Thiabendazole

For use on soybeans and wheat

ACTIVE INGREDIENTS

* Thiram 12.62%

** Thiabendazole 0.35%

INERT INGREDIENTS

* Tetramethyl thiram disulfide 87.03%

** 2-(4-thiazolyl) benzimidazole

TOTAL: 100.00%

This product contains: 1.25 lb. Thiram per gallon

0.125 lb. Thiabendazole per gallon

EPA Reg. No. 2935-478

EPA Est. No. 37429-GA-1

KEEP OUT OF REACH OF CHILDREN

WARNING

See side panel for additional precautionary information.

APPLICATION INSTRUCTIONS

Thoroughly mix and agitate AGROSOL T in the container and mix tank before use. Use at room temperatures above 40°F for best seed application results. Use AGROSOL T in liquid and slurry treaters at the following rates:

Soybeans: 6.6 fluid ounces per 100 pounds of seed
(4 fluid ounces per bushel)

Wheat: 6.6 fluid ounces per 100 pounds of seed
(4 fluid ounces per bushel)

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 225. Any dye added must be cleared for use under 40 CFR, Part 180.1001.

Avoid contamination of feed, food and foodstuffs. Do not allow livestock to graze or feed on treated green wheat forage. Do not graze or feed treated soybean vines or hay to livestock.

Always wash hands and arms with soap and water before using toilet facilities.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. Store above 32°F. Product stored at a lower temperature can be restored for use by warming to approximately 70°F and thoroughly shaking or stirring before use. Store away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, then offer for recycling or reconditioning; or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guarantee or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.


* AGROSOL is a registered trademark of ICI Canada, Inc.
** Meas to grow with is a registered trademark of Wilbur Ellis Company
Logo TM of Wilbur Ellis Company

BEST AVAILABLE COPY

2072

Copy A

In wheat, Agrosol T Flowable suppresses seed-borne infections of scab and common bunt (stinking smut) during seed germination and early seedling stages.



10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100