

Ms. Joanne Striebich
Wilbur-Ellis Co.
191 W. Shaw Ave., Suite 107
Fresno, CA 93704-2876

Dear Ms. Striebich:

Subject: Label Revisions - Add Hopper Box Application
Agrosol T Flowable Systemic Soybean Seed Treatment
Fungicide
EPA Registration No. 2935-478 ✓
Your Submission Dated October 4, 1994

The amendment referred to above, submitted in connection with registration under section 3(c)(7)(A) of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable provided that you:


1. Submit/cite all data required for registration/-reregistration of your product under FIFRA section 3(c)(5) or 4(a) when the Agency requires all registrants of similar products to submit such data.
2. Make the labeling changes listed below before you release the product for shipment bearing the amended labeling:
 - a. On the front panel delete "Commercial" since farmers can now treat seeds with this product.
 - b. Delete the Circle and statement "In Compliance With WPS". This logo implies endorsement of the product by the Agency which is prohibited on pesticide labeling by Title 40 CFR § 156.10(a)(5)(v).
3. Submit one (1) copy of your final printed labeling before you release the product for shipment. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

2 1 7
7

-2-

A stamped copy of the label is enclosed for your records.

Sincerely yours,


for Cynthia Giles-Parker
Product Manager (22)
Fungicide-Herbicide Branch
Registration Division (7505C)

cc: Jim Downing
Registration Support Branch
Registration Division (7505W)



AGROSOL® T FLOWABLE

Commercial Flowable Systemic Fungicide Seed Treatment

Contains Thiabendazole

For use on soybeans and wheat

397
ACCEPTED
with COMMENTS
In EPA Letter Dated: *Tachet*

the Federal Insecticide
and Fungicide Act
and under EPA Reg. No.
2935-478

ACTIVE INGREDIENTS

*Thiram

**Thiabendazole

By Wt.

12.62%

0.35%

INERT INGREDIENTS

87.03%

TOTAL: 100.00%

*Tetramethyl thiuram disulfide

**2-(4-thiazolyl) benzimidazole

This product contains: 1.08 lb. thiram per gallon

0.03 lb. thiabendazole per gallon

EPA Reg. No. 2935-478

EPA Est. No. 32761-MO-3

KEEP OUT OF REACH OF CHILDREN WARNING — AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle (If you do not understand the label, find someone to explain it to you in detail).

See side panel for additional precautionary information.

STATEMENT OF PRACTICAL TREATMENT

If swallowed, induce vomiting by drinking 1 or 2 large glasses of water and then touch back of throat with finger. Get medical attention. If in eyes, flush with plenty of clean water for at least 15 minutes and then get medical attention. If on skin, wash with plenty of soap and water. If irritation persists, get medical attention. If inhaled, remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALWAYS READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

APPLICATION INSTRUCTIONS

Thoroughly mix and agitate AGROSOL T in the container and mix tank before use. (Use at room temperatures above 40°F for best seed application results.) Use AGROSOL T in liquid and slurry treaters at the following rates:

Soybeans: 6.6 fluid ounces per 100 pounds of seed
(4 fluid ounces per bushel).

Wheat: 6.6 fluid ounces per 100 pounds of seed
(4 fluid ounces per bushel).

NOTE: The purchaser of this product is responsible for insuring that all seed treated with this product are adequately dyed with a suitable color to prevent its accidental use as food for man or feed for animals. Refer to 21 CFR, Part 2.25. Any dye added must be cleared for use under 40 CFR, Part 180.1001.

Avoid contamination of feed, food and foodstuffs. Do not allow livestock to graze or feed on treated green wheat forage. Do not graze or feed treated soybean vines or hay to livestock.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Keep container tightly closed when not in use. Store above 32°F. Product stored at a lower temperature can be returned for use by warming to approximately 70°F and thoroughly shaking or stirring before use. Store away from water, food and feed.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or container is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse, then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

BEST AVAILABLE COPY



BEST AVAILABLE COPY

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

May be fatal if inhaled. Do not breathe dust, vapor, or spray mist. Causes eye and skin irritation. Harmful if swallowed or absorbed through the skin. Do not get in eyes, on skin, or on clothing.

Consumption of alcoholic beverages increases the toxic effects of thiram.

Do not use or store near food or feed.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Seed commercially treated with AGROSOL T must be labeled in accordance with all applicable requirements of the Federal Seed Act.

PERSONAL PROTECTIVE EQUIPMENT

Applicators and other handlers must wear: A) Coveralls over short sleeved shirt and short pants; B) Waterproof gloves; C) Chemical-resistant footwear plus socks; D) Protective eyewear; E) Chemical-resistant headgear for overhead exposure; F) Chemical-resistant apron when cleaning equipment, mixing or loading; G) Dust/mist filtering respirator (MSHA/NIOSH approval number prefix TC-21C)

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Exposed treated seeds may be hazardous to birds and other wildlife. In the event that treated seeds are spilled and cannot be salvaged, completely cover them with soil. Dispose of all excess treated seeds by burial away from bodies of water.

USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. 3) Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

PRODUCT INFORMATION

AGROSOL T is a seed treatment fungicide specially prepared for commercial seed treatment. AGROSOL T, when used at the correct rate, will protect wheat and soybean seeds from soil and seed borne diseases that cause damping-off, seed decay, and seedling blights. In soybeans, AGROSOL T protects seeds infected with Pod and Stem Blight (*Phomopsis* spp.) during germination and early seedling stages.

In wheat, AGROSOL T FLOWABLE suppresses seed-borne infections of scab and common bunt (stinking smut) during seed germination and early seedling stages.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

EXCEPTION: If the product is used for seed treatment, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE required for early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls over short sleeved shirt and short pants; B) Waterproof gloves; C) Chemical-resistant footwear plus socks; D) Protective eyewear; E) Chemical-resistant apron for overhead exposure.

507

NOTICE - READ CAREFULLY
CONDITIONS OF SALE AND WARRANTY STATEMENT


The statements made on this label are believed to be true and accurate, but because of conditions, of which we are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

Treatment of highly mechanically damaged seed, or seed of known low vigor and poor quality, except for the purposes of curative control of existing disease or insect pests, may result in reduced germination and/or reduction of seed and seedling vigor. Treat and conduct germination tests on a small portion of seed before committing the total seed lot to a selected chemical treatment. Due to seed quality conditions beyond the control of Wilbur-Ellis Company, no claims are made to guarantee germination of carry-over seed.

*AGROSOL is a trademark of a Zetec Group Company
WILBUR-ELLIS® and IDEAS TO GROW WITH® are trademarks of Wilbur-Ellis Company.

F-594

**In Case of Emergency,
Call CHEMTREC: (800) 424-9300**



**ENVIRONMENTALLY HAZARDOUS
SUBSTANCE, LIQUID, N.O.S.
RQ — (THIRAM) UN 3082**

NET CONTENTS: 30 GALLONS

BEST AVAILABLE COPY

697
Proposed
Addition
to current
label.

"DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

ALWAYS READ THE ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH THE PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH ALL APPLICABLE STATE AND FEDERAL REGULATIONS. SHAKE OR STIR WELL BEFORE USING.

Mix Agrosol T thoroughly with the seed with suitable, properly calibrated on-farm seed treating equipment, or mix thoroughly with seed in a planter box or drill as follows:

Soybeans : 4 fluid ounces per bushel (6.6 fluid ounces per 100 pounds of seed).

Wheat: 4 fluid ounces per bushel (6.6 fluid ounces per 100 pounds of seed).

Planter Box Application:

1. Pour one bushel of seed into each planter box.
2. Pour enough Agrosol T on top of the seed to treat one bushel.
3. Mix thoroughly with an axe handle or paddle (an axe handle or paddle used for seed treatment purposes only) until seed is uniformly coated.

Drill Box Application:

1. Fill drill one-half full, counting the number of (bushels) or bags put into the drill.
2. Pour 4 fluid ounces of Agrosol T on top of each bushel of seed just put into the drill.
3. Mix thoroughly with an axe handle or paddle (an axe handle or paddle used for seed treatment purposes only) until seeds are uniformly coated.
4. Fill the remainder of the drill and repeat the process in items 2 and 3.

Planter box
Directions on
2935-477

Always apply Agrosol T to the seed prior to adding any plantability aids for vacuum planters.

NOTE: Avoid very deep seeding and exceptionally early planting under poor growing conditions for maximum benefits. Use only recommended rates. Lower amounts may not provide desired protection. Regularly inspect planter plates and seed drill and clean as required.

Clean-up for Electric Eye Population Monitors: At the end of each day of use, clean the electric eye monitors with brushes provided by the planter manufacturer according to their directions.

Treated seed must not be used for or mixed with food or animal feed, or processed for oil. Treat only those seeds needed for immediate use, minimizing the interval between treatment and planting. Do not store excess treated seeds beyond planting time."