

MAY 18 1995

Ms. Joanne Striebich
Wilbur-Ellis Company
191 W. Shaw Avenue, Suite 107
Fresno, California 93704

Dear Ms. Striebich:

Subject: Revised Labeling, Confidential Statement of Formula
Ethyl-Methyl Parathion 6-3 Spray
EPA Registration No. 2935-482
Your Application Dated March 8, 1995

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, providing that the following two revisions are made:

1. Add the restricted entry interval for canola/rape.
2. Delete the WPS logo appearing on the front panel. As stated in the Agency's January 3, 1995 letter to you (signed by Cynthia Giles-Parker, PM 22), the logo implies endorsement by the Agency and is prohibited on pesticide labeling under section 156.10(a)(5)(v) of Title 40 of the Code of Federal Regulations (40 CFR).

A stamped copy of the label is enclosed for your records.

We have also reviewed the Confidential Statement of Formula (CSF) included with this submission. This CSF (2 copies included), dated March 8, 1995, is designated as an alternate formula for this product. A copy of the basic formula must also be submitted. Additionally, our review indicates that the label claim is not supported for either of the active ingredients. Please refer to 40 CFR section 158.175 for instructions on calculation of the nominal concentration, N. The label claim for each of the active ingredients must be the same as N. Our calculations indicate that N for ethyl parathion is 54.15, and N for methyl parathion is 26.83. Since the label claims for both of these actives are higher than these figures, the product is underformulated. New CSFs must be submitted, with column 13a

297

adjusted to reflect an increased amount of the technical products added to the formulation. Otherwise, the label claims must be adjusted and new labeling submitted. This information must be submitted within 30 days of the date of this letter.

If you have any questions, you may contact Meredith Johnson of my staff at (703) 305-7080.

Sincerely,

DHE

Dennis H. Edwards, Jr.
Product Manager 19
Insecticide-Rodenticide Branch
Registration Division (7505C)

Enclosure

2

397
It is a violation of
For any requirement

STATEMENTS
DOMESTIC ANIMALS

or eyes. Rapidly absorbed through skin. Do not
HALED, OR IF ALLOWED TO CONTACT SKIN.
S FOR PERSONAL PROTECTIVE EQUIPMENT

VE EQUIPMENT
e listed below. If you want more options, follow the
category selection chart.
scribed elsewhere on this label) must wear: A)
ical-resistant gloves, such as barrier laminate or
ical-resistant apron; E) Protective eyewear, if the
Long-sleeved shirt and long pants; B) Shoes plus
such as barrier laminate or viton when entering or
ken into the cockpit, the gloves must be kept in an
he cockpit.

en, or maintain the parts of mixing, loading, or
an up spills; (3) handle open containers; or (4)
tant protective suit; B) Chemical-resistant gloves,
footwear plus socks; D) Protective eyewear; E)
spirator with either an organic-vapor-removing car-
H approval number prefix TC-23C), or a canister
(TC-14G).

UNREMENTS
product is handled indoors. B) Discard clothing and
y contaminated with this product's concentrate. Do
or can't according to instructions included with
wash P... overalls, gloves, footwear, aprons, pro-
h PPE after each day's use, following the manufac-
hot water. Store PPE separately from personal
long pants, and socks) worn while performing mix-
tasks separately from household articles. After each
icles.

RECOMMENDATIONS
OP work and get help right away, if you feel sick
his label. Call a doctor (physician), clinic, or hos-
ed to parathion and describe his condition. After
doctor cannot come, take victim to clinic or hos-
n, using tobacco, or using the toilet. D) Remove
oroughly and put on clean clothing. E) Remove
ndling this product. Wash the outside of gloves
and water. Wear only clean clothing when leav-
National Pest... Telecommunication Network
ning management, emergency treatment, and
t-free number for NPTN is 1-800-858-7378. G)
are contained in this product may, without warn-
any cholinesterase inhibitor. H) Persons working
cholinesterase levels. If the cholinesterase level
allowed until it has been determined by means of
normal. Before using this product, consult the
specific recommendations regarding such blood

SYMPTOMS)
body on contact with all skin surfaces and eyes.
ly. Exposed persons must receive prompt medical
che, nausea, vomiting, cramps, weakness, blurred
nervousness, sweating, watering eyes, drooping or

PHYSICIAN
p four mg intravenously or intramuscularly as soon
is until signs of atropinization appear. 2-PAM chlo-
n with atropine. DO NOT GIVE MORPHINE OR
inhibitor affecting the central and peripheral nervous
At first sign of pulmonary edema, the patient should
Continued absorption of the poison may occur and
VERY CLOSE SUPERVISION OF THE PATIENT

HAZARDS
ated areas may be killed. Do not apply directly to
idal zones below the mean high water mark. Runoff
rganisms in adjacent aquatic sites. Do not contam-

atment or residues on blooming crops or weeds. Do
weeds if bees are visiting treatment areas.

ADDITIONAL HAZARDS
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as essential for the pesticide
registered under EPA Reg. No. 2935-482

RESTRICTED USE PESTICIDE
Due to very high acute toxicity to Humans and Birds
For retail sale only to certified commercial aerial applicators or persons under their direct supervision.
For use only by certified commercial aerial applicator. Direct supervision for this product is defined as
the certified applicator being physically present during mixing, loading, repair and cleaning of applica-
tion equipment. Certified commercial applicators must also ensure that all persons involved in these
activities are informed of the precautionary statements.



ETHYL-METHYL PARATHION 6-3 SPRAY

ORGANOPHOSPHATE

For use only on alfalfa, barley, canola, corn, cotton,
sorghum, soybeans, sunflowers and wheat.

ACTIVE INGREDIENT	
Parathion* (O,O-diethyl O-p-nitrophenyl phosphorothioate)	55.86%
Related Compounds	1.76%
O,O-dimethyl O-p-nitrophenyl phosphorothioate	27.87%
Related Compounds	1.09%
INERT INGREDIENTS	13.42%
TOTAL 100.00%	

*Ethyl parathion
Product contains 6 lbs. of ethyl parathion and 3 lbs. of methyl parathion per gallon.

EPA Reg. No. 2935-482

EPA Est. 33691-AZ-1

STOP — READ LABEL BEFORE USING.
KEEP OUT OF REACH OF CHILDREN

DANGER
PELIGRO
POISON
VENENO



Can Cause Death

Si usted no entiende la etiqueta,
busque a alguien para que se la
explique a usted en detalle.
(If you do not understand the
label, find someone to explain it
to you in detail.)

See additional PRECAUTIONARY STATEMENTS on side panel.

STATEMENT OF PRACTICAL TREATMENT

FIRST AID TREATMENT: Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.
IF BREATHING HAS STOPPED: Start artificial respiration immediately and maintain until doctor sees victim.
IF SWALLOWED: Call a physician or poison control center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available, by administering syrup of ipecac. Do not induce vomiting or give anything by mouth to an unconscious person.
IN CASE OF CONTACT: Immediately flush eyes or skin with plenty of water for at least 15 minutes. See doctor immediately.
ACCEPTED with COMMENTS to EPA Letter Dated

MAY 18 1995

Manufactured For:

WILBUR-ELLIS COMPANY
P.O. Box 16458 • Fresno, CA 93755
EPA Reg. No. 2935-482

BEST COPY AVAILABLE

CONTAINER LABELS (ETHYL-METHYL PARATHION 6-3 SPRAY)

Aerial Application
HUMAN FLAGGING
No Spray or Drift
Keep ALL person
drift. Keep all live
Areas Where Ap
100 feet of prop
timing of the appl
Crop Limitations
wheat. Any treat
Chemigation Pro
Drift Reduction
the distance from

Use this produ
for the protect
requirements f
ments in this l
only apply to u
IMPORTANT:
NOT apply wh
RESTRICTION
Do not enter o
ed entry inter
restricted area
are (1) handle
Restrictions 1
before the exp
forming crop-t
until four (4) h
hour in any 24
must be provi
restrictive mus
follows: (a) C
WPS, OR (c) P
PPE correctly,
for heat illness
person can un
ard precautio
measures to p
accessible an
reachable by v
and single-use
water must be
also contain a
water that me
area, soap, ch
PPE. The was
oughly after re
the farm and n
Personal Pro
over long-slee
Protective eye
Notification A
ity) of the appl
signs at (or 10

A certified comm
sible for manag
application, (3) r
requirement for
mechanically an
ments concern
has a copy of the

Applicator Prot
apply this produ
ing any pesticide
Mix/Loader P
The observer ma
This product mu
THE PESTIC
sufficiently d
dry break or spr
All hoses, piping
levels involved.
any point in the
measurements c
shut off in case c

497

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Poisonous if swallowed, inhaled, or absorbed through skin or eyes. Rapidly absorbed through skin. Do not breathe vapors. Do not get in eyes or on skin or clothing.

THIS PRODUCT MAY BE FATAL IF SWALLOWED OR INHALED, OR IF ALLOWED TO CONTACT SKIN. FAILURE TO PROPERLY FOLLOW ALL INSTRUCTIONS FOR PERSONAL PROTECTIVE EQUIPMENT WILL INCREASE YOUR RISK.

PERSONAL PROTECTIVE EQUIPMENT

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category G on an EPA Chemical resistance category selection chart.

Mixers and Loaders (who must use the closed system described elsewhere on this label) must wear: A) Coveralls over long-sleeved shirt and long pants; B) Chemical-resistant gloves, such as barrier laminate or viton; C) Chemical-resistant footwear plus socks; D) Chemical-resistant apron; E) Protective eyewear, if the closed system is pressured.

Applicators (pilots in enclosed cockpits) must wear: A) Long-sleeved shirt and long pants; B) Shoes plus socks. In addition, pilots must wear chemical-resistant gloves, such as barrier laminate or viton when entering or leaving an aircraft contaminated with pesticide residues. If taken into the cockpit, the gloves must be kept in an enclosed container to prevent contamination of the inside of the cockpit.

All Other Handlers, including persons who (1) repair, clean, or maintain the parts of mixing, loading, or application equipment that may contain residues; (2) clean up spills; (3) handle open containers; or (4) dispose of this pesticide, must wear: A) Chemical-resistant protective suit; B) Chemical-resistant gloves, such as barrier laminate or viton; C) Chemical-resistant footwear plus socks; D) Protective eyewear; E) Chemical-resistant headgear for overhead exposure; F) A respirator with either an organic-vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G).

USER SAFETY REQUIREMENTS

Users must: A) Provide mechanical exhaust ventilation, if product is handled indoors. B) Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them. C) Clean respirators and replace cartridges according to instructions included with the respirators. D) Replace gloves frequently. E) Keep and wash PPE (coveralls, gloves, footwear, aprons, protective eyewear, etc.) separately from all other laundry. Wash PPE after each day's use, following the manufacturer's directions. If no such instructions, use detergent and hot water. Store PPE separately from personal clothing. F) Keep personal work clothing (long-sleeved shirts, long pants, and socks) worn while performing mixing, loading, application, and other handling and early entry tasks separately from household articles. After each day of use, wash work clothing separately from household articles.

USER SAFETY RECOMMENDATIONS

Users should: A) Not rub eyes or mouth with hands. B) STOP work and get help right away, if you feel sick in any way. See First Aid (Practical Treatment) section of this label. Call a doctor (physician), clinic, or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (See First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital. C) Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. D) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. E) Remove PPE, all work clothing, and footwear immediately after handling this product. Wash the outside of gloves with soap and water before removing. Shower using soap and water. Wear only clean clothing when leaving job — do not wear contaminated clothing. F) The National Pesticide Telecommunication Network (NPTN) is available for recommendations regarding poisoning management, emergency treatment, and other information regarding the toxicity of parathion. The toll-free number for NPTN is 1-800-858-7378. G) Repeated exposures to Cholinesterase Inhibitors such as are contained in this product may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. H) Persons working with this product should have frequent blood tests of their cholinesterase levels. If the cholinesterase level falls below a critical point, no further exposure should be allowed until it has been determined by means of blood tests that the cholinesterase level has returned to normal. Before using this product, consult the Agricultural Extension Service or Experimental Station for specific recommendations regarding such blood tests.

POISON SIGNS (SYMPTOMS)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

NOTE TO PHYSICIAN

ANTIDOTE Administer atropine sulfate in large doses two to four mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5- to 10-minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and wildlife. Birds in treated areas may be killed. Do not apply directly to water or to areas where surface water is present, or to intertidal zones below the mean high water mark. Runoff and drift from target areas may be hazardous to aquatic organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

This product is extremely toxic to bees exposed to direct treatment or residues on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds if bees are visiting treatment areas.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

52216

BEST COPY AVAILABLE

For retail sale on
For use only by c
the certified appli
tion equipment. (c
activities are info



PAR

For us
SC

ACTIVE INGREDIENT
Parathion* (O,O-die
Related Compound
O,O-dimethyl O-p-n
Related Compound
INERT INGREDIENT

*Ethyl parathion
Product contains 6 lb

EPA Reg. No. 2

**DANGI
PELIGI
POISO
VENEN**

FIRST AID TREAT
exposed to parathion
IF BREATHING HA
IF SWALLOWED: (c
back of throat with
mouth to an unbon
IN CASE OF CONT
ately

597

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling
For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation

APPLICATION RESTRICTIONS

Aerial Application Only: Ethyl parathion may only be applied aerially, and only by a certified commercial applicator as defined in FIFRA 2(e)(3)
HUMAN FLAGGERS ARE STRICTLY PROHIBITED DURING AERIAL APPLICATION

No Spray or Drift On Any Person: Do not apply this product in a way that will contact any person, either directly or through drift. During application keep ALL persons out of (1) the treated area plus any area within 100 feet of the treated area, and (2) any additional area where there is a danger of drift. Keep all livestock and pets away from treated area and where there is danger of drift.

Areas Where Application Is Prohibited: Do not apply this product within 100 feet of buildings, public roads, or bodies of water. Do not apply within 100 feet of property lines, unless the owner of the adjacent property has given prior written consent to the application and has been informed of the timing of the application and the appropriate entry restrictions.

Crop Limitations: This product must not be applied to any crop other than alfalfa, barley, canola, corn, cotton, sorghum, soybeans, sunflower, and wheat. Any treated crop must be harvested only by mechanical means. Hand harvesting of treated crop is prohibited.

Chemigation Prohibited: Do not apply this product through any type of irrigation system.

Drift Reduction Measures: Do not apply this product if the wind exceeds 10 miles per hour. Apply only from nozzles located not more than 75% of the distance from the center of the aircraft to the wing tip or helicopter rotor tip.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions pertaining to the statements in this labeling about personal protective equipment, restricted-entry intervals, and notification to workers. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard (WPS).

IMPORTANT: The exceptions in the WPS pertaining to personal protective equipment, restricted-entry intervals, and notification to workers do NOT apply when this product is used.

RESTRICTIONS ON ENTRY TO TREATED AREAS:

Do not enter or allow any person to enter into entry-restricted areas (treated areas plus areas within 100 feet of treated areas) during the restricted entry interval (REI) of 3 days (6 days for corn) and during any longer period of time prescribed by State law or regulation. Entry into entry-restricted areas (including early entry that would otherwise be permitted under the WPS) by any person is PROHIBITED, except for persons who are (1) handlers performing crop-advisor tasks or (2) workers performing irrigation-related tasks.

Restrictions For All Persons Who Enter Entry-Restricted: When any person enters the treated area or within 100 feet of the treated area before the expiration of REI all of the following requirements must be complied with: (1) No entry is permitted, except for persons who are performing crop-advisor tasks or irrigation-related tasks. (2) No person is allowed to enter or remain in entry-restricted areas during application and until four (4) hours after application is complete. (3) No person is allowed to remain in any entry-restricted area for a total of more than one (1) hour in any 24-hour period. (4) Each person must wear the personal protective equipment specified for early entry on this label. (5) Each person must be provided the protections in the WPS and in this labeling. If the two requirements are not identical, the requirements that are the most restrictive must be followed. (6) Each person, except owners of the farm and members of their immediate family, must have received training as follows: (a) Currently certified as an applicator of restricted-use pesticides, OR (B) Currently trained as a handler under the requirements of the WPS, OR (c) Currently trained as a worker under the requirements of the WPS and, in addition, is informed (i) how to put on, use, and take off PPE correctly, (ii) about the importance of washing thoroughly after removing PPE, and (iii) how to prevent, recognize, and give correct first aid for heat illness. (7) Before entering the entry-restricted area, each person must have read the product labeling or been informed in a manner the person can understand of all the requirements of all labeling requirements related to safe use of the pesticide, including signal word, human hazard precautions, first aid instructions, symptoms of poisoning, and personal protective equipment requirements for early entry. (8) Appropriate measures to prevent heat illness must be taken for each person. (9) Each person must be provided a decontamination site that is reasonably accessible and is within 1/4 mile of that person. (Exception: if the site where the person is working is more than 1/4 mile from the nearest point reachable by vehicle, the decontamination site may be at the access point.) Each decontamination site must contain an adequate supply of soap and single-use towels and an adequate amount of water for routine washing, emergency eyeflushing, and emergency whole-body washing. The water must be of a quality and temperature that will not cause illness or injury when it contacts the skin or eyes or if it is swallowed. The site must also contain a clean change of clothing, such as a coverall. (10) Each person must carry an eyeflush dispenser containing at least one pint of water that meets the quality and temperature criteria listed for decontamination water in (9) above. (11) After the activity in the entry-restricted area, soap, clean towels, and an adequate amount of water for thorough washing must be available at the place where the person removes the PPE. The water must meet the quality and temperature criteria listed for decontamination water in (9) above. (12) Each person must wash thoroughly after removing PPE. (13) Personal protective equipment worn during early entry must not be worn home. No person, other than owners of the farm and members of their immediate family, may take home — before it is cleaned — PPE worn during early entry.

Personal Protective Equipment for Early Entry: PPE required for early entry to treated areas that is permitted on this label is: A) Coveralls over long-sleeved shirt and long pants, B) Chemical-resistant gloves, such as barrier laminate or viton, C) Chemical-resistant footwear, D) Protective eyewear, E) Chemical-resistant headgear for overhead exposure.

Notification About Application and Entry Restrictions: Notify workers (other than workers who are members of the farm owners immediate family) of the application by warning them orally if they will be within 1/4 mile of the treated area. In addition, treated areas must be posted with WPS signs at (or 100 feet outside) all usual points of entry or at (or 100 feet outside) all the corners of the treated areas affording maximum visibility.

NOTIFICATION TO FARM OWNER/OPERATOR

A certified commercial applicator must not apply this parathion product on a farm until he or she makes sure the owner of the farm (or person responsible for managing the farm) has the following information in writing: (1) specific location and description of the area to be treated, (2) time and date of application, (3) product name, EPA registration number, and active ingredients, (4) the entry restrictions including the restricted-entry interval, (5) the requirement for both oral warnings to workers and posting of treated areas, (6) the requirement that crops treated with parathion be harvested mechanically and the prohibition on hand harvesting, (7) the incident reporting requirements set forth on this label, and (8) any other labeling requirements concerning the protection of workers or other persons during or after application. This requirement is satisfied if the owner/operator of the farm has a copy of this labeling.

PROTECTION OF APPLICATORS, MIXER-LOADERS, AND MAINTENANCE PERSONNEL

Applicator Protection: The cockpit of the aircraft used to apply this product must be fully enclosed while this product is being applied. No pilot may apply this product if the pilot has earlier during the day of application performed any mixing/loading activities (other than acting as an observer) involving any pesticide product containing parathion. Human flaggers are prohibited.

Mixer/Loader Protection: An observer must be present during all mixing/loading activities in order to furnish assistance in the event of an accident. The observer may not act as a mixer/loader and need not wear personal protective equipment.

This product must be mixed and loaded in a closed system, as described below:

The liquid pesticide must be removed from its original shipping container and transferred through connecting hoses, pipes, and/or couplings that are sufficiently tight to prevent handlers or other persons from contacting the parathion concentrate, use dilution, or insolate solution. A completely dry break or screw on coupling to the opening of the original container shall be required.

All hoses, piping, tanks, and connections used in the system shall be of a type appropriate for the product being used and the pressure and vacuum levels involved. The system shall be designed and operated so that the concentrated form of this product is not under more than 25 psi of pressure at any point in the system beyond or downstream from a pump producing positive pressure. The closed system must be adequate to make necessary measurements of the product being used. External sight gauges shall be equipped with valves so that the flow of pesticides to the sight gauge can be shut off in case of breakage or leakage from the gauge.

under their direct supervision.
on for this product is defined as
repair and cleaning of applica-
at all persons involved in these

ETHYL PARATHION SPRAY

corn, cotton,
and wheat.

55.86%
1.76%
27.87%
1.09%
13.42%

TOTAL 100.00%

EPA Est. 33691-AZ-1

HOW TO USE. CHILDREN

usted no entiende la etiqueta,
busque a alguien para que se la
explique a usted en detalle.
(If you do not understand the
label, find someone to explain it
to you in detail.)

side panel.

ENT

ly. Explain that the victim has been

until doctor sees victim

water and induce vomiting by touching
induce vomiting or give anything by

least 15 minutes. See doctor immedi-

Remove the product from the container only by use of a vacuum-producing pump system connected to a probe system that is listed by the State of California under that state's program establishing criteria for closed-system handling of Toxicity Category I pesticides. Examples of California-listed systems are the Chemprobe Model II system sold by Chempro Mfg. Co., Inc., P.O. Box 2174, Salinas, CA 93902, telephone 408-422-5477 or the Protect-O-Loader Model XM-1 system by Protecto Mfg. Co., 20189 Firerock Road, Bend, OR 97701, telephone 503-382-6886. The probe system shall be screwed into the threaded opening in the top of the container to form a watertight connection, using appropriate adapters provided by the probe manufacturer as necessary. The instructions provided by the seller of the probe system shall be followed, except that a removable probe may not be removed from the container until the container is empty and the container and probe have been thoroughly rinsed as required by this section.

The closed-system must provide for adequate rinsing of any removable probe and of all containers that are not labeled for return to the registrant. Rinsing must be done using a liquid that contains no pesticide. The rinsing system must be capable of spray-rinsing the inner surface of the container. The rinse solution shall be removed from the pesticide container concurrent with the introduction of the rinse medium. The rinse solution shall go into the pesticide mix tank or applicator vehicle via the closed system.

The system shall be rinsed according to the specifications of the manufacturer of the probe system, or, in the absence of such specifications, by moving at least one half of the container volume through the system. A minimum pressure of 15 PSI shall be used for the spray rinse. Parathion containers shall be protected against excessive pressure during the container rinse operations. Measures shall be taken to prevent the spray rinse procedure from causing an increase in pressure on the inside of the container walls of more than 5 psi.

Either the operator of the closed system must have available at the time of operation a complete set of written instructions for proper operation of the system, or the certified applicator must document in writing before an operator uses the closed system that the operator has been adequately trained in the proper operation of the system.

INCIDENT REPORTING

A telephone notification must be made if mixing, loading, or use of a product containing parathion results in inadvertent or unexpected human exposure to the product or illness resulting from exposure to the product, spill of the product, an investigation by Federal, State or local authorities of allegations involving drift of the product, or the deaths of birds or other wildlife. The certified applicator or the owner of the treated land must notify by telephone the Chief Compliance Branch, Office of Compliance Monitoring, U.S. EPA, at 202-260-3375 within seven days of becoming aware of the incident.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL

Store in a dry location away from children, animals, foods, feeds, seeds, and other agricultural chemicals. Keep container closed when not using. Do not allow water into container as this may cause deterioration of product. Do not store under conditions where temperature may exceed 120 F or below 45 F. Keep storage area locked when not in use. In the event of spillage or leakage, soak up material with absorbent clay, sand, sawdust, or other absorbent material while wearing appropriate protective equipment. Scrape up and dispose of in accordance with information given under PESTICIDE DISPOSAL. In case of fire or other emergency, report at once by toll-free telephone to CHEMTREC 800-424-9300.

DISPOSAL

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinseate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers — Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION

Mix Ethyl-Methyl Parathion 6-3 Spray in water to form an emulsion spray solution. To make the spray solution, fill the spray tank half full with water, agitate, add the proper amount of Ethyl-Methyl Parathion 6-3 Spray and then fill the spray tank with water while still agitating. Continue to agitate during use.

Aircraft should apply the recommended amount of Ethyl-Methyl Parathion 6-3 Spray in not less than 1 gallon of water per acre. Always use sufficient water for adequate coverage of the crop foliage.

Where a dosage range is given, use the lower rate on small or young plants or with light insect infestations. Use the higher rate on mature plants or with heavy insect infestation.

The amounts given to use are the amounts of Ethyl-Methyl Parathion 6-3 Spray to apply per acre per application. The hazards and precautions for handling Ethyl-Methyl Parathion 6-3 Spray are equally applicable to it after dilution with water for spray application.

ALFALFA: For three-cornered alfalfa hoppers, alfalfa caterpillars, and spittlebugs, use 1/4 to 2/3 pint per acre. For aphids, alfalfa weevil larvae and adult weevils, armyworms up to third instar, clover leaf weevils, climbing cutworms, weevils, grasshoppers, crickets, spotted alfalfa aphids, leafhoppers, lygus bugs, thrips, and tortricid moths, use 1/4 to 2/3 pint per acre. For alfalfa seed chalcids control on alfalfa grown for seed, use 1/4 to 2/3 pint per acre. California and Nevada regulations limit the use of this material to not more than 1/3 pint per acre. For clover head weevils, spider mites, blister beetles, Asiatic garden beetles, sweet clover weevils, and green June beetles, use 2/3 pint per acre. For beet armyworms and corn earworms use 2/3 pint per acre. Do not spray alfalfa during bloom period to avoid injury to honey bees. Do not apply within 15 days of harvest, cutting or forage use. Do not apply if the crop or weeds in the treatment area are in bloom. The restricted-entry interval is 3 days.

CANOLA/RAPE (OILSEED VARIETIES ONLY): For control of Cabbage Seed Pod Weevils, Aphids, Diamondback Moth Larvae, and Flea Beetles, apply 2/3 pint of Ethyl-Methyl Parathion 6-3 Spray per acre per application, in sufficient water for good coverage (3 to 10 gallons of water per acre). Apply when damaging populations are present. For control of Cabbage Seed Pod Weevil (*Ceutorhynchus assimilis*), treat when two or more Cabbage Seed Pod Weevils may be found per plant on young pods. For control of Aphids, treat about mid-growing season when insect populations reach economic thresholds. For control of Flea Beetles, treat in early season when significant evidence of shot-holing by the adults becomes evident on rape seedlings. For control of Diamond Back Moth Larvae, treat about mid-growing season when populations reach economic thresholds and there is evidence of appreciable feeding beginning on rape flowers and/or pods. A second application may be made if necessary. To protect pollinators apply only in the evening or early morning (this includes a period from 3 hours before sunset until 3 hours after sunrise on the following day). Preharvest interval is 28 days, do not treat within 28 days of harvest. DO NOT graze treated fields or feed treated forage or threshing waste to livestock.

CORN: For control of European corn borers, use 3/5 pint per acre. Apply the first spray when 75% of the corn plants show shot-hole feeding, and follow with two additional sprays at 5- to 7-day intervals. Use sufficient water per acre to provide complete coverage and be certain whorls of plants are well treated. For corn leaf aphids, use 1/4 pint per acre. For fall armyworms, corn rootworm adults, armyworms up to third instar, climbing cutworms, grasshoppers and Japanese beetles, use 1/2 pint per acre. To control stink bugs and spider mites, use 3/4 pint per acre. To control corn earworms, use 3/4 pint per acre and apply to silks as soon as they appear. Make 3 to 4 applications at 2- to 3-day intervals as infestation warrants. Re-apply immediately after rain. To control chinch bugs, use 3/4 pints per acre. Do not apply within 12 days of harvest, cutting or forage use. The restricted-entry interval is 6 days.

CORN (Sweet): To control fall armyworms, aphids and silkies, use 1/4 pint per acre. To control sap beetles and spider mites, use 1/2 pint per acre. To control corn earworms apply 3/4 pint per acre to silks as soon as they appear. Make 3 to 4 applications at 2- to 3-day intervals as infestation warrants. Reapply immediately after rain. To control chinch bugs, use 3/4 pints per acre. If crop is intended for canning, consult your cannery fieldmen prior to application. Do not apply within 12 days of harvest. The restricted entry interval is 6 days.

COTTON: To control aphids, mites, cotton leafworms, cotton leafhoppers, garden webworms and thrips, use 1/2 pint per acre. For cabbage loopers, use 3/4 to 1 pint per acre. For boll weevils and stink bugs, use 2/3 to 1 1/3 pint per acre. For salt marsh caterpillars, use 1 pint per

BEST COPY AVAILABLE

leakage of parathion when the transfer and has not been rinsed in accordance with age to not more than 2 ml per disconnect must solution, a reversing action pump or a similar system be used as an alternative to a shut-off device

ing the container, make sure that the container is rest- approximately level.

ystem connected to a probe system that is listed by the handling of Toxicity Category I pesticides. Examples of o, Inc., P O Box 2174, Salinas, CA 93902, telephone 0180 Frerock Road, Bend, OR 97701, telephone 503 of the container to form a watertight connection, using ons provided by the seller of the probe system shall be ill the container is empty and the container and probe

all containers that are not labeled for return to the reg- system must be capable of spray-rinsing the inner sur- concurrently with the introduction of the rinse medium ed system

le probe system, or, in the absence of such specifica- minimum pressure of 15 PSI shall be used for the spray container rinse operations. Measures shall be taken to of the container walls of more than 5 psi.

a complete set of written instructions for proper opera- tor uses the closed system that the operator has been

aining parathion results in inadvertent or unexpected ill of the product, an investigation by Federal, State or ther wildlife. The certified applicator or the owner of the pliance Monitoring, U.S. EPA, at 202-260-3375 within

L. 421
L. 421
L. 421

gricultural chemicals. Keep container closed when not Do not store under conditions where temperature may of spillage or leakage, soak up material with absorbent e equipment. Scrape up and dispose of in accordance emergency, report at once by toll-free telephone to

of excess pesticide, spray mixture, or rnsate is a viola- to label instructions, contact your State Pesticide or EPA Regional Office for guidance

er for recycling or reconditioning, or puncture and dis- onities.

y

make the spray solution, fill the spray tank half full with hen fill the spray tank with water while still agitating

in not less than 1 gallon of water per acre. Always use

ight insect infestations. Use the higher rate on mature

pply per acre per application. The hazards and precau- tion with water for spray application.

1/4 to 2/3 pint per acre. For aphids, alfalfa weevil orms, webworms, grasshoppers, crickets, spotted t per acre. For alfalfa seed chalcids control on alfalfa the use of this material to not more than 1/3 pint per weet clover weevils, and green June beetles, use 2/3 ot spray alfalfa during bloom period to avoid injury to apply if the crop o weeds in the treatment area are in

Weevils, Aphids, Diamondback Moth Larvae, and Flea n sufficient water for good coverage (3 to 10 gallons of age Seed Pod Weevil (*Ceutorhynchus assimilis*), treat ds. For control of Aphids, treat about mid-growing sea- is, treat in early season when significant evidence of d Back Moth Larvae, treat about mid-growing season eeding beginning on rape flowers and/or pods. A sec- vening or early morning (this includes a period from 3 ival is 28 days, do not treat within 28 days of harvest)

y when 75% of the corn plants show shot-hole feeding er acre to provide complete coverage and be certain 1 armyworms, corn rootworm adults, armyworms up to r acre. To control stink bugs and spider mites, use 3/4 ion as they appear. Make 3 to 4 applications at 2- to 3- ch bugs, use 3/4 pints per acre. Do not apply within 12

To control sap beetles and spider mites, use 1/2 pint ppear. Make 3 to 4 applications at 2- to 3-day intervals 3/4 pints per acre. If crop is intended for canning, con- . The restricted-entry interval is 6 days

oworms and thrips, use 1/2 pint per acre. For cabbage ent per acre. For salt-marsh caterpillars, use 1 pint per

acre. For bollworms, cotton leaf perforators, Lygus bugs, false chinch bugs, serpentine leaf miners and southern garden leafhoppers use 1/2 pint per acre. Make first application when insects appear and repeat at 7-day intervals if required. If desired, this formulation may be combined with other insecticides in a complete cotton spray program. Do not feed cotton trash to dairy animals or animals being finished for slaughter within 15 days of application. Do not harvest within 7 days of application. The restricted-entry interval is 3 days

SMALL GRAINS (WHEAT, BARLEY): To control armyworms up to third instar, aphids (greenbugs) and winter grain mites, use 1/3 pint per acre. For thrips, use 1/3 pint per acre. For Say's plant bugs, use 1/2 to 3/4 pint per acre. For black grass bugs, stink bugs, white spider mites, leafhoppers, climbing cutworms, grasshoppers and brown wheat mites, use 1/2 to 3/4 pint per acre. For chinch bugs, false chinch bugs and Banks grass mites, use 1 pint per acre. Do not apply within 15 days of harvest, cutting, or forage use. The restricted-entry interval is 3 days

SORGHUM: To control sorghum midge, apply at a rate of 2/3 pint per acre. Make 2 applications 3 to 5 days apart when approximately 90% of the heads have completely emerged from the boot or not later than start of blooming. For aphids (greenbugs) and mites, use 1/3 pint per acre. For sorghum webworms, fall armyworms, armyworms up to third instar and corn earworms use 1/3 pint per acre. Leaf injury may occur on some hybrid varieties of sorghum. Spray a few rows a week or so before booting to test effects on plants. Do not apply within 12 days of harvest, cutting or forage use. The restricted-entry interval is 3 days

SOYBEANS: To control webworms, use 7/8 pint per acre. To control velvet bean caterpillars, green cloverworms, two-spotted mites and stink bugs, use 2/3 pint per acre. Do not apply later than 30 days before harvest. The restricted-entry interval is 3 days

SUNFLOWERS: To control sunflower moths, use 7/8 pint per acre on a schedule of 2 to 3 applications at 5-day intervals. Hybrid sunflowers completely bloom in 12 to 15 days; thus the initial application should be made when 10-20% of the plants have begun to flower and moths and young larvae are present. Do not apply later than 30 days before harvest. The restricted-entry interval is 3 days.

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

WILBUR-ELLIS Logo® and IDEAS TO GROW WITH® are registered trademarks of WILBUR-ELLIS Company F-395

**IN CASE OF EMERGENCY,
CALL CHEMTREC: (800) 424-9300**



**RQ, PARATHION MIXTURE
NA 2783**

BEST COPY AVAILABLE