

SPECIAL ELECTRIC

REFINED SUPER-ADHESIVE DUSTING SULFUR

An Agricultural Insecticide and Fungicide

ACTIVE INGREDIENT	% By Wt.
Sulfur	98.00%
INERT INGREDIENT	2.00%
TOTAL	100.00%

EPA Reg. No. 2935-503

EPA Est. No. 2935-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

IF IN EYES:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT(PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart. Applicators and other handlers must wear: A) Long-sleeved shirt and long pants; B) Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride; C) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not apply when weather conditions favor drift from treated areas.

PHYSICAL AND CHEMICAL HAZARDS

BURNING SULFUR EMITS HIGHLY TOXIC FUMES, SULFUR DUST SUSPENDED IN AIR IGNITES EASILY.

Keep away from heat, sparks and flame. Avoid creating dust in handling. Keep container closed. Use with adequate ventilation. Keep from contact with oxidizing materials.

In Case of Fire: Use water spray, fog CO₂ or sand. Wear NIOSH approved self-contained breathing apparatus.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly through drift. Only protected handlers may be in area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Chemical-resistant gloves made of any waterproof material; C) Shoes plus socks.

PRODUCT INFORMATION

Sulfur will cause severe fruit and leaf injury to sulfur-sensitive crops. Do not use on apricots, Anjou and comice pears, cranberries, cucurbits (cucumbers, squash and some varieties of melons), figs, figs, spinach, tung trees, walnuts and other sensitive plants.

Except on cotton, do not apply when air side temperatures exceed or are likely to exceed 90°F.

Sulfur may burn foliage and fruit during periods of high temperatures and under certain climatic conditions.

Do not use sulfur within 30 days of an oil spray (60 days on citrus).

If the crop to be treated will be used for canning or freezing purposes, consult food processor before applying sulfur.

Consult State Agricultural Experiment Stations or the State Agricultural Extension Service for additional information, as the timing and number of applications need will vary with local conditions.

Apply the specified amounts of this product uniformly to the foliage when air is calm, using ground power equipment or aircraft. Except as otherwise shown, apply at the first sign of infection and repeat at 7-10 day intervals as needed to maintain control.

CROPS and APPLICATION RATES

FRUIT CROPS

APPLES: Scab, Powdery Mildew - apply 30 to 35 lbs. per acre in the green tip to pink bud stage. Macintosh, Golden Delicious, Jonathan and certain other varieties may be injured by sulfur. Use on sulfur-tolerant varieties only.

CHERRIES: Blossom Blight, Brown Rot, Powdery Mildew - apply 50 lbs. per acre in the popcorn, full bloom and petal-fall stages. Leaf Spot, Powdery Mildew - apply 50 lbs. per acre at petal-fall, shuck-fall and 2 weeks after shuck-fall.

CITRUS: Six-Spotted and Citrus Rust Mites - apply 80 lbs. per acre. Citrus and Yuma Spider Mites - apply 100 lbs. per acre. Citrus Thrips - apply 100 lbs. per acre in three applications: mid-March, petal-fall and 2-4 weeks later. Avoid applications during or preceding high temperatures. Do not apply within 2 months of an oil spray.

GRAPES: Rust, Powdery Mildew - apply 10 to 20 lbs. per acre in successive applications: when shoots are 6 inches long, shoots 12 to 15 inches long, 14 days afterwards and repeat as necessary thereafter to harvest. Caution: Concord and Labrusca type grapes may be injured by sulfur.

PLUMS, PRUNES: Brown Rot, Leaf Spot, Prune Rust - apply 35-50 lbs. per acre. For Brown Rot of fruit, dust when fruit begins to ripen. For Leaf Spot and Rust begin at pink stage, repeat at bloom, petal-fall, shuck-fall and in cover period apply as necessary.

STRAWBERRIES: Powdery Mildew - apply 10 to 20 lbs. per acre.

(Continued on next page)

ACCEPTED

MAR 8 2002

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. 2935-503

Distributed by:



IDEAS TO GROW WITH®

NET CONTENTS: _____

P.O. BOX 16458 - FRESNO, CA 93755

2/2

VEGETABLE AND FIELD CROPS

ALFALFA: Spider Mites - apply 15 to 25 lbs. per acre. Caution: sulfur may cause petal burn to open flowers.

BEANS: Powdery Mildew, Rust, Spider Mites - apply 15 to 30 lbs. per acre. For Rust control start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. Caution: may cause injury to some varieties of beans.

CARROTS: Petrobria Mite - apply 30 to 35 lbs. per acre.

CLOVER: Powdery Mildew, Spider Mites - apply 15 to 25 lbs. per acre.

COTTON: Atlantic Mite, Cotton Rust - apply 25 to 30 lbs. per acre.

GRASS SEED CROPS: Timothy Mite - apply 30 lbs. per acre.

MELONS (Honeydew and sulfur-resistant melons only): Powdery Mildew, Spider Mites - apply 20 to 25 lbs. per acre.

ONIONS: Petrobria Mite - apply 20 to 30 lbs. per acre during warm weather.

PEAS: Powdery Mildew - apply 15 to 20 lbs. per acre.

SUGAR BEETS: Spider Mite - apply 30 to 35 lbs. per acre.

TOMATOES: Tomato Russet Mite - apply 15 to 40 lbs. per acre.

TURNIPS and RUTABAGAS: Powdery Mildew - apply 15 to 20 lbs. per acre

ORNAMENTALS

Use 20 to 40 lbs. per acre. Make full coverage application on both sides of leaves, applying when disease first appears and repeat at 5 to 10 day intervals and after rain, or as necessary. Keep new growth protected. **AVOID APPLICATION TO SULFUR SENSITIVE PLANTS.**

HOLLYHOCK: Rust.

ROSES, PERENNIALS, SHRUBS: Black Spot, Powdery Mildew, Rust. Attention: some burning may occur when used during warm weather.

**FOR ALL CROP USES LISTED
ON THE PRODUCT LABEL
(for both ground and air applications)**

Dusting Sulfur can create situations where drift to nontarget or sensitive areas can occur. To minimize the occurrence of drift incidents, the following conditions must be met:

DIRECTIONS FOR USE (GENERAL)

In addition to specific instructions under directions for use on the main sulfur label, the following conditions must also be followed for use in California:

1. The operator of the property and the applicator must establish a buffer zone of enough distance to prevent drift onto nontarget areas such as hospitals, clinics, schools, residential areas and any other area designated by county agricultural commissioner.
2. The operator of the property and the applicator must evaluate the method and equipment for each site to ensure proper and safe use. Evaluations shall include, but not be limited to the appropriateness of ground or air application.
3. Sulfur shall not be applied when the wind velocity exceeds 10 miles per hour. Applicators should be aware that in some areas of California, "dead calm" conditions are often associated with an inversion situation. In these areas applying sulfur when there is a minimum air movement of 2 miles per hour will help insure that an inversion situation does not exist.
4. All applicators, prior to use of dust formulations, should read and understand the Dust Application Practices Manual.
5. Before using this product, read and follow all applicable directions, restrictions, and precautions on the EPA-registered label.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food or feed by storage or disposal.

Pesticide Storage: Store in original container only and keep sealed. Store in closed storage areas. Use caution when moving, opening, closing or pouring.

Pesticide Disposal: Waste resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

SPILL OR LEAK: Small spills can be handled routinely. Use adequate ventilation and wear a respirator or a dust mask to prevent irritation. Wear suitable protective clothing and eye protection to prevent skin and eye contact. Use the following procedures.

Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to reduce sparking. Be careful not to create dust as an explosion could result. Place sweepings in an appropriate chemical waste container. Seal container and dispose of in an approved facility. Flush spill area with detergent and water to remove any residue.

**IN CASE OF A CHEMICAL EMERGENCY,
CALL CHEMTREC 24-HOUR NUMBER: (800) 424-9300**

NOTICE: The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

Wilbur-Ellis logo and IDEAS TO GROW WITH are registered trademarks of Wilbur-Ellis Company.

F-1001

**IN CASE OF CHEMICAL EMERGENCY,
CALL CHEMTREC: (800) 424-9300**

