

#### UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

5 2010 FEB

Ms. Sandi Escamilla Registration Specialist Wilbur-Ellis Company P.O. Box 1286 Fresno, CA 93715

Re: Notification for Additional EPA Establishment Number to add on Special Electric Label

EPA Reg No.: 2935-503

Date of Submission: January 13, 2010

Dear Ms. Escamilla:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated January 13, 2010, for the above mentioned product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

Please read instructions on	reverse before com:	ng form.		Form Appr	ove DMB Ne	o. 2070-006	Print Form	
<b>\$EPA</b>	Environmenta	Inited States	•		Regist	ration dment	OPP Identifier Number	
		Applicatio	n for Pestici	de - Secti	on I.			
. Company/Product Number			· · · · · · · · · · · · · · · · · · ·	Product Mana	ger	3, P	roposed Classification	
Wilbur-Ellis Company (5103-352-2935)							None Restricted	
4. Company/Product (Name) Special Electric				PM# 21				
. Name and Address of Ap	plicant (Include ZIP Co	ide)	6. Exp	edited Reve	iw. In accor	dance with	FIFRA Section 3(c)(3)	
Wilbur-Ellis Company			(b)(i), my product is similar or identical in composition and labeling					
PO Box 1286			to:					
Fresno CA 937	715		EPA F	Reg. No				
Check if this	is a new address		Produ	ct Name _			·	
		·	Section -	I				
Amendment - Explain	n below.				labels in repso		. A WELL & B. S	
Resubmission in response to Agency letter dated				Agency lette "Me Too" Ag		NOTIFIC	CAHON	
				Other - Explain below. FEB - 5 2010				
X Notification - Explain	Delow.			Other - Expre	iii baiow.			
Submitting notification f	or additional EPA E	stablishment N	lumbers on label					
<del>-</del>		·	Section - I	11		····		
. Material This Product Wil	T		· · · · · · · · · · · · · · · · · · ·		<del></del>		<u> </u>	
hild-Resistant Packaging	Unit Packaging		Water Soluble P	ackaging	2. Type	of Containe	•	
Yes	Yes		Yes Jext		-	Metal Plastic		
No	No	<del> </del>	None			Glass		
Certification must e submitted	If "Yes" Unit Packaging wgt	No. per container	if "Yes" Package wgt	No. per container		Paper Other (	Specify)	
Location of Net Contents	Information	4. Size(s) Reta	il Container		. Location of	abel Directi	ons	
	ontainer				On Lab		paning product	
. Manner in Which Label is	Affixed to Product	Lithogr Paper of Stencil	alued	Other				
			Section - I'	V				
. Contact Point <i> Complete</i>	items directly below	or identification	of individual to b	e contacted, if	necessary, to	process this	s application.)	
sme Sandi Escamilla			Title Registrat	ion Specialist		Telaphor 559-493	ne No. (include Area Code) -2108	
I certify that the state I acknowledge that an both under applicable	y knowlinglly false or		all attachments the				6 Pate / pplication Received (Stamped)	
Signature)	scamula	Is	. Title				1	
· Olgitatury							1	

5. Date

January 13, 2010

4. Typed Name

Sandi Escamilla



January 13, 2010

CERTIFIED MAIL
Return Receipt Requested
7009140000051302092

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
U.S. Environmental Protection Agency
1200 Pennsylvania Ave. NW
Washington DC 20460

Subject: Notification of Additional EPA Est. Numbers. Special Electric, EPA Reg. No. 2935-503

Dear Sir or Madam:

Wilbur-Ellis Company is submitting this notification to EPA for additional EPA Establishment numbers to add on our Special Electric label.

Enclosed are three copies of the label and one copy is highlighted in red to show the changes.

Please call me at (559) 493-2108, or email to <a href="mailto:sescamil@wecon.com">sescamil@wecon.com</a> if you have any questions.

Sandi Escamilla

Registration Specialist

Wilbur-Ellis Company

Enclosure(s)

# SPECIAL ELECTRIC®

#### REFINED SUPER-ADHESIVE DUSTING SULFUR

An Agricultural Insecticide and Fungicide

NOTIFICATION

ACTIVE INGREDIENT	% By Wt.
Sulfur	98.00%
OTHER INGREDIENT	2.00%
TOTAL	100.00%

FEB - 5 2010

EPA Reg. No. 2935-503

EPA Est. No. 2935-CA-1<sup>F</sup>, 2935-CA-12<sup>E</sup>, Superscript used is the first letter of the lot number.

## KEEP OUT REACH OF CHILDREN CAUTION

	FIRST AID			
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.				
If in Eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>			
If on Skin or Clothing:	<ul> <li>•Take off contaminated clothing.</li> <li>•Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>•Call a poison control center or doctor for treatment advice.</li> </ul>			

(800) 900-4044 Poison Control Center (human health); (800) 345-4735 ASPCA (animal health)

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical-resistance category selection chart.

Applicators and other handlers must wear: A) Long-sleeved shirt and long pants; B) Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride; C) Shoes plus socks; D) Goggles or faceshield.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### **USER SAFETY RECOMMENDATIONS**

User should: • Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. • Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. • Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

#### **ENVIRONMENTAL HAZARDS**

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not apply when weather conditions favor drift from treated areas.



#### PHYSICAL AND CHEMICAL HAZARDS

BURNING SULFUR EMITS HIGHLY TOXIC FUMES, SULFUR DUST SUSPENDED IN AIR IGNITES EASILY.

Keep away from heat, sparks and flame. Avoid creating dust in handling. Keep container closed. Use with adequate ventilation. Keep from contact with oxidizing materials.

In Case of Fire: Use water spray, fog, C0, or sand. Wear NIOSH approved self-contained breathing apparatus.

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Chemical-resistant gloves made of any waterproof material; C) Shoes plus socks; D) Goggles or faceshield.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

**Pesticide Storage:** Store in original container only and keep sealed. Store in closed storage areas. Use precaution when moving, opening, closing or pouring.

**Pesticide Disposal:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Nonrefillable Container: Do not reuse or refill this container.

**Container Disposal:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

**Spill or Leak:** Small spills can be handled routinely. Use adequate ventilation and wear respirator or a dust mask to prevent irritation. Wear suitable protective clothing and eye protection to prevent skin and eye contact. Use the following procedures: Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to reduce sparking. Be careful not to create dust as an explosion could result. Place sweepings in an approved chemical waste container. Seal container and dispose of in an approved facility. Flush spill area with detergent and water to remove any residue.

#### **USE PRECAUTIONS**

**IMPORTANT:** Do not apply this product if temperatures during or within 3 days after application are expected to exceed 90°F in the area to be treated. Do not make applications within 2 weeks of an oil spray. Sulfur may burn foliage and fruit during periods of high temperature and under certain climatic conditions.

#### **CALIFORNIA DRIFT RESTRICTIONS**

The following conditions must be followed when using this product in the State of California for both ground and air applications.

- 1. The operator of the property and the applicator must establish a buffer zone of enough distance to prevent drift onto non-target areas such as hospitals, clinics, schools, residential areas and any other area designated by the county agricultural commissioner.
- 2. The operator of the property and the applicator must evaluate the method and equipment for each site to ensure proper and safe use. Evaluations shall include, but not be limited to the appropriateness of ground or air application.
- 3. Sulfur shall not be applied when the wind velocity exceeds 10 miles per hour. Applicators should be aware that in some areas, "dead calm" conditions are often associated with an inversion situation. In these areas, applying sulfur when there is a minimum air movement of 2 miles per hour will ensure that an inversion situation does not exist.
- 4. When applying sulfur dust, best application practices should be utilized. Contact your local pest control advisor or county

#### **GENERAL INFORMATION**

If the crop to be treated will be used for canning or freezing purposes, consult food processor before applying sulfur.

Consult State Agricultural Experiment Stations or the State Agricultural Extension Service for additional information, as the timing and number of applications needed will vary with local conditions.

Apply the specified amounts of this product uniformly to the foliage when air is calm, using ground power equipment or aircraft. Except as otherwise shown, apply at the first sign of infection and repeat at 7-10 day intervals as needed to maintain control.

#### **CROPS AND APPLICATION RATES**

#### **FRUIT CROPS**

**APPLES:** Scab, Powdery Mildew - apply 30 to 35 lbs. per acre in the green tip to pink bud stage. MacIntosh, Golden Delicious, Jonathan and certain other varieties may be injured by sulfur. Use on sulfur-tolerant varieties only.

**CHERRIES:** Blossom Blight, Brown Rot, Powdery Mildew - apply 50 lbs. per acre in the popcorn, full bloom and petal-fall stages. Leaf Spot, Powdery Mildew - apply 50 lbs. per acre at petal-fall, shuck-fall and 2 weeks after shuck-fall.

**CITRUS:** Six-Spotted and Citrus Rust Mites - apply 80 lbs. per acre. Citrus and Yuma Spider Mites - apply 100 lbs. per acre. Citrus Thrips - apply 100 lbs. per acre in three applications: mid-March, petal-fall and 2-4 weeks later. Avoid applications during or preceding high temperatures. Do not apply within 21 days of an oil spray.

**GRAPES:** Rust, Powdery Mildew - apply 10 to 20 lbs. per acre in successive applications: when shoots are 6 inches long, shoots 12 to 15 inches long, 14 days afterwards and repeat as necessary thereafter to harvest. Precaution: Concord and Labrusca type grapes may be injured by sulfur.

**PLUMS, PRUNES:** Brown Rot, Leaf Spot, Prune Rust - apply 35-50 lbs. per acre. For Brown Rot of fruit, dust when fruit begins to ripen. For Leaf Spot and Rust begin at pink stage, repeat at bloom, petal-fall, shuck-fall and in cover period apply as necessary.

STRAWBERRIES: Powdery Mildew - apply 10 to 20 lbs. per acre.

#### **VEGETABLE AND FIELD CROPS**

ALFALFA: Spider Mites - apply 15 to 25 lbs. per acre. Precaution: Sulfur may cause petal burn to open flowers.

**BEANS:** Powdery Mildew, Rust, Spider Mites - apply 15 to 30 lbs. per acre. For Rust control start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. Certain varieties may be injured by applications of sulfur. For these crops, it is recommended that a test be conducted on a small number of plants to check for sulfur sensitivity prior to application to the entire field.

CARROTS: Petrobia Mite - apply 30 to 35 lbs. per acre.

CLOVER: Powdery Mildew, Spider Mites - apply 15 to 25 lbs. per acre.

**COTTON:** Atlantic Mite, Cotton Rust - apply 25 to 30 lbs. per acre.

GRASS SEED CROPS: Timothy Mite - apply 30 lbs. per acre.

**MELONS (Honeydew and sulfur-resistant melons only):** Powdery Mildew, Spider Mites - apply 20 to 25 lbs. per acre. Certain varieties may be injured by applications of sulfur. For these crops, it is recommended that a test be conducted on a small number of plants to check for sulfur sensitivity prior to application to the entire field.

ONIONS: Petrobia Mite - apply 20 to 30 lbs. per acre during warm weather.

PEAS: Powdery Mildew - apply 15 to 20 lbs. per acre.

**SUGAR BEETS:** Spider Mite - apply 30 to 35 lbs. per acre.

**TOMATOES:** Tomato Russet Mite - apply 15 to 40 lbs. per acre.

TURNIPS and RUTABAGAS: Powdery Mildew - apply 15 to 20 lbs. per acre

#### **ORNAMENTALS**

Use 20 to 40 lbs. per acre. Make full coverage application on both sides of leaves, applying when disease first appears and repeat at 5 to 10 day intervals and after rain, or as necessary. Keep new growth protected.

AVOID APPLICATION TO SULFUR SENSITIVE PLANTS.

**HOLLYHOCK:** Rust.

ROSES, PERENNIALS, SHRUBS: Black Spot, Powdery Mildew, Rust. Attention: some burning may occur when used during warm weather.

60f7



#### Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

### ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS", AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

Wilbur-Ellis logo®, IDEAS TO GROW WITH® and SPECIAL ELECTRIC® are registered trademarks of Wilbur-Ellis Company.

F-061308-1

IN CASE OF A CHEMICAL EMERGENCY, CALL CHEMTREC 24-HOUR NUMBER: (800) 424-9300


**NET CONTENTS: 50 POUNDS** 

Manufactured by:



IDEAS TO GROW WITH®

P.O. BOX 16458 - FRESNO, CA 93755



Batch Code