



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

September 24, 2020

Anne Downs
Senior Registration Specialist
Wilbur-Ellis Company LLC
2903 S. Cedar Avenue
Fresno, CA 93725

Subject: Notification per PRN 98-10 – Logo revision
Product Name: SPECIAL ELECTRIC REFINED SUPER ADHESIVE
DUSTING SULFUR
EPA Registration Number: 2935-503
Application Date: August 21, 2020
Decision Number: 565841

Dear Ms. Downs:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped “Notification” and will be placed in our records.

Should you wish to add/retain a reference to the company’s website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product’s label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA’s Office of Enforcement and Compliance.

If you have any questions, you may contact please contact Lindsay DeMers by email at demers.lindsay@epa.gov.

Page 2 of 2
EPA Reg. No. 2935-503
Decision No. 565841

Sincerely,

A handwritten signature in black ink, appearing to read "Jordan Page", with a long horizontal flourish extending to the right.

Jordan Page, (Acting) Product Manager 24
Fungicide and Herbicide Branch
Registration Division (7505P)
Office of Pesticide Programs

FOR ORGANIC PRODUCTION



old Wilbur-Ellis logo



SPECIAL ELECTRIC®

old product name logo



new product name logo

NOTIFICATION

2935-503

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

09/24/2020

REFINED SUPER-ADHESIVE DUSTING SULFUR
An Agricultural Insecticide and Fungicide

ACTIVE INGREDIENT	% BY WT.
Sulfur.....	98.00%
OTHER INGREDIENTS	2.00%
TOTAL.....	100.00%



EPA Reg. No. 2935-503

EPA Est. No. 2935-CA-1^F, 2935-CA-12^E
Superscript used is the first letter of the lot number

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.	
If in eyes:	<ul style="list-style-type: none"> • Hold eye open and rinse slowly and gently with water for 15-20 minutes. • Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. • Call a poison control center or doctor for treatment advice.
If on skin or clothing:	<ul style="list-style-type: none"> • Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice.
EMERGENCY TELEPHONE NUMBERS: (800) 424-9300 CHEMTREC (transportation and spills); (800) 900-4044222-1222 POISON CONTROL CENTER (human health); (888) 426-4435 ASPCA	

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below.

Applicators and other handlers must wear: A) Long-sleeved shirt and long pants; B) Chemical-resistant gloves made of any waterproof material such as polyethylene or polyvinyl chloride; C) Shoes plus socks; D) Goggles or faceshield.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

User should:

- Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters. Do not apply when weather conditions favor drift from treated areas.

PHYSICAL AND CHEMICAL HAZARDS

BURNING SULFUR EMITS HIGHLY TOXIC FUMES, SULFUR DUST SUSPENDED IN AIRE IGNITES EASILY.

Keep away from heat, sparks and flame. Avoid creating dust in handling. Keep container closed. Use with adequate ventilation. Keep from contact with oxidizing materials.

In Case of Fire: Use water spray, fog, CO₂ or sand. Wear NIOSH approved self-contained breathing apparatus.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Chemical-resistant gloves made of any waterproof material; C) Shoes plus socks; D) Goggles or faceshield.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

PESTICIDE STORAGE: Store in original container only and keep sealed. Store in closed storage areas. Use precaution when moving, opening, closing or pouring.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

NONREFILLABLE CONTAINER: Do not reuse or refill this container.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

SPILL OR LEAK: Small spills can be handled routinely. Use adequate ventilation and wear respirator or a dust mask to prevent irritation. Wear suitable protective clothing and eye protection to prevent skin and eye contact. Use the following procedures: Sweep or shovel up spilled material using a natural fiber broom and/or aluminum shovel to reduce sparking. Be careful not to create dust as an explosion could result. Place sweepings in an approved chemical waste container. Seal container and dispose of in an approved facility. Flush spill area with detergent and water to remove any residue.

USE PRECAUTIONS

IMPORTANT: Do not make applications within 2 weeks of an oil spray unless specified otherwise, for the individual crop, in the CROPS AND APPLICATION RATES section (see Citrus). Sulfur may burn foliage and fruit on sensitive varieties if applied when temperatures exceed 90° F or during periods when the temperatures within 3 days after application are expected to exceed 90° F in the treated area.

CALIFORNIA DRIFT RESTRICTIONS

The following conditions must be followed when using this product in the State of California for both ground and air applications.

1. The operator of the property and the applicator must establish a buffer zone of enough distance to prevent drift onto non-target areas such as hospitals, clinics, schools, residential areas and any other area designated by the county agricultural commissioner.
2. The operator of the property and the applicator must evaluate the method and equipment for each site to ensure proper and safe use. Evaluations shall include, but not be limited to the appropriateness of ground or air application.
3. Sulfur shall not be applied when the wind velocity exceeds 10 miles per hour. Applicators should be aware that in some areas, "dead calm" conditions are often associated with an inversion situation. In these areas, applying sulfur when there is a minimum air movement of 2 miles per hour will ensure that an inversion situation does not exist.
4. When applying sulfur dust, best application practices should be utilized. Contact your local pest control advisor or county cooperative extension advisor to obtain information regarding best application practices.

PRODUCT INFORMATION

If the crop to be treated will be used for canning or freezing purposes, consult food processor before applying sulfur.

Consult State Agricultural Experiment Stations or the State Agricultural Extension Service for additional information, as the timing and number of applications needed will vary with local conditions.

Apply the specified amounts of this product uniformly to the foliage when air is calm, using ground power equipment or aircraft. Except as otherwise shown, apply at the first sign of infection and repeat at 7-10 day intervals as needed to maintain control.

CROPS AND APPLICATION RATES

FRUIT CROPS

APPLES: Scab, Powdery Mildew - apply 30-35 lb. per acre in the green tip to pink bud stage. MacIntosh, Golden Delicious, Jonathan and certain other varieties may be injured by sulfur. Use on sulfur-tolerant varieties only.

CHERRIES: Blossom Blight, Brown Rot, Powdery Mildew - apply 50 lb. per acre in the popcorn, full bloom and petal-fall stages. Leaf Spot, Powdery Mildew - apply 50 lb. per acre at petal-fall, shuck-fall and 2 weeks after shuck-fall.

CITRUS: Six-Spotted and Citrus Rust Mites - apply 80 lb. per acre. Citrus and Yuma Spider Mites - apply 100 lb. per acre. Citrus Thrips - apply 100 lb. per acre in three applications: mid-March, petal-fall and 2-4 weeks later. Avoid applications during or preceding high temperatures. Do not apply within 21 days of an oil spray.

GRAPES: Rust, Powdery Mildew - apply 10-20 lb. per acre in successive applications: when shoots are 6 inches long, shoots 12-15 inches long, 14 days afterwards and repeat as necessary thereafter to harvest. Precaution: Concord and Labrusca type grapes may be injured by sulfur.

PLUMS, PRUNES: Brown Rot, Leaf Spot, Prune Rust - apply 35-50 lb. per acre. For Brown Rot of fruit, dust when fruit begins to ripen. For Leaf Spot and Rust begin at pink stage, repeat at bloom, petal-fall, shuck-fall and in cover period apply as necessary.

STRAWBERRIES: Powdery Mildew - apply 10-20 lb. per acre.

VEGETABLE AND FIELD CROPS

ALFALFA: Spider Mites - apply 15-25 lb. per acre. Precaution: Sulfur may cause petal burn to open flowers.

BEANS: Powdery Mildew, Rust, Spider Mites - apply 15-30 lb. per acre. For Rust control start applications as soon as the first true leaves form and continue at weekly intervals until blossom time. Certain varieties may be injured by applications of sulfur. For these crops, it is recommended that a test be conducted on a small number of plants to check for sulfur sensitivity prior to application to the entire field.

CARROTS: Petrobia Mite - apply 30-35 lb. per acre.

CLOVER: Powdery Mildew, Spider Mites - apply 15-25 lb. per acre.

COTTON: Atlantic Mite, Cotton Rust - apply 25-30 lb. per acre.

GRASS SEED CROPS: Timothy Mite - apply 30 lb. per acre.

MELONS (Honeydew and Sulfur-Resistant Melons Only): Powdery Mildew, Spider Mites - apply 20-25 lb. per acre. Certain varieties may be injured by applications of sulfur. For these crops, it is recommended that a test be conducted on a small number of plants to check for sulfur sensitivity prior to application to the entire field.

ONIONS: Petrobia Mite - apply 20-30 lb. per acre during warm weather.

PEAS: Powdery Mildew - apply 15-20 lb. per acre.

SUGAR BEETS: Spider Mite - apply 30-35 lb. per acre.

TOMATOES: Tomato Russet Mite - apply 15-40 lb. per acre.

TURNIPS AND RUTABAGAS: Powdery Mildew - apply 15-20 lb. per acre.

ORNAMENTALS

Use 20-40 lb. per acre. Make full coverage application on both sides of leaves, applying when disease first appears and repeat at 5 to 10-day intervals and after rain, or as necessary. Keep new growth protected. AVOID APPLICATION TO SULFUR SENSITIVE PLANTS.

HOLLYHOCK: Rust.

ROSES, PERENNIALS, SHRUBS: Black Spot, Powdery Mildew, Rust. Attention: Some burning may occur when used during warm weather.

Conditions of Sale and Limitation of Warranty and Liability:

NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW, AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION, APPLICABLE LAW SHALL GOVERN.

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather, combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label. EXCEPT FOR THIS WARRANTY, THE PRODUCT IS FURNISHED "AS-IS," AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES, EXPRESS OR IMPLIED, WITH RESPECT TO THE SELECTION, PURCHASE OR USE OF THIS PRODUCT; SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL. Buyer and User accept all risks arising from any use of this product, including without limitation, uses contrary to label instructions, or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer.

Neither Manufacturer nor Seller shall be liable for any incidental, consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER, AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER, FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT, OR, AT THE ELECTION OF MANUFACTURER OR SELLER, THE REPLACEMENT OF THE PRODUCT.

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted, unless otherwise required by the law of the state of purchase, in accordance with the laws of the State of California, excluding its conflicts of laws rules, and may not be amended by any oral or written agreement.

WILBUR-ELLIS® logo, [Ideas to Grow With®](#) and SPECIAL ELECTRIC® are registered trademarks of Wilbur-Ellis Company LLC. [ACTIVES Tri-Droplet™ FUNGICIDE™](#) logo is a trademark of Wilbur-Ellis Company LLC.

OMRI® Listed Seal is a registered trademark of OMRI.

F-[012716010920](#)

**IN CASE OF A CHEMICAL EMERGENCY,
CALL CHEMTREC 24-HOUR NUMBER: (800) 424-9300**

**WILBUR-ELLIS COMPANY LLC
P.O. BOX 16458
FRESNO CA 93755**

NET CONTENTS: 50 POUNDS