



U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs  
Registration Division (7505C)  
401 M Street S.W.  
Washington, DC 20460

EPA Reg. Number  
2935-529

Date of Issuance  
AUG 26 1998

NOTICE OF PESTICIDE

Registration  
 Reregistration  
(under FIFRA, as amended)

Term of Issuance  
Conditional

Name of Pesticide Product  
Botran 6% Dust

Name and Address of Registrant (include ZIP Code)

Wilbur-Ellis Company  
191 W. Shaw Ave., Ste: 107  
Fresno, CA 93704-2876

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA Sec. 3(c)(7)(A) provided that you:

1. Submit and /or cite all data required for registration/reregistration of your product under FIFRA sec.(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA sec. 4.
2. Make the following changes in the label:
  - a. Add the phrase "EPA Registration No. 2935-529".
  - b. Delete "w/w" in the "active and inert ingredients and total" statements.
  - c. Change "Long-sleeved shirt and long pants" to "Coveralls" in the third paragraph in Agricultural Use Requirements box.
  - d. Add "Do not make more than 4 applications per crop. Do not apply within 10 days of harvest" under tomatoes.

Continued....

Signature of Approving Official

*Theresa A. Stone for Mary L. Walker*

Date


AUG 26 1998

3. Submit one (1) copy of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with the FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records. Should you have any questions, please call Dr. S. (Oonni) Oonnithan of PM-21 staff at 703-605-0368.

Sincerely,



for

Mary L. Waller  
Project Manager (21)  
Fungicide Branch  
Registration Division (7505C)

Encl:

6/10/92 3 of 3

# BOTRAN® 6% DUST

## Fungicide

ACTIVE INGREDIENT:		
2,6-dichloro-4-nitroaniline	.....	6.00% w/w
INERT INGREDIENTS	.....	94.00% w/w
TOTAL	.....	100.00% w/w

EPA Reg. No. 2935-LEO

EPA Est. No. 2935-CA-01

### KEEP OUT OF REACH OF CHILDREN WARNING - AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

#### STATEMENT OF PRACTICAL TREATMENT

**IF ON SKIN:** Remove contaminated clothing and wash with soap and water.  
**IF IN EYES:** Flush with water. If eye irritation persists, call a physician.  
**IF SWALLOWED:** Drink warm water and induce vomiting by touching back of the throat with finger and/or by administering syrup of ipecac. Follow with milk and a mild cathartic (Milk of Magnesia). Call a physician or Poison Control Center immediately. Never give fluids or induce vomiting if patient is unconscious or having convulsions.

#### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
**STORAGE:** Store in original container and keep closed. Store in a cool, dry place.  
**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.  
**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation of dust or spray mist. Avoid contact with skin and eyes.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: A) Long-sleeved shirt and long pants; B) Waterproof gloves; C) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**Engineering controls statements:** When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### ENVIRONMENTAL HAZARDS

Toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

#### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE Required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Long-Sleeved shirt and long pants; B) Waterproof gloves; C) Shoes plus socks.

#### USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

#### RECOMMENDATIONS

Applications of BOTRAN 6% DUST may be made with ground or aerial equipment, as appropriate. Do not use on germinating seeds or annual seedlings except as suggested. Extreme environmental conditions may have effects on fungicide treatments. The grower should watch to note that the treatment is working and in case of poor control, should take appropriate measures.

**GRAPES:** For the control of Botrytis Bunch and Storage Rots apply 30 lbs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Do not apply later than one day before harvest.

**NECTARINES, PEACHES:** For the control of brown rot blossom blight (Monilinia) apply 60 lbs per acre at pink bud and full bloom. For the control of brown rot fruit decay (Monilinia) apply 60 lbs. per acre. Apply 18, 10 and 1 day before harvest. For the control of brown rot (Rhizopus rot) using 60 lbs. per acre applied one day before harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

**SWEET CHERRY:** For the control of brown rot blossom blight (Monilinia) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall. For the control of fruit decay (Monilinia) and rhizopus fruit rot apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

**TOMATOES: (Greenhouse):** For the control of stem canker (Botrytis) apply 30 lbs. per acre. Dust stem of plant from ground level up to a height of 18 to 24 inches. Repeat weekly or as necessary.

**ONIONS, GARLIC: (Not for use in North Central States):** For control of white rot (sclerotium) apply 250 - 400 lbs. per acre. For direct seeding use mix into top 1.5 inches of soil one to two weeks before onions are seeded, for planting sets or buds apply broadcast and mix into top 1.5 inches, or apply same rate / 43,560 linear feet of furrow to soil around sets or buds. Do not plant spinach as a follow-up crop on treated soil. When lettuce is to be planted as a follow-up crop, plow soil to 8 inches and cross disk the area prior to seeding.

**LETTUCE: (Leaf, Greenhouse Only):** For control of blight (Botrytis rot) apply 30 lbs. per acre. Apply 7 days after transplanting. Repeat when plants are half mature. Do not apply to wilted plants or seedlings. Do not apply later than 14 days of harvest.

**LETTUCE: (Head Field):** For the control of Botrytis rot, sclerotinia wilt, apply 33.3 lbs. per acre. Apply at thinning, repeat 7 to 10 days later. Do not apply within 14 days of harvest.

Dealers Should Sell in Original Packages Only

**NOTICE:** The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

BOTRAN® is a registered trademark of Gowan Company  
WILBUR-ELLIS Logo® and IDEAS TO GROW WITH® are registered trademarks of WILBUR-ELLIS COMPANY.

NET CONTENTS: 50 POUNDS

ACCEPTED

AUG 26 1998

IN CASE OF EMERGENCY;

CALL CHEMTREC: (800) 424-9300

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
ED UNDER NO. 2935-3391

WILBUR-ELLIS COMPANY  
P.O. Box 16458 - Fresno, CA 93755