

2935-529

09/22/2003

1/4



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY  
WASHINGTON, D.C. 20460

Ms. Linda D. Pearce  
Wilbur-Ellis Company  
P.O. Box 1286  
Fresno, CA 93715

SEP 22 2003

OFFICE OF  
PREVENTION, PESTICIDES AND  
TOXIC SUBSTANCES

Subject: Botran 6% Dust  
EPA Reg. No. 2935-529  
Your Amendment Dated May 7, 2003

Dear Ms. Pearce:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable provided the following revisions are made:

- 1) In Environmental Hazards, second sentence, delete the phrase "For terrestrial uses" and capitalize "D" in "do". This phrase is only needed on labels that contain both aquatic & terrestrial uses.
- 2) Change "waterproof gloves" to "chemical-resistant gloves made of any waterproof material" in the PPE statement and in the Agricultural Use Requirements Box.

A stamped copy of the label is enclosed for your records. Submit one copy of the final printed label before the product is released for shipment.

**Future draft labels must use a larger font size. The font size used in your draft label is so small that xerox or faxed copies may be illegible. The Agency must ensure that it has reproducible documents in its files. It is suggested that one page be used for each column of text. Future submissions may be found unacceptable if a larger font is not used.**

- 2 -

If there are questions concerning this matter, contact Mrs. Summer Gardner-Jenkins at (703) 308-9353.

Sincerely,

A handwritten signature in cursive script that reads "Mary L. Waller".

Mary L. Waller  
Product Manager 21  
Fungicide Branch  
Registration Division (7505C)

Enclosure



# BOTRAN® 6% DUST

## Fungicide

<b>ACTIVE INGREDIENT:</b>	
2,6-dichloro-4-nitroaniline .....	6.00%
<b>INERT INGREDIENTS .....</b>	
	94.00%
<b>TOTAL .....</b>	<b>100.00%</b>

EPA Reg. No. 2935-529

EPA Est. No. 2935-CA-01

### KEEP OUT OF REACH OF CHILDREN WARNING — AVISO

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand this label, find someone to explain it to you in detail.)

#### FIRST AID

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

If on skin or clothing:	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes -Call a poison control center or doctor for treatment advice.
If in eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
If swallowed:	-Call a poison control center or doctor immediately for treatment advice. -Have person sip a glass of water if able to swallow. -Do not induce vomiting unless told to do so by a poison control center or doctor. -Do not give anything by mouth to an unconscious person.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid inhalation of dust or spray mist. Avoid contact with skin and eyes.

#### PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: A) Long-sleeved shirt and long pants; B) Waterproof gloves; C) Shoes plus socks.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**Engineering controls statements:** When handlers use closed systems, enclosed cabs, or aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240(d)(4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

#### ENVIRONMENTAL HAZARDS

Toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water when disposing of equipment washwaters.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

### AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), notification to workers and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 12 hours. Exception: If the product is soil-injected or soil-incorporated, the Worker Protection Standard, under certain circumstances, allows workers to enter the treated area if there will be no contact with anything that has been treated.

PPE Required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: A) Coveralls; B) Waterproof gloves; C) Shoes plus socks.

### USER SAFETY RECOMMENDATIONS

Users should: 1) Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. 2) Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

### RECOMMENDATIONS

Applications of BOTRAN 6% DUST may be made with ground or aerial equipment, as appropriate. Do not use on germinating seeds or annual seedlings except as suggested. Extreme environmental conditions may have effects on fungicide treatments. The grower should watch to note that the treatment is working and in case of poor control, should take appropriate measures.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

**STORAGE:** Store in original container and keep closed. Store in a cool, dry place.

**PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

**CONTAINER DISPOSAL:** Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

**IN CASE OF EMERGENCY,  
CALL CHEMTREC: (800) 424-9300**

**GRAPES:** For the control of Botrytis Bunch and Storage Rots apply 30 lbs. per acre. Begin application while clusters are still loose and repeat application at two week intervals. Do not apply later than one day before harvest.

**NECTARINES, PEACHES:** For the control of brown rot blossom blight (Monilinia) apply 60 lbs per acre at pink bud and full bloom. For the control of brown rot fruit decay (Monilinia) apply 60 lbs. per acre. Apply 18, 10 and 1 day before harvest. For the control of brown rot (Rhizopus rot) using 60 lbs. per acre applied one day before harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

**SWEET CHERRY:** For the control of brown rot blossom blight (Monilinia) apply 50 lbs. per acre. Apply at popcorn, bloom, full bloom and petal fall. For the control of fruit decay (Monilinia) and rhizopus fruit rot apply 50 lbs. per acre. Apply 10 days and 1 day prior to harvest. Do not apply later than one day before harvest. Do not allow animals to graze treated areas.

**TOMATOES: (Greenhouse):** For the control of stem canker (Botrytis) apply 30 lbs. per acre. Dust stem of plant from ground level up to a height of 18 to 24 inches. Repeat weekly or as necessary. Do not make more than 4 applications per crop. Do not apply within 10 days of harvest.

**ONIONS, GARLIC: (Not for use in North Central States):** For control of white rot (sclerotium) apply 250 - 400 lbs. per acre. For direct seeding use mix into top 1.5 inches of soil one to two weeks before onions are seeded, for planting sets or buds apply broadcast and mix into top 1.5 inches of soil one to two weeks before onions are seeded, for planting sets or buds apply broadcast and mix into top 1.5 inches, or apply same rate / 43,560 linear feet of furrow to soil around sets or buds. Do not plant spinach as a follow-up crop on treated soil. When lettuce is to be planted as a follow-up crop, plow soil to 8 inches and cross disk the area prior to seeding.

**LETTUCE: (Leaf, Greenhouse Only):** For control of blight (Botrytis rot) apply 30 lbs. per acre. Apply 7 days after transplanting. Repeat when plants are half mature. Do not apply to wilted plants or seedlings. Do not apply later than 14 days of harvest.

**LETTUCE: (Head Field):** For the control of Botrytis rot, sclerotinia wilt, apply 33.3 lbs. per acre. Apply at thinning, repeat 7 to 10 days later. Do not apply within 14 days of harvest.

Dealers Should Sell in Original Packages Only

**NOTICE:** The statements made on this label are believed to be true and accurate, but because of conditions of use which are beyond our control, WILBUR-ELLIS COMPANY does not make, nor does it authorize any agent or representative to make, any warranty, guaranty or representation, expressed or implied, concerning this material or the use thereof, except in conformity with the statements on the label. Neither WILBUR-ELLIS COMPANY nor the seller shall be held responsible in any manner for any personal injury or property damage or loss resulting to the buyer or to the other person from handling, storage or use of this material, not in accordance with directions. The buyer assumes all risk and liability resulting from improper handling, storage or use and accepts and uses this material on these conditions.

BOTRAN® is a registered trademark of Gowan Company  
WILBUR-ELLIS Logo® and IDEAS TO GROW WITH® are registered trademarks of WILBUR-ELLIS COMPANY.

F-503

**NET CONTENTS: 50 POUNDS**

**Manufactured in U.S.A. by:**



**WILBUR-ELLIS COMPANY**  
**P.O. Box 16458 - Fresno, CA 93755**

**ACCEPTED**  
**with COMMENTS**  
**in EPA Letter Dated:**

SEP 22 2003

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
registered under EPA Reg. No.

2935-529