



U S ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs

Registration Division (7505P)
Ariel Rios Building
1200 Pennsylvania Ave NW
Washington D C 20460

EPA Reg Number

2935 558

JUL 2 3 2012

Date of Issuance

NOTICE OF PESTICIDE

x Registration

Reregistration

(under FIFRA as amended)

Term of Issuance

Unconditional

Name of Pesticide Product

NU Flow CT

Name and Address of Registrant (include ZIP Code)

Ms Anne Downs
Willbur Ellis Company
P O Box 1286
Fresno CA 93725

Note Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number

On the basis of information furnished by the registrant the above named pesticide is hereby registered under the Federal Insecticide Fun_icide and Rodenticide Act Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency In order to protect health and the environment, the Administrator on his motion may at any time suspend or cancel the re_istration of a pesticide in accordance with the Act The acceptance of any name in connection with the registration of a product under this Act is not to be construed as givin, the registrant a right to exclusive use of the name or to its use if it has been covered by others

This product is unconditionally registered in accordance with FIFRA sec 3(c)(7) (A)

- 1 Submit and/or cite all data required for registration of your product under FIFRA Section 3(c)(5) when the Agency requires all registrants of similar products to submit such data and submit acceptable responses required for re registration of your product under FIFRA Section 4
 - 2 Submit one copy of the revised final printed label before the product is released for shipment

If these conditions are not complied with the registration will be subject to cancellation in accordance with FIFRA Section 6(e) Your release for shipment of the product constitutes acceptance of these conditions

A copy of the label stamped Accepted is enclosed for your records

Signature of Approving Official

Marcel A Howard

Acting Product Manager Team 20

Fungicide Branch

Registration Division (7504P)

Date

JUL 2 3 2012

EPA Form 8570 6

NU-FLOW[®]CT



Seed treatment fungicide for use in treating cotton seed

ACTIVE INGREDIENT

Myclobutanil alpha butyl alpha (4 chlorophenyl) 1H 1 2 4 triazole 1 propanenitrile OTHER INGREDIENTS

22 37% 77 63% 100 00%

Contains 2 pounds active ingredient per gallon (240 grams per liter)

EPA Reg No 2935 XXX

EPA Est No 5481 ID 1

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
•	container or label with you when calling a poison control center or doctor or going for treatment. Poison r 1 800 222 1222
If swallowed	Call a poison control center or doctor immediately for treatment advice Have person sip a glass of water if able to swallow Do not induce vomiting unless told to do so by the poison control center or doctor Do not give anything by mouth to an unconscious person
If in eyes	Hold eye open and rinse slowly and gently with water for 15 20 minutes Remove contact lenses if present after the first 5 minutes then continue rinsing eye Call a poison control center or doctor for treatment advice
If on skin or clothing	Take off contaminated clothing Rinse skin immediately with plenty of water for 15 20 minutes Call a poison control center or doctor for treatment advice
If inhaled	Move person to fresh air If person is not breathing call 911 or an ambulance then give artificial respiration preferably by mouth to mouth if possible Call a poison control center or doctor for further treatment advice

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution Harmful if swallowed Wash thoroughly with soap and water after handling and before eating drinking chewing gum using tobacco and using the toilet

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical resistant to this product are listed below. If you want more options, follow the instructions for category A on an EPA chemical resistance category selection chart

All mixers loaders applicators flaggers and other handlers must wear

Long sleeved shirt and long pants

Shoes plus socks

Chemical resistant gloves (such as natural rubber)

ACCEPTED

JUL 2 3 2012

Under the Federal Insecticide Fungicide and Rodenticide Act as amended for the pesticide registered under EPA Reg No

9935-55*8*



USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist use detergent and hot water. Keep and wash PPE separately from other laundry

USER SAFETY RECOMMENDATIONS

Users Should

Wash hands before eating drinking chewing gum using tobacco or using the toilet Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For terrestrial uses do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters or rinsate. Do not apply when weather conditions favor drift or runoff from treated areas.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

Do not apply this product in a way that will contact workers or other persons either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE RÉQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard 40 CFR Part 170 This Standard contains requirements for the protection of agricultural workers on farms forests nurseries and greenhouses and handlers of agricultural pesticides. It contains requirements for training decontamination notification and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE) and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 48 hours

Exception If the product is soil injected or soil incorporated the Worker Protection Standard under certain circumstances allows workers to enter the treated area if there will be no contact with anything that has been treated

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants soil or water is

Coveralls

Chemical resistant gloves made of any waterproof material

Shoes plus socks

COMMERCIAL COTTON SEED TREATMENT

This product is recommended for use at time of planting as a seed treatment to protect against sore shin (*Rhizoctonia solani*) and black root rot (*Thielaviopsis basicola*) which impairs good cotton seed germination and seedling development. This product can be tank mixed with other properly labeled cotton seed protectants for Pythium control. This product is a liquid formulation that can be pumped or poured directly into the cotton seed treater or diluted with water provided the recommended amount of product is applied.

Use 1 25 to 4 0 fluid ounces of this product per 100 pounds cotton seed to reduce seedling damage caused by sore shin (Rhizoctonia solani) and black root rot (Thielaviopsis basicola)

Label Treated Seed This seed is treated with NU FLOW® CT fungicide which contains the active ingredient myclobutanil Do not use for food feed oil production or any other purpose except planting. Do not graze cotton plants grown from treated seed. Store away from feed and foodstuffs

Always use this product with an EPA approved dye or colorant that imparts an unnatural color to the seed

Nu Flow CT page 3 of 4

ON FARM COTTON SEED TREATMENT

For mechanical treaters or hopper box treatments dilute 1 25 to 4 0 fluid ounces of this product with 8 to 10 fluid ounces of water and apply to 100 pounds of cotton seed. Other cotton seed hopper box products may be applied in combination with this product. Always follow the label recommendations on the respective products.

Do not apply this product through any type of irrigation system

Do not use treated seed for food or feed purposes or process for oil Treat only the amount of seeds needed for immediate use. Minimize the interval between treatment and planting. Do not store excess treated seeds past the planting time.

Seed treatment on agricultural establishment in hopper box planter box or other seed treatment application at or immediately before planting is within the scope of WPS while commercial treatment of seeds is not within the scope

STORAGE AND DISPOSAL

Do not contaminate water food or feed by storage or disposal

PESTICIDE STORAGE Store in a cool dry secure area at temperatures above freezing and in such a manner as to prevent cross contamination with other pesticides fertilizers food and feed. Store in original container and out of the reach of children

PESTICIDE DISPOSAL Pesticide wastes are toxic Improper disposal of excess pesticide spray mixture or rinsate is violation of Federal law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the nearest EPA Regional Office for guidance

CONTAINER HANDLING

(Containers 5 gallons or less) Non refillable container Do not reuse or refill this container Triple rinse (or equivalent) promptly after emptying. Then offer for recycling if available or puncture and dispose of in sanitary landfill or by other procedures approved by State or local authorities. Triple rinse as follows. Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

(Non refillable containers > 5 gallons) Non refillable container Do not reuse or refill this container Triple rinse or pressure rinse (or equivalent) promptly after emptying Then offer for recycling if available or reconditioning if appropriate or puncture and dispose of in a sanitary landfill or by incineration or if allowed by State and local authorities by burning stay out of smoke Triple rinse as follows Empty the remaining contents into application equipment or a mix tank Fill the container 1/4 full of water Replace and tighten closures. Tip container on its side and roll it back and fourth ensuring at least one complete revolution for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat the procedure two more times. Pressure rinse as follows. Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container and rinse at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

OR

Refillable container Refill this container with pesticide only Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from the container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing process two more times.

Nu Flow CT page 4 of 4

Conditions of Sale and Limitation of Warranty and Liability

NOTICE Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using the product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

ALL STATEMENTS MADE HEREIN ARE SUBJECT TO APPLICABLE LAW AND TO THE EXTENT THERE IS ANY INCONSISTENCY OR CONTENTION APPLICABLE LAW SHALL GOVERN

The Directions for Use of the product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of many different factors including, without limitation, manner of use or application, weather combination with other products, or crop conditions. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Manufacturer and Seller harmless from any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label EXCEPT FOR THIS WARRANTY THE PRODUCT IS FURNISHED AS IS AND NEITHER SELLER NOR MANUFACTURER MAKES ANY OTHER WARRANTIES EXPRESS OR IMPLIED WITH RESPECT TO THE SELECTION PURCHASE OR USE OF THIS PRODUCT SELLER AND MANUFACTURER SPECIFICALLY DISCLAIM ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE BEYOND WHAT IS STATED ON THE LABEL Buyer and User accept all risks arising from any use of this product including without limitation uses contrary to label instructions or under conditions not reasonably foreseeable to (or beyond the control of) Seller or Manufacturer

Neither Manufacturer nor Seller shall be liable for any incidental consequential or special damages resulting from the use or handling of this product. THE EXCLUSIVE REMEDY OF THE BUYER OR USER AND THE EXCLUSIVE LIABILITY OF MANUFACTURER AND SELLER FOR ANY AND ALL CLAIMS LOSSES INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY CONTRACT NEGLIGENCE TORT STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT SHALL BE THE RETURN OF THE PURCHASE PRICE OF THIS PRODUCT OR AT THE ELECTION OF MANUFACTURER OR SELLER THE REPLACEMENT OF THE PRODUCT

These Conditions of Sale and Limitation of Warranty and Liability shall be interpreted unless otherwise required by the law of the state of purchase in accordance with the laws of the State of California excluding its conflicts of laws rules and may not be amended by any oral or written agreement

WILBUR ELLIS® logo and Nu Flow® are registered trademarks of Wilbur Ellis Company

NET CONTENTS 25 GALLONS

F 050312

In Case of Emergency
Call CHEMTREC (800) 424 9300

PO BOX 16458 FRESNO CA 93755

Bat	tch	Code	•