



USDA Reg. No. 2939-9

BOOSTROY

Double Action

STARTER FERTILIZER

&

CUTWORM KILLER

FERTILIZES TRANSPLANTS • DESTROYS CUTWORMS

For Tomato, Pepper, Cabbage,
Cauliflower Transplanting

Reduces transplanting shock and set-backs to newly set plants, and at the same time provides protection from subterranean cutworm attacks as long as plants are vulnerable to destruction by cutworms.

**CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE BACK PANEL FOR REQUIRED PRECAUTIONS.**

NET CONTENTS 1/2 LB.

Net Weight 1/2 Lb.

BOOSTROY
8-45-14

GUARANTEED ANALYSIS:

Total Nitrogen	8%
Available Phosphoric Acid	45%
Total Potash	14%
Insecticide Active Ingredients:	
Technical *Chlordane	5%
Insecticide Inert Ingredient	95%
*Equivalent to 3% Octachloro-4,7—methanotetrahydroindane and 2% related compounds.	

DIRECTIONS FOR APPLICATION:

For Tomato, Pepper, Cabbage, Cauliflower, or Egg Plant transplanting. Dissolve 1/2 pound of Boostroy in 5 gallons of water (one level tablespoon to 1 quart of water). Apply 1/2 cup of this solution to soil at base of plant immediately after transplanting. Avoid getting solution on foliage. Agitate mixture frequently while using to keep insecticide suspended.

In addition to giving plants a most effective boost at transplanting time, BOOSTROY provides protection against many insect pests in the soil. Several species of subterranean cutworms will be controlled. Control of cabbage maggot and, in some cases, wire worm can be expected.

CAUTION: Repeated or prolonged contact with skin can cause toxic symptoms. Avoid inhalation or skin contact. In case of spillage on skin, wash with soap and water. Avoid contamination of feed or foodstuffs. Harmful if swallowed. Keep out of reach of children.

DISTRIBUTED BY

Farmer Seed & Nursery Co.
FARIBAULT MINNESOTA

June 11 1914 5757-7