

METHYL PARATHION 4 LB.

EMULSIFIABLE CONCENTRATE



For control of BOLL WEEVIL, COTTON APHID, COTTON FLEAHOPPER, THRIPS, COTTON LEAFWORM, COTTON LEAF PERFORATOR, And Some Species of SPIDER MITES ON COTTON AND CERTAIN INSECTS ATTACKING SMALL GRAINS AND SOYBEANS.

POISON -- DANGER -- KEEP OUT OF REACH OF CHILDREN

SEE ANTIDOTE STATEMENT AND OTHER WARNING STATEMENTS BELOW.

ACTIVE INGREDIENTS:

*O,O-dimethyl O-p-nitrophenyl thiophosphate 44.5%
Aromatic Petroleum distillate 48.2%

INACTIVE INGREDIENTS:

*Methyl Parathion 4.5%
CONTAINER WEIGHT 1.8%
PER GALLON.

DIRECTIONS

Mix with water by agitation in the tank. Do not mix with no free oil or other liquids.

FOR USE

COTTON: For control of boll weevil, cotton fleahopper, cotton leafworm, and cotton leaf perforator. Make first application as needed. For control of cotton aphid, cotton spider, and cotton webworm, apply 1/2 pint RED PANTHER MP 4 lb. per acre. Repeat at 5 day intervals as needed. For control of bollworm, apply 1/2 pint RED PANTHER MP 4 lb. per acre. Repeat at 4-5 day intervals as needed. If growth is slow, apply 1/2 pint RED PANTHER MP 4 lb. per acre. For all other insects, apply 1/2 pint RED PANTHER MP 4 lb. per acre. Do not apply within 5 days of picking. Do not harvest within 3 days of mechanical harvesting. Workers entering treated areas within 24 hours after application should wear clean tightly woven protective clothing. Do not feed forage or gin trash to livestock or other beneficial animals.

SMALL GRAINS: Wheat, oats, rye and barley. For control of greenbug apply 1/2 pint RED PANTHER MP 4 lb. per acre. Do not apply within 15 days of harvest.

SOYBEANS: For control of bollworm apply 2 pints RED PANTHER MP 4 lb. per acre. Do not apply within 20 days of harvest or feeding.



ANTIDOTE AND FIRST AID TREATMENT: ATROPINE IS THE EMERGENCY ANTIDOTE FOR METHYL PARATHION POISONING. Consult your physician about obtaining an adequate supply of 1/100 grain atropine tablets for emergency use. 2-PAM is also antidotal and may be administered in conjunction with atropine. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. **EXTERNAL:** If the material has been spilled on the skin, immediately remove patient from vicinity of the Methyl Parathion, remove all contaminated clothing and wash skin with soap and running water. If the material gets into the eye, wash immediately with running water for at least 10 minutes. IF WARNING SYMPTOMS APPEAR Administer two 1/100 grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS Below.)

Keep patient warm and quiet. Start artificial respiration immediately if patient is not breathing. Transport the patient immediately to the nearest physician. NOTE:

**NOT FOR HOME USE
STOP -- READ LABEL BEFORE USING.**

TO PHYSICIAN: WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulphate should be injected at 10 minute intervals of 1 to 2 milligrams, until complete atropinization has occurred. Maintain a patent airway. Clear chest by postural drainage. Oxygen administration is necessary. Observe patient continuously for 48 hours. Repeated exposure to this insecticide may without warning, cause prolonged susceptibility to other cholinesterase inhibitors. Allow no further exposure until cholinesterase regeneration has been allowed as determined by appropriate tests.

PRECAUTIONS IN USE

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS. Do not contaminate food or feed. Warning—Flammable. Do not use near open flame. Do not allow to drift to adjacent crops or livestock. Do not allow to drift to adjacent crops or livestock. Do not allow to drift to adjacent crops or livestock. Do not allow to drift to adjacent crops or livestock. Do not allow to drift to adjacent crops or livestock.

This product is highly toxic to bees exposed to direct treatment of crops. Protective information may be obtained from your Cooperative Extension Service. Do not apply when weather conditions favor drift to adjacent areas treated.

Highly toxic to fish and wildlife. Keep out of lakes, streams or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply to any area not specified on this label.

Birds feeding in treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur.

DANGER

POISONOUS IF SWALLOWED INHALED OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY, WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING.

Do not swallow or get in eyes, on skin, or on clothing. Do not breathe vapors or spray mist. Wear clean, natural rubber gloves, clean, waterproof clothing, and goggles. Replace gloves frequently and decontaminate gloves. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for Methyl Parathion protection. Wash thoroughly with soap and water after handling and before eating or smoking. If material gets into the eyes, immediately flush with water for at least ten minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water; wash clothing before reuse.

DRUM DISPOSAL: DO NOT REUSE EMPTIED DRUMS. Decontaminate drums by thoroughly rinsing with solution of 5 gallons water, 2 pounds caustic soda (sodium hydroxide), 1 cup detergent, close container openings and rotate repeatedly until all inner surfaces are thoroughly wet. Rinse in solution 18 inches deep in isolated area away from water surface. Then crush to prevent further use and discard in a safe place.

SPILLAGE: In case of spillage, cover with absorbent material, collect as much as possible, and sweep up and bury. Then wash area with strong lye solution.

NON-WARRANTY: Chemical Company, Inc. makes no warranty, express or implied, concerning the product or its use, which extends beyond the description on the label. All statements made concerning this product apply only when used as directed.



POISONOUS IF SWALLOWED

This product can kill you if swallowed even in small amounts: spray mist or dust may be fatal if swallowed.



POISONOUS BY SKIN CONTACT

Poisonous if touched by hands or spilled or splashed on skin, in eyes or on clothing (liquid goes through clothes.)



POISONOUS IF BREATHED

Breathing vapors, spray mist or dust may be fatal.

FOR USE ON ALL WEEDS, DITCH APPLICABLE TO ALL WEEDS
 100% PURE METHYL PARATHION 7.5% SOLUTION IN 1 GALLON
 IN 1 SMALL GRAINS AND 1 BEANS.

KEEP OUT OF REACH OF CHILDREN

ANTIDOTE STATEMENT AND OTHER WARNING STATEMENTS WILL BE

APPLICABLE IN THE FUTURE

INERT INGREDIENTS

Methyl Parathion
7.5%
TOTAL 100.0%

CONTAINS 4 LBS. METHYL PARATHION

MIXING DIRECTIONS

RED PANTHER Methyl Parathion with
 xture through the spray pump and be
 the appearance of a milky emulsion y
 use until a uniform suspension is form

tion or by circulating
 A proper amount will
 on the surface. Agitate

2
 ca:
 Ob
 hib
 of
 line

APPLICATIONS FOR USE

ON: For control of insects on
 int of RE...
 arrange...
 extrol of...
 mites...
 infest...
 ontrol of...
 RED...
 used...
 n 2-4 gal...
 rph...
 gallons...
 it spray...
 n with...
 days of han...

r and apply 1/2
 lication...
 n and...
 Make first...
 needed...
 af perforato
 intervals as...
RED PAN
PANTHER
 t spray cot...

K

PHI
CH OF C
 d product
 apply or
 animals. K
 may be

USING
DOMESTIC ANIMALS. Do r
 able -- Kee: way from h
 areas occup' by unprotect
 ed persons out of operating area
 Vacated areas should not be
 tile residues have dissipated. Do
 do not allow poultry, dairy anim
 er contaminated by drift of ins

ent or resic
 erative Agri
 or drift from
 ponds. Do r