Toxaphene-MP Emulsifiable Concentrate

For control of BOLL WEEVIL, BOLLWORM, CUTWORMS, THRIPS FLEAHOPPERS, PLANT BUGS, ARMYWORMS, COTTON LEAFWORM, GARDEN WEBWORMS, APHIDS, STINK BUGS GRASSHOPPERS, CORN EARWORMS, GREEN CLOVER WORMS, BEAN LEAF BEETLES and VELVET BEAN CATERPILLARS.

DANGER-- KEEP OUT OF REACH OF CHILDREN. SEE ANTIDOTE AND OTHER WARNING STATEMENTS BELOW.

ACTIVE INGREDIENTS

[illegible]	66.7%
[illegible]	1.5%
[illegible]	1.7%
INERT INGREDIENTS	30%
TOTAL	100.0%

[illegible]

MIXING DIRECTIONS

[illegible] TOXAPHENE-MP E.C with water in [illegible] through [illegible] spray [illegible] APHID [illegible] with water [illegible] uniform emulsion.

DIRECTIONS FOR USE ON COTTON

[illegible] SEEDLING COTTON [illegible] PANTHER TOXAPHENE-MP E.C [illegible] SQUARE [illegible]

[illegible]

DIRECTIONS FOR USE ON SOYBEAN

[illegible] TOXAPHENE [illegible]

[illegible] pints [illegible] gallons of water per acre by [illegible] Do not apply [illegible] and [illegible] days of harvest.

POISON

SYMPTOMS OF POISONING: A case of [illegible] Symptoms [illegible] Vomiting [illegible]

ANTIDOTE: Call a physician. If [illegible] Keep victim warm and quiet. [illegible] Give plenty of water to drink. Call physician [illegible]. For skin contact: Remove contaminated clothing and decontaminate [illegible] with soap and water. TO PHYSICIAN: Medical treatment should be directed [illegible] symptoms [illegible] Supportive [illegible] indicated [illegible] Do not induce vomiting.

PRECAUTIONS IN USING

[illegible] KEEP AWAY FROM FIRE AND OPEN FLAME.

DANGER

[illegible] INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT MAY AFFECT SYMPTOMS PROGRESSIVELY INCREASE SUSCEPTIBILITY TO MEDICATION [illegible]

[illegible] APPLICATIONS [illegible] MIXING [illegible] OPEN FLAME.

[illegible] All statements made concerning [illegible] are [illegible] detected.

[illegible]

ACCEPTED
5/8/16
29/M