

6-3 TOXAPHENE - MP EMULSIFIABLE CONCENTRATE

For control of BOLL WEEVIL, BOLLWORM, CUTWORMS, THRIPS, FLEAHOPPERS, PLANT BUGS, ARMYWORMS, COTTON LEAFWORM, GARDEN WEBWORMS, APHIDS, STINK BUGS, GRASSHOPPERS, CORN EARWORMS, GREEN CLOVER WORMS, BEAN LEAF BEETLES and VELVET BEAN CATERPILLARS.

DANGER —KEEP OUT OF REACH OF CHILDREN. SEE ANTIDOTE STATEMENT AND OTHER WARNING STATEMENTS BELOW.



ACTIVE INGREDIENTS

*Toxaphene	52.7%
**O,O-dimethyl O-p-nitrophenyl thiophosphate	26.2%
Aromatic Petroleum Distillate	16.3%
INERT INGREDIENTS	4.8%
TOTAL	100.0%

*Technical chlorinated Camphene (Chlorine Content 67% to 69%)
**Methyl Parathion
Contains 6 lbs. Toxaphene and 3 lbs. Methyl Parathion per gallon.

MIXING DIRECTIONS

Mix RED PANTHER 6-3 Toxaphene-MP E.C. with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of an emulsion with no free oil on the surface. Agitate before use until emulsion is formed.

DIRECTIONS FOR USE

EARLY SEASON - Seedling Cotton - Apply 3 4 pint RED PANTHER 6-3 Toxaphene-MP per acre. Squaring Cotton - for control of overwintered boll weevil, plant bug and fleahoppers apply 2 pints per acre.
MID AND LATE SEASON - for control of boll weevil, leafworm, garden webworm, and fleahoppers apply 2 2/3 pints per acre. For control of bollworm, plant bug and cutworms apply 2 2/3 - 3 pints per acre. Use the higher rate for heavy infestations. Repeat applications at 5-7 day intervals as insect counts justify.
Apply 6-3 Toxaphene-MP diluted with water and equipment recommended amount of water per acre.
DANGER Do not apply within 5 days of harvest. Do not graze dairy animals or animals in fields treated later in the season.

DIRECTIONS FOR CONTROL OF

APHIDS - Apply 2 2/3 pint of RED PANTHER 6-3 per acre to control aphids, armyworms, bean leaf beetle, grasshopper, green cloverworms, stink bugs, and velvet bean caterpillars. Apply suitably diluted with water. For aerial application use 3 gallons of water per acre. With ground equipment use 3-10 gallons of water per acre.
DANGER Avoid spray drift. Do not apply less than 3 weeks before harvest. Do not feed treated plants or animal made from treated plants to poultry, dairy animal, or animal being fattened for slaughter. Do not feed soybean mill trash to hogs, turkeys, or poultry.
FOR ARMYWORM CONTROL IN SMALL GRAINS - Apply 2 pints per acre to control armyworm in wheat, oats, barley or rice. Apply suitably diluted with water. With aerial application apply in a volume of 1 to 3 gallons of water per acre. With ground equipment apply recommended amount of insecticide in 3-10 gallons of water per acre. Do not feed treated forage to dairy animal, or animal being fattened for slaughter. Do not apply to wheat, oats, barley and rice within 15 days of harvest.

SYMPTOMS OF POISONING: A sense of "tightness" in chest. Stomach pains. Vomiting and diarrhea.

ANTIDOTE: Internal: If swallowed, Give a tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Have victim lie down and keep quiet. Call a physician immediately. External: If on skin, in case of contact remove contaminated clothing and immediately wash skin with soap and water. **TO PHYSICIAN:** (1) Methyl Parathion is a cholinesterase inhibitor and treatment of poisoning should include use of atropine. (2) Toxaphene produces central nervous system excitation which responds to the barbituric acid derivative.

DANGER: Do not allow spray to drift to areas occupied by unprotected humans or beings. Keep all unprotected persons out of operating areas or vicinity. Avoid danger of drift. Vacated areas should not be reentered until residue has dissipated. **KEEP FROM CHILDREN AND DOMESTIC ANIMALS. DO NOT CONTAMINATE FEED PRODUCTS.** The product is for use only on or near home. Wear clean synthetic rubber gloves and shoes or rubber boots. A type passed by the U. S. Dept. of Agriculture, Section of Plant Industry. Mixtures of methyl parathion. **KEEP AWAY FROM OPEN FLAME.**

DANGER
POISONOUS IF SWALLOWED, INHALED, OR ABSORBED THROUGH SKIN. RAPIDLY ABSORBED THROUGH SKIN. REPEATED INHALATION OR SKIN CONTACT WITHOUT SYMPTOMS, PROGRESSIVELY INCREASE SUSCEPTIBILITY TO METHYL PARATHION POISONING. Do not swallow or get in eyes, nose, or on clothing. Do not breathe vapors. Wear clean synthetic rubber clothing and goggles. Replace gloves frequently and wash hands after use. Wash thoroughly with soap and water after handling before smoking. If the chemical gets into the eyes, immediately wash with water for at least ten minutes and get medical attention. Immediately remove all contaminated clothing and wash skin with soap and water. Decontaminate areas and equipment by washing with water. Do not graze dairy animals on treated fields or feed treated grain to animals. Do not use product for any purpose other than that recommended on label.
Highly toxic to fish and wildlife. Do not apply or treat areas that will be killed. Keep out of lakes, streams, and ponds. Do not apply in windy conditions. Avoid drift from areas treated. Do not use in areas where cleaning of equipment or disposal of water. The product is not to be used on areas exposed to direct treatment or residue. For more information may be obtained from your Cooperative Agricultural Extension Service.
DO NOT REUSE CONTAINERS. DESTROY EMPTY CONTAINERS.
CAUTION: DO NOT USE OR STORE NEAR HEAT OR OPEN FLAME.

NON-WARRANTY: Coahoma Chemical Company, Inc. makes no warranties, express or implied, concerning this product or its use, which extend beyond the description on the label. All statements made concerning this product apply only when used as directed.

6-800-4-A-PHENT EMULSIFIABLE CONCENTRATE

For control of BOLL WEEVIL, BOLLWORM, CUTWORMS, THRIPS, FLEAHOPPERS, PLANT BUGS, ARMYWORMS, COTTON LEAFWORM, GARDEN WEBWORMS, APHIDS, STINK BUGS, GRASSHOPPERS, CORN EARWORMS, GREEN CLOVER WORMS, BEAN LEAF BEETLES and VELVET BEAN CATERPILLARS.

—KEEP OUT OF REACH OF CHILDREN. SEE ANTIDOTE STATEMENT AND OTHER WARNING STATEMENTS BELOW.

ACTIVE INGREDIENTS

INERT INGREDIENTS

TOTAL

MIXING DIRECTIONS

DIRECTIONS FOR USE

DIRECTIONS FOR

6-800-4

POISONOUS IF SWALLOWED
WASH SKIN RAPIDLY AFTER
SKIN CONTACT
INCREASE SUSCEPTIBILITY
DO NOT swallow or get in eyes
Wear clean clothing
Wash hands frequently and
after handling before
eating, drinking, or
smoking. Wash with
soap and water.
If swallowed, do not
induce vomiting. If
on hands, wash with
soap and water.

DANGER

POISONOUS IF SWALLOWED

WASH SKIN RAPIDLY AFTER

SKIN CONTACT

INCREASE SUSCEPTIBILITY

DO NOT swallow or get in eyes

Wear clean clothing

Wash hands frequently and

after handling before

eating, drinking, or

smoking. Wash with

soap and water.

If swallowed, do not

induce vomiting. If

on hands, wash with

soap and water.