

GENERAL INFORMATION: RED PANTHER DSMA LIQUID HERBICIDE is useful for selective post-emergent weed control, particularly for the young weed. It is a combination of herbicide and surfactant. IT IS UNNECESSARY TO ADD ANY OTHER SURFACTANT TO THE SPRAY SOLUTION. Best results are obtained on young, actively growing weeds when temperature is 70°F.

MIXING INSTRUCTIONS: RED PANTHER DSMA LIQUID HERBICIDE must be thoroughly dissolved. Fill the spray equipment reservoir one-half full with water and add the required amount of RED PANTHER DSMA LIQUID HERBICIDE to the reservoir with water and apply. After the mixture is applied, rinse the equipment with water. Do not store spray solution in tank for a prolonged period.

DIRECTIONS FOR USE: COTTON: RED PANTHER DSMA LIQUID HERBICIDE is useful as a directed application in cotton for post-emergent control of weeds and grasses such as Johnsongrass, nutcracker, Panhandle grass, crabgrass, hairy woodcock, sandbur and puncturevine. Add 1 gallon of RED PANTHER DSMA LIQUID HERBICIDE to 40 gallons of water and mix thoroughly. Do not add any other chemicals to the spray solution. Apply post-emergent weeds and grasses before they are 4 inches tall. Most effective at temperatures of 70°F. For best results apply the spray solution to the base of the cotton plants. Do not spray the cotton foliage. A second application may be necessary in favorable growing conditions to control persistent weeds. Apply the second application 15 days after the first application. Do not apply to discolored cotton or to cotton plants which are showing signs of stress due to drought treatment, but the cotton plants may be treated at the first bloom. A FIFTH GRADE COTTON IS 3 INCHES HIGH TO FIRST BLOOM. FIRST BLOOM IS 75% AFTER FIRST BLOOM. DO NOT FEED TREATED CATTLE TO CATTLE OR OTHER GRAZE TREATED AREAS.



DSMA LIQUID HERBICIDE

FOR SELECTIVE POST EMERGENCE WEED CONTROL IN COTTON.
 READ ENTIRE LABEL BEFORE USING THIS PRODUCT

ACTIVE INGREDIENTS:
 Dicamba Methylamine Salt
INERT INGREDIENTS:
 Total Aromatic Solvents 95.00
 *Product contains 4.8% active ingredient.

**KEEP OUT OF REACH OF CHILDREN
 SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.**

COAHOMA CHEMICAL COMPANY, INC.
 CLARKSDALE, MISSISSIPPI

NON-CROP: RED PANTHER DSMA LIQUID HERBICIDE is useful for selective post-emergent weed control in alfalfa and other non-crop areas. Do not apply to any crop. If sprayed on alfalfa, do not use for animal feed.

LAWN AND OF OTHER AREAS: RED PANTHER DSMA LIQUID HERBICIDE is useful for selective post-emergent weed control in lawn and other areas. Do not apply to any crop.

CAUTION: Do not apply to any crop. Do not apply to any area where children or animals may be present.

ANTIDOTE: Do not use. **CONTAINER DISPOSAL:** Do not reuse. **NON WARRANT:** Do not warrant.

HERBICIDE is
for grassy weed
CESSARY TO ADD
Best results are
above 70 F.

HERBICIDE is a
bou. Half fill with
n. Finish filling the
oroughly by continu-
ed period.

LIQUID HERBICIDE
control of weed and
bur. Spray and the
SMA LIQUID HERBI-
d any effect on the
re. Weed control is
ion of 4 to 6 weeks
re. Do not spray
laced. Do not spray
ump. Do not spray
low. Do not spray
the. Do not spray
ng the ground. Do
PLY ONLY WHEN
OT APPLY AFTER
O LIVESTOCK.



DSMA LIQUID HERBICIDE

FOR SELECTIVE POST EMERGENCE WEED CONTROL IN COTTON.

READ ENTIRE LABEL BEFORE USING THIS PRODUCT.

ACTIVE INGREDIENTS	
Disobamyl Methanate (100%)	21.0
INERT INGREDIENTS	78.0
Total Assayable Disobamyl Methanate	8.0

*Preparation: 3.6 pounds Disobamyl Methanate per gallon.

KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR ADDITIONAL CAUTIONS.

NET CONTENTS: 1 GALLON

Manufactured by
COAHOMA CHEMICAL COMPANY, INC.
CLARKSDALE, MISSISSIPPI

NON-CROP: RED PANTHER DSMA LIQUID HERBICIDE is useful for controlling Johnsongrass and other weeds and for controlling other weeds in drainage ditches, banks, rights-of-way, large yards, and similar non-crop areas. Mix RED PANTHER DSMA LIQUID HERBICIDE at a rate of 1 to 2 gallons in 100 gallons of water. No additional surfactant is necessary. Spray the unwanted vegetation thoroughly to just wet it. Any spray equipment that gives good coverage may be used. If necessary, reapply as required. **DO NOT CONTAMINATE WATERS USED FOR DOMESTIC CONSUMPTION, OR BY ANIMALS, WILD LIFE AND AQUATIC LIFE. USE FOR IRRIGATION PURPOSES.**

LAWN AND ORNAMENTAL TURF: RED PANTHER DSMA LIQUID HERBICIDE is useful for controlling grasses and weeds such as nutsedge, barnyardgrass, chickweed, and others with little or no injury to good lawn grasses. On new lawns, spray once and after three mowings. Good grasses may be temporarily discolored. Zoysia, St. Augustine, and Bermuda are quite tolerant. Do not use on St. Augustine or Bermuda. Mix at 1 to 1 1/2 ounce per 100 square feet. Mix 4 to 6 ounces of RED PANTHER DSMA LIQUID HERBICIDE in 2 gallons of water and spray at a rate of 1,000 square feet. Spray thoroughly. Repeat applications at 10 to 14 days apart, may be necessary.

CAUTION: Do not use on lawns, lawns, or other areas with seed. Avoid contact with children. Wash hands thoroughly after use. Do not use on food products, crops, or other areas where the material has been applied.

ANTIDOTE: Do not use on lawns, lawns, or other areas with seed.

CONTAINER DISPOSAL: Do not use on lawns, lawns, or other areas with seed. Wash thoroughly with water.

NON WARRANTY: Do not use on lawns, lawns, or other areas with seed. Do not use on lawns, lawns, or other areas with seed.

EPA REG. NO. 204-1