


3008-8

7/24/1974

1/1

Best Available Copy



**WARNING:**  
**KEEP OUT OF REACH OF CHILDREN**  
**AND DOMESTIC ANIMALS**

**WARNING:** May be fatal if swallowed. Harmful if inhaled or absorbed through the skin. Avoid contact with skin, eyes or clothing. In case of contact flush skin or eyes with plenty of water; for eyes get medical attention. Wash with soap and water after handling and before eating or smoking. Do not breathe spray mist. Wear clean clothing.

**NOTICE:** This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

**ANTIDOTE:** Give a Tablespoon of salt in a glass of warm water and repeat until vomit fluid is clear. Then give two tablespoons of Epsom Salts or Milk of Magnesia in water and plenty of milk and water. Have victim lie down and keep quiet. Call a physician immediately!

**DIRECTIONS FOR USE**

Stir before using. Dilute 1 gallon of this Concentrate with 1 1/2 gallons of water.

Stir well. Using air or mechanical pressure pump apply solution to interior cavity of wood structure

**ACTIVE INGREDIENTS:**

SODIUM FLUORIDE	1.50%
SODIUM DICHROMATE	4.50%
SODIUM ARSENATE	4.50%
ALDRIN*	1.50%
	21.60%

**INERT INGREDIENTS:**

**CONTAINS METHANOL**  
 TOTAL ARSENIC AS METALLIC 1.50%

WATER SOLUBLE ARSENIC AS METALLIC 1.50%

1.11% Hexachlorocyclopentadiene, endo, exo-dimethanone, 1,2,3,4,5,6-hexachloro-

0.65% Related compounds

EPA Reg. No. 100-100000

through prepared opening. Apply one gallon (or 1000 cc. per cu. ft. of wood treated) or to refusal.

84-843