

Reg. # 3008-21

Pm 21

10/3

300
17

169147
1

MAR 27 1986

Osmose Wood Preserving, Inc.
980 Ellicott Street
Buffalo, NY 14209

Attention: Gerald L. Daugherty

Gentlemen:

Subject: Osmoplastic, EPA Registration No. 3008-4
Osmosalts, EPA Registration No. 3008-7
Osmoplastic-F, EPA Registration No. 3008-13
Osmoband, EPA Registration No. 3008-14
Osmoplastic-B, EPA Registration No. 3008-15
Osmose K-33 (72%), EPA Registration No. 3008-16
Osmose K-33-C (72%), EPA Registration No. 3008-17
Pole Topper Fluid, EPA Registration No. 3008-19
Special K-33 Preservative, EPA Registration No. 3008-21
PCP 1-10 Concentrate, EPA Registration No. 3008-25
24-12, EPA Registration No. 3008-28
10% PCP TUR Solution, EPA Registration No. 3008-30
Osmose K-33 (60%), EPA Registration No. 3008-34
Osmose K-33-C (50%), EPA Registration No. 3008-36
Osmopenta, EPA Registration No. 3008-37
Osmose K-33-A (50%), EPA Registration No. 3008-42
PCP 5% RTU Solution, EPA Registration No. 3008-45
Osmotox-Plus, EPA Registration No. 3008-48
Your Application Submission Dated February 13, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act FIFRA, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted before you release the product for shipment.


1. Insert a "Physical and Chemical Hazards" heading and applicable statements immediately following the environmental hazards section on those labels lacking such information.
2. Change the hazard warning word from "Warning" to "Danger" on applicable labels.

88890:Moles:J-2:KEMCO:3/14/86:3/25/86:TAR:LISA

3. Rephrase all environmental hazard statements to read " This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes."
4. The label for EPA Registration No. 3008-8 will not be approved because of the product's previous cancellation in 1975. If you desire to market this product, you must apply for a new registration.
5. The distribution label for EPA Registration No. 10771-2-3008 also will not be approved. The registrant (EPA Company Number 10771) is responsible for all pesticide label matters under FIFRA.
6. Only one stamped approved label will be issued per EPA Registration Number. Your submissions include two labels for EPA Registration No. 3008-13 which carries two different product names with identical labeling. One stamped approved label will be applicable to all additional products or brand names carried under the registration.
7. The "total arsenic" and "water soluble arsenic as metallic" ingredient percentage claims must be transferred as a substatement to be below the ingredient statement on the label of EPA Registration No. 3008-34.
8. The net contents statement must be further clarified. The current contents indicate two figures. One figure (usually the top or beginning) presumably addresses the total contents. The second or last statement provides content information on specific contents (i.e., 166 lb Oxide Basic, minimum as indicated on the label of EPA Registration No. 3008-34). If this secondary content statement is actually part of the total contents, then enclose the statement in parentheses.
9. Resubmit revised Confidential Statements of Formula to indicate, under item 13a, the amounts in gal, lb, or lb/gal.

Submit five (5) copies of each of the revised labeling.

Sincerely yours,


Henry M. Jacoby
Product Manager (21)
Fungicide-Herbicide Branch
Registration Division (TS-767C)

ACCEPTED
with COMMENTS
in EPA Letter Dated:

MAR 27 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
3008-21

DIRECTIONS FOR USE

GENERAL CLASSIFICATION

It is a violation of Federal law to use this product
in a manner inconsistent with its labeling.

For application to the cut ends of
pressure-treated wood only. Do not
dilute or mix with other products.

Applicators must wear gloves (e.g.,
rubber, vinyl or neoprene) impervious to
the wood treatment solution in all
situations where dermal contact is
expected (e.g., during the application
process and handling freshly treated
wood).

Applicators must wear disposable
coveralls (e.g., vinyl or polyethylene) or
other similar impermeable clothing
during the application process where
dermal contact is expected.

Applicators must not eat, drink, or use
tobacco products during those parts of
the application process that may expose
them to the wood treatment formulation.

Wash thoroughly after skin contact,
and before eating, drinking, use of
tobacco products, or using restrooms.

Protective clothing must be changed
when it shows obvious signs of
contamination. Launder non-disposable
protective clothing separately from other
household laundry. Dispose of worn-out
protective clothing in a manner
approved for pesticide disposal and in
accordance with State and Federal
regulations.

Osmo Special K-33 Preservative should be
liberally brushed into all cut or machined areas and
allowed to soak into the wood.

Osmo Special K-33 Preservative, when used
as a supplement to pressure preserved wood will
provide positive protection against attack by decay
and termites. It is not, however, intended as a
replacement for pressure treatment.

Osmo Special K-33 Preservative meets the
American Wood-Preservers' Association Standard
M4.1 for use on cuts, holes, or other exposed
surfaces resulting from fabrication or treatment after
treatment.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and wildlife.
Do not apply directly to water. Do not contaminate
water by cleaning of equipment or disposal of
wastes. Keep out of lakes, ponds, or streams.



SPECIAL K-33 PRESERVATIVE

For commercial construction use only.
Not for household use.

For treatment of areas on Pressure Treated
Wood that have been exposed through
fabrication or damage.

Active Ingredients:

| | |
|-------------------|-------|
| Arsenic Pentoxide | 4.08% |
| Copper Oxide | 1.74% |
| Chromic Acid | 3.18% |

Inert Ingredients:

| | |
|-------|---------|
| Water | 91.00% |
| | 100.00% |

| | |
|-----------------------------------|-------|
| Total Arsenic as Metallic | 2.63% |
| Water-Soluble Arsenic as Metallic | 2.63% |

DANGER KEEP OUT REACH OF CHILDREN



**DANGER
POISON**



SEE SIDE PANELS FOR
PRECAUTIONARY STATEMENTS

E.P.A. Est. 3008-NY-1 E.P.A. Reg. No. 3008-21

Manufactured By

**OSMOSE WOOD PRESERVING CO.
OF AMERICA, INC.**

980 Ellcott Street, Buffalo, New York 14209

Net Contents 1/2 Gallon

PRE
ST
HAZAR
& DOM
DANGE
IF SW
ABSOR

May cause rash
face shield and
Avoid contact w
contact. Flush st
eyes get medic
using Wash clo
spray mist.

STO
D

STORAGE:
ceed by store
prohibited. D
PESTICIDE
are acutely t
excess possi
a violation c
cannot be di
label instruc
cide or Envir
Hazardous W
EPA Regiona

CONTAIN
equivalent
tery landfil
state and tr
burned, slay

DO N

SI

IF SWALL
the back of
at vomit. Do
person. Call
IF INHALE
piration 11
IF ON SKI
wash affect
IF IN EYES