

OSMOSE[®]

WATER REPELLENT

Wood Preserving Stain

For a Permanent
Color-Fast Stain
OSMOSE
Wood
Preserving
Stain

- Plywood & Lumber Siding
- Decking & Millwork
- Fences, Gates & Walls
- Garden Furnishings
- Window Boxes
- Wherever you want to protect the beauty of wood

OSMOSE WOOD PRESERVING STAIN is a long-life water repellent wood preservative containing BUTINOX.*

For Natural Beauty
with Minimum
Maintenance
OSMOSE
Wood
Preserving
Stain

- PROTECTS** against surface mold, fungi, mildew
- REDUCES** swelling, sticking, grain-raising and warping
- BEAUTIFIES** all wood species and enhances their richness
- FOR Residential & Commercial Construction, Home & Garden Use, Recreation & Park Beautification

**WARNING: KEEP OUT
OF REACH OF CHILDREN**
Read warning statement on back panel

ACTIVE INGREDIENTS . . . 0.3%
Bis (Tri-n-butyltin) oxide*
INERT INGREDIENTS . . . 99.7%
100.0%

*BUTINOX, Registered Trademark

CONTENTS 1 GALLON



**For Natural Beauty
with Minimum
Maintenance**


OSMOSE Wood Preserving Stain

PROTECTS against surface
rot, mold, fungi, mildew.

REDUCES swelling, sticking,
grain-raising and warping

BEAUTIFIES all wood species
and enhances their richness

FOR Residential & Commercial
Construction, Home & Garden Use,
Recreation & Park Beautification



DEVELOPED BY
OSMOSE WOOD PRESERVING CO. OF AMERICA, INC.
980 ELLICOTT STREET • BUFFALO, NEW YORK 14209

EPA Reg. N.

08-22

EPA Est. 3008-NY-1

E
LENT

For Natural Beauty
with Minimum
Maintenance

OSMOSE Wood Preserving Stain

- PROTECTS
- REDUCES
- BEAUTIFIES

IVE INGREDIENTS 0.3%
RT INGREDIENTS 99.7%
100.0%



OSMOSE WOOD PRESERVING
980 ELLICOTT STREET • BURLINGTON, VT 05401

ON