Pala

300 <u>169046</u> 17 <u>1</u>

Osmose Wood Preserving, Inc. 980 Ellicott Street Buffalo, NY 14209 MAR 27 1986

Attention: Gerald L. Daugherty

### Gentlemen:

Subject: Osmoplastic, EPA Registration No. 3008-4 Osmosalts, EPA Registration No. 3008-7 Osmoplastic-F, RPA Registration No. 3008-13 Osmoband, BPA Registration No. 3008-14 Osmoplastic-B, EPA Registration No. 3008-15 Osmose K-33 (724), EPA Registration No. 3008-16 Osmose K-33-C (72%), EPA Registration No. 3008-17 Pole Topper Fluid, KPA Registration No. 3008-19 Special K-33 Preservative, EFA Registration No. 3008-21 PCF 1-10 Concentrate, EPA Registration No. 3008-25 24-12, EPA Registration No. 3008-28 10% PCP TUR Solution, EPA Registration No. 3008-30 Osmose K-33 (60%), RPA Registration No. 3008-34 Osmose K-33-C (50%), MPA Registration No. 3008-36 Osmopenta, EPA Registration No. 3008-37 Osmose K-33-A (50%), EPA Registration No. 3008-42 PCP 5% RTU Selution, MPA Registration No. 3008-45 Osmotox-Plus, KPA Registration No. 3008-48 Your Application Submission Dated February 13, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act FIFRA, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted before you release the product for shipment.

- Insert a "Physical and Chemical Hazards" heading and applicable statements immediately following the environmental hazards section on those labels lacking such information.
- 2. Change the hazard warning word from "Warning" to "Danger" on applicable labels.

88890:Noles:J-2:KENCO:3/14/86:3/25/86:YAN:118A

- 3. Rephrase all environmental hazard statements to read "This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes."
- 4. The label for EPA Registration No. 3008-8 will not be approved because of the product's previous cancellation in 1975. If you desire to market this product, you must apply for a new registration.
- 5. The distribution label for EPA Registration No. 10771-2-3008 also will not be approved. The registrant (EPA Company Number 10771) is responsible for all pesticide label matters under FIFRA.
- 6. Only one stamped approved label will be issued per EPA Registration Number. Your submissions include two labels for EPA Registration No. 3008-13 which carries two different product names with identical labeling. One stamped approved label will be applicable to all additional products or brand names carried under the registration.
- 7. The "total arsenic" and "water soluble arsenic as metallic" ingredient percentage claims must be transferred as a substatement to be below the ingredient statement on the label of EPA Registration No. 3008-34.
- 8. The net contents statement must be further clarified. The current contents indicate two figures. One figure (usually the top or beginning) presumably addresses the total contents. The second or last statement provides content information on specific contents (i.e., 166 lb Oxide Basic, minimum as indicated on the label of EPA Registration No. 3008-34). If this secondary content statement is actually part of the total contents, then enclose the statement in parentheses.
- Resubmit revised Contidential Statements of Formula to indicate, under item 13a, the amounts in gal, lb, or lb/gal.

Submit five (5) copies of each of the revised labeling.

Sincerely yours,

Henry M. Jacoby Product Manager (21) Fungicide-Herbicide Branch Registration Division (TS-767C)

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

For-in-place treatment of railroad and utility piles, poles and timbers, using special OSMOSE equipment and prescribed

Applicators must wear gloves Impervious to the wood treatment Impervious to the wood treatment formulations (e.g., polyvinyl acetate (PVA), polyvinyl chloride (PVC), or neoprene) in all situations where dermal contact is expected (e.g., during the actual application process and when handling freshly treated wood).

Applicators must wear long sleeved shirts, long pants, and an Impermeable apron during the application and mixing processes and all situations where dermal contact is expected.

Work clothing must be changed when it shows signs of contamination. Launder work clothing separately from other household laundry. Dispose of worn-out work clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

## STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by touching the back of the throat with finger. This product contains petroleum distillates, avoid aspiration of vomil. Do not induce vomiting of an unconscious person. Call a physician immediately.

IF INHALED: Remove victim to Iresh air Apply respiration if indicated. Call a physician immediately

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water

IF IN EYES: Flush eyes with plenty of water Call a physician immediately

**NET CONTENTS:** 

GALLONS

# RESTRICTED USE PESTICIDE

For retail sale to and use only by Cartilled Applicators or persons under direct supervision, and only for those uses covered by the Certified Applicator's certification.

24-12 WOOD PRESERVATIVE SOLUTION

Industrial Use Only — Not For Resale For Use In Prevention of Wood Molds & Fungus Decay Ready-To-Use Solution - Do Not Bilute

AC:	rive	ING	REDI	ENTS:

Pentachlorophenol'	4.48%
Other Chlorophenols and Related Compounds	0.52%
Aromatic Petroleum Solvent	5.16%
Aliphatic Petroleum Solvent	46.52%
TOTAL:	
INCOT INCOCHIENTS:	43.329

TOTAL. 100.00%

Equivalent to 5.2% Dentachlorophenol as determined by Federal Specification TT-W-570

U.S. Patent No. 2,757,121

## KEEP OUT OF REACH OF CHILDREN WARNING

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS. EPA Est. 3008-NY-1 EPA Reg. No. 3008-28

MANUFACTURED BY



OSMOSE Outmose Wood Presenting Co of America Inc. 960 Et cost Street 8-21a.3 heek York 12203

ACCEPTED with COMMENTS in EPA Letter Dated:

MAR 27 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No.

3008-28

HA AND

BRINRAW through the vapors or spr in eyes, on sk before eating gloves when

This product lakes, stream equipment o

CH

Do η<u>οι use, </u>

STO lood ( dump conta

> PES waste

exces

is a

waste accor your Contr tepre giona

CONTAINE offer for recyc in a sanitary procedures