

# PCP

10% RTU SOLUTION

## WOOD PRESERVATIVE

FOR PREVENTION AND CONTROL OF FUNGAL DECAY IN WOOD

### DIRECTIONS

This material may be used for treatment of wood by flooding the surface, total immersion or pressure treatment for the prevention and control of fungal decay organisms.

Previously untreated fence posts, poles, foundation timbers and heavy wooden members should be free of bark, dry, and well-seasoned and immersed in the product for a period of 12 to 48 hours to be an effective wood preserver.

In re-treating previously treated utility poles, apply PCP 10% solution to saturation along the full length of the pole with an additional application of Osmoplastic at the groundline area which is most vulnerable to decay.

**DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME**

### WARNING

**KEEP OUT OF REACH OF CHILDREN**

May be harmful or fatal if swallowed, inhaled or absorbed through skin. Causes skin irritation. Do not breathe vapors or spray mist. Use only with adequate ventilation. Do not get in eyes, on skin or on clothing. Wash thoroughly after handling. Wear protective clothing and rubber gloves when handling freshly treated lumber.

In case of contact wash thoroughly with soap and water. For eyes get medical attention.

### NOTICE

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

All pesticide should be removed from this container and empty container destroyed and buried.

#### ACTIVE INGREDIENTS:

Pentachlorophenol*	8.96%
Other Chlorinated Phenol and Related Compounds	1.04%
Petroleum Distillate	80.60%

#### INERT INGREDIENTS:

9.40%  
100.00%

OSMOSE

CONTENTS

GALLONS

\*Equivalent to 10.42 Technical Pentachlorophenol as determined by Federal Specification TTW-570.

EPA Reg. No. 3008-30

OSMOSE WOOD PRESERVING CO. OF AMERICA, INC. • BUFFALO, N. Y. 14209