

Reg. # 3008-39

Printed

10/3

300 169049

17 1

Osmose Wood Preserving, Inc.  
980 Ellicott Street  
Buffalo, NY 14209

MAR 27 1986

Attention: Gerald L. Daugherty

Gentlemen:

Subject: Osmoplastic, EPA Registration No. 3008-4  
Osmosalts, EPA Registration No. 3008-7  
Osmoplastic-P, EPA Registration No. 3008-13  
Osmoband, EPA Registration No. 3008-14  
Osmoplastic-B, EPA Registration No. 3008-15  
Osmose K-33 (72%), EPA Registration No. 3008-16  
Osmose K-33-C (72%), EPA Registration No. 3008-17  
Pole Topper Fluid, EPA Registration No. 3008-19  
Special K-33 Preservative, EPA Registration No. 3008-21  
PCP 1-10 Concentrate, EPA Registration No. 3008-25  
24-12, EPA Registration No. 3008-28  
10% PCP TUR Solution, EPA Registration No. 3008-30  
Osmose K-33 (60%), EPA Registration No. 3008-34  
Osmose K-33-C (50%), EPA Registration No. 3008-36  
Osmopenta, EPA Registration No. 3008-37  
Osmose K-33-A (50%), EPA Registration No. 3008-42  
PCP 5% RTU Solution, EPA Registration No. 3008-45  
Osmotox-Plus, EPA Registration No. 3008-48  
Your Application Submission Dated January 13, 1986

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act FIFRA, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted before you release the product for shipment.


1. Insert a "Physical and Chemical Hazards" heading and applicable statements immediately following the environmental hazards section on those labels lacking such information.
2. Change the hazard warning word from "Warning" to "Danger" on applicable labels.

88890;Holes:J-2;KEMCO:3/14/86:3/25/86:TAR:LISA

3. Rephrase all environmental hazard statements to read " This product is toxic to fish and wildlife. Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes."
4. The label for EPA Registration No. 3008-8 will not be approved because of the product's previous cancellation in 1975. If you desire to market this product, you must apply for a new registration.
5. The distribution label for EPA Registration No. 10771-2-3008 also will not be approved. The registrant (EPA Company Number 10771) is responsible for all pesticide label matters under FIFRA.
6. Only one stamped approved label will be issued per EPA Registration Number. Your submissions include two labels for EPA Registration No. 3008-13 which carries two different product names with identical labeling. One stamped approved label will be applicable to all additional products or brand names carried under the registration.
7. The "total arsenic" and "water soluble arsenic as metallic" ingredient percentage claims must be transferred as a substatement to be below the ingredient statement on the label of EPA Registration No. 3008-34.
8. The net contents statement must be further clarified. The current contents indicate two figures. One figure (usually the top or beginning) presumably addresses the total contents. The second or last statement provides content information on specific contents (i.e., 166 lb Oxide Basic, minimum as indicated on the label of EPA Registration No. 3008-34). If this secondary content statement is actually part of the total contents, then enclose the statement in parentheses.
9. Resubmit revised Confidential Statements of Formula to indicate, under item 13a, the amounts in gal, lb, or lb/gal.

Submit five (5) copies of each of the revised labeling.

Sincerely yours,

  
Henry M. Jacoby  
Product Manager (21)  
Fungicide-Herbicide Branch  
Registration Division (TS-767C)

## DESCRIPTION

OSMOPENTA is a Wood Preserving Compound with penetration and retention characteristics for long-lasting treatment of standing poles in above and below ground applications. Special inert ingredients assure ease of application and contribute to maximum penetration and retention of preservative.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Remove existing decayed wood if present. Apply with long fiber window brush. Brush out to even 1/4" thickness. For groundline treatment apply to area 15" below and 3" above ground line. Apply durable plastic coated paper wrapping over entire treated area before back filling. For application to dry wood above ground wrapping is not required. Make liberal application into splits, checks and bolt holes.

Applicators must wear gloves impervious to the wood treatment formulations (e.g., polyvinyl acetate (PVA), polyvinyl chloride (PVC), or neoprene) in all situations where dermal contact is expected (e.g., during the actual application process and when handling freshly treated wood).

Applicators must wear long sleeved shirts, long pants, and an impermeable apron during the application and mixing processes and all situations where dermal contact is expected.

Work clothing must be changed when it shows signs of contamination. Launder work clothing separately from other household laundry. Dispose of worn-out work clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

TREATMENT FOR ALL STANDING POLES

# OSMOPENTA

## WOOD PRESERVING COMPOUND

KILLS EXISTING FUNGUS ORGANISMS

INHIBITS NEW FUNGUS GROWTH

ACTIVE INGREDIENTS:		
Pentachlorophenol*	8.96%	
Other chlorophenols and related compounds	1.04%	
Petroleum Distillate	57.20%	
INERT INGREDIENTS:		32.80%
Total.....		100.00%



CONTENTS 42 Pounds Net

## WARNING

KEEP OUT OF REACH OF CHILDREN

The U.S. EPA has determined that pentachlorophenol can produce defects in the offspring of laboratory animals. Exposure to pentachlorophenol during pregnancy should be avoided.

SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS

\*Equivalent to 10.4% technical pentachlorophenol as determined by Federal Specifications TT-W-570.

OSMOSE WOOD PRESERVING CO. OF AMERICA, INC. • BUFFALO, N. Y. 14209

E. P. A. Reg. No. 3008-37

EPA Est. 3008-NY-1

## PRECAUTIONS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS  
WARNING: May be fatal if swallowed and enters airways. Causes eye and skin irritation. Wash thoroughly after handling. Clothing and rubber gloves should be worn.

## STATEMENTS

IF SWALLOWED: Induce vomiting. If vomited, do not induce vomiting again. IF INHALED: Remove person to fresh air. IF ON SKIN: Remove clothing. Wash with soap and water. IF IN EYES: Flush eyes with water. SEE SIDE PANEL FOR PRECAUTIONARY STATEMENTS.

## ENVIRONMENTAL

This product is toxic to fish and aquatic life. Do not discharge into streams or ponds. Do not dispose of wastes.

## PHYSICAL

Do not use, pour, spill.

ST  
too  
dur  
cor  
p  
wa  
exc  
is  
wa  
acc  
you  
Co  
rep  
gic

Under  
Fungi  
as an  
registr