PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS WARNING:

May be fatal if swallowed. Do not breathe vapors. Do not get in eyes, on skin, or on clothing. Applicators must wear rubber gloves in all situations where dermal contact is expected.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

STORAGE AND DISPOSAL

STORAGE: Store in a cool place. Avoid excessive heat.

PESTICIDE DISPOSAL: Do not contaminate water, food, or feed by storage or disposal. Wastes resulting from the use of this product may be disposed of on site, or at an approved waste disposal facility.

CONTAINER DISPOSAL: Completely empty bag. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and Local authorities, by burning. If burned, stay out of smoke.

FATOX-LITE DIRE POLE TREATING WRAP

This product is for commercial purposes only. Not for household use.

Patox-Lite is a supplemental treatment which aids in extending pole life. Designed specifically to protect the Groundline portion of wooden poles, Patox-Lite contains a recognized water soluble preservative used in the art of wood preservation for more than 40 years. This preservative penetrates deeply into the wood. Patox-Lite offers protection against decay for a comparable period to your normal groundline treatment cycle, consistent with industry practice.

ACTIVE INGREDIENTS:

Sodium Fluoride	. 70.6%
	29.4%

Totai 100.0%

KEEP OUT OF REACH OF CHILDREN WARNING STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Polson Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting on or give anything by mouth to an unconscious person.

IF INHALED: Remove victim to fresh air. Apply respiration if indicated. Call a physician immediately.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF IN EYES: Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANELS FOR PRECAUTIONARY STATEMENTS E.P.A. Est No. 3003-NY-1 E.P.A. Rog. No. 3008-82

Manufactured by



CONTENT: . 20 in. x 25 ft. Minimum Weight 25 lbs.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Dig around the ground line of the pole to be treated to a depth of approximately 20 inches. Remove hardened created and rotted wood. Inspect pole as to remaining serviceability. Clean the surface of the pole to be treated. Measure the circumference of the pole. Cut from the roll of Patox bandage material the jength needed. Apply to the pole to the depth of approximately 18 inches below ground line, and 2 inches above ground line. Attach to pole by means of staples or tacks. Be sure bandage is pulled tight to be in close contact with the wood pole. Back fill and tamp the earth around the pole to 2 inches above the original ground line.

Proper use includes the covering of any exposed product above the Groundline in areas where children or livestock may come in contact with it. Various products which can be used for this purpose are Osmose asture Wrap some other type of barrier which could prevent the product from being removed and consumed. If you have any questions regarding this product, please contact Osmose at (716) 882-5905 and ask for the Product Manager in the Utilities Division.

PHYSICAL PR CHEMICAL HAZARDS Do not use or store near heat or open flame NOTE

Seller makes no warranty, expressed or implied, concerning this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.