

FEB 15 1994

Teri Muchow
Osmose Wood Preserving, Inc.
980 Ellicott St.
Buffalo, NY 14209

Dear Ms. Muchow:

Subject: Revised Labeling
COP-R-PLASTIC Wood Preserving Compound
EPA Registration No. 3008-55
Your Submission Dated November 29, 1993

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended is acceptable provided that you submit one (1) copy of your final printed labeling before you release the product for shipment.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

151

Cynthia Giles-Parker
Product Manger (22)
Fungicide Herbicide Branch
Registration Division (7505C)

Enclosure

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

EXTERNAL USE: Remove existing decay as thoroughly as possible. Apply with ordinary stiff bristle brush, bandage or caulking tube in a zone 18" below to 3" above ground, making liberal applications to checks and areas where decay has been removed. COP-R-PLASTIC may be applied to form a layer 1/16" thick. Cover entire treated area with our water-proof bandage, Osmoshield, and backfill hole.

INTERNAL USE: For control of internal decay in utility poles, drill 3/4 inch holes in each quarter of the pole in areas where protection is required. Holes should be in a downward direction at a 45 degree angle, to a depth approximately equal to the pole radius. Insert COP-R-PLASTIC into holes leaving space for treated wood plug.

STORAGE AND DISPOSAL

STORAGE:

Do not contaminate water, food or feed by storage or disposal.

CONTAINER DISPOSAL:

Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

If product is in metal container, do not attempt to burn or incinerate. Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PESTICIDE DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

INDUSTRIAL USE ONLY. NOT FOR HOUSEHOLD USE

COP-R-PLASTIC™ WOOD PRESERVING COMPOUND

ACTIVE INGREDIENTS:

Sodium Fluoride	44.4%
Copper Naphthenate*	20.0%
Inert Ingredients **	35.6%
TOTAL	100.0%

*Equivalent to 2.0% Copper as Metal

**Contains Petroleum Distillates

KEEP OUT OF REACH OF CHILDREN DANGER STATEMENT OF PRACTICAL TREATMENT

If in eyes: Hold eyelids open and flush with a steady gentle stream of water for 15 minutes. Get medical attention immediately.

If swallowed: Drink promptly large quantities of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Do not induce vomiting. Do not give anything by mouth to an unconscious or convulsing person. Get immediate medical attention.

If on skin: Wash with plenty of soap and water. Get medical attention.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

BEST AVAILABLE COPY

NET CONTENTS 5 GALLONS (18.93 L.)

DESCRIPTION

COP-R-PLASTIC™ contains a recognized salt preservative used successfully in the art of wood preservation for more than forty (40) years. This combination of sodium fluoride and copper naphthenate provides deep, long lasting protection against decay.

COP-R-PLASTIC™ is designed for use in ground-line treatment of standing poles, pilings and other timber members.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive. Causes irreversible eye damage. May be fatal if swallowed. Harmful if absorbed through skin. Do not get in eyes, on skin or on clothing. Wear face shield or goggles. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not apply to water, or areas where surface water is present to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

OSMOSE
WOOD PRESERVING, INC.
980 Ellicott Street
Buffalo, New York 14203
E.P.A. Est 3008-NY-1
E.P.A. Registration No. 3008-55



