

## DESCRIPTION

**OSMOPLASTIC®-D** contains recognized salt preservatives used successfully in the art of wood preservation for more than forty (40) years. These colorless salts penetrate deeply into the wood and give long-lasting protection against decay.

**OSMOPLASTIC®-D** is designed for use in groundline treatment of standing poles, piling and other timber members.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Stir to an even consistency. Remove existing decay as thoroughly as possible. Apply with ordinary stiff bristle brush (preferably long handle) in a zone 18" below to 3" above ground, making liberal applications to checks in areas where decay has been removed. Where treated area comes in contact with the ground, wrap with our waterproof bandage, OsmoShield™.

## STORAGE AND DISPOSAL

### STORAGE:

Do not contaminate water, food or feed by storage or disposal.

### DISPOSAL:

Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

If product is in metal container, do not attempt to burn or incinerate. Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

### PESTICIDE DISPOSAL:

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

## PHYSICAL OR CHEMICAL HAZARDS

Do not use, pour, spill or store near heat or open flame.

## RESTRICTED USE PESTICIDE

For retail sale to and use only by Certified Applicators or persons under their direct supervision, and only for those uses covered by the Certified Applicator's certification.

## GROUNDLINE TREATMENT FOR ALL STANDING POLES

# OSMOPLASTIC®-D WOOD PRESERVING COMPOUND

### ACTIVE INGREDIENTS:

Sodium Fluoride .....	44.42%
Creosote (P-7) .....	45.62%
Potassium Bichromate .....	3.10%
Total .....	93.14%

INERT INGREDIENTS .....

## KEEP OUT OF REACH OF CHILDREN DANGER STATEMENT OF PRACTICAL TREATMENT

**IF SWALLOWED:** Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching the back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

**IF INHALED:** Remove victim to fresh air. Apply respiration if indicated. Call a physician immediately.

**IF ON SKIN:** Remove contaminated clothing and wash affected area with soap and water. Get medical attention.

**IF IN EYES:** Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. Registration No. 3008-56

E.P.A. Est. 3008-NY-1



Osmose Wood Preserving, Inc.  
980 Ellicott Street  
Buffalo, New York 11209

NET CONTENTS 5 GALLONS (18.6 L.)

## PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**DANGER:** May be fatal if swallowed, inhaled or absorbed through the skin. Causes eye and skin irritation. Do not breathe vapor or spray mist. Do not get in eyes, on skin, or on clothing. May cause severe burns. Wash thoroughly after handling and before eating or smoking. Do not take internally. Use with adequate ventilation.

Applicators must wear gloves impervious to the wood treatment formulations (e.g., polyvinyl acetate [PVA], polyvinyl chloride [PVC], or neoprene) in all situations where dermal contact is expected (e.g., during the actual application process and when handling freshly treated wood).

Applicators must wear long sleeved shirts, long pants, and an impermeable apron during the application and mixing processes and all situations where dermal contact is expected.

Work clothing must be changed when it shows signs of contamination. Launder work clothing separately from other household laundry. Dispose of worn-out work clothing and workshoes or boots in any general landfill, in the trash, or in any other manner approved for pesticide disposal.

Applicators must not eat, drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation.

Wash thoroughly after skin contact, and before eating, drinking, use of tobacco products, or using restrooms.

## ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent to sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional office of the EPA.

Do not apply directly to water. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment washwaters.

NCTIF.CA.  
LABEL NOT RECALLED  
PER PR NOTICE  
DATE OCT 28 1988