

3008-80

11-5-2001

1/3



U.S. ENVIRONMENTAL PROTECTION AGENCY  
Office of Pesticide Programs  
Registration Division (H7505C)  
401

"M" St., S.W.  
Washington, D.C. 20460

EPA Reg. Number:

3008-80

Date of Issuance:

NOV - 5 2001

Term of Issuance:

Name of Pesticide Product:

**EVIPOL 60SL**

**NOTICE OF PESTICIDE:**

Registration  
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

**OSMOSE, INC.**  
980 Ellicott Street  
Buffalo, NY 14209-2398  
Washington, D.C. 20001  
c/o Teri Muchow

**Note:** Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, in his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Add the phrase EPA Registration Number "EPA Reg. No. "3008-80".

Signature of Approving Official:

Adam Heyward  
Product Manager 34  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

Date:

NOV - 5 2001

page 2  
EPA Reg. No. 3008-80

Submit two copies of the revised final printed label for the record.

The Basic Confidential Statement of Formula (CSF) dated May 14, 2001 is in compliance with PR Notice 91-2, it agrees with the label claim and is acceptable.


The revised basic CSF dated September 14, 2001 has been review and acceptable. The basic CSF has been placed in the Agency's files for future reference.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

If you have any questions concerning this letter, please contact LaVerne Dobbins at (703) 308-6378.

Sincerely,



Adam Heyward  
Product Manager 34  
Regulatory Management Branch II  
Antimicrobials Division (7510C)

Enclosure

**PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

**DANGER:** Causes irreversible eye damage. Harmful if swallowed. Do not get in eyes or on clothing. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

**PERSONAL PROTECTION EQUIPMENT (PPE):**

Applicators and other handlers must wear coveralls worn over long sleeved shirt and long pants, chemical-resistant footwear plus socks, goggles or face shield, and chemical-resistant gloves (such as barrier laminate, butyl rubber, neoprene rubber, nitrile rubber, polyvinyl chloride (PVC) and viton). When cleaning equipment a chemical-resistant apron is also required. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

**USER SAFETY RECOMMENDATIONS:**

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove personnel protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on the label. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permit authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your local State Water Board or Regional Office of the EPA.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

**PESTICIDE STORAGE:** Store in original container in a cool, dry place.

**PESTICIDE DISPOSAL:** Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA regional office for guidance.

**CONTAINER DISPOSAL:** Triple rinse (or equivalent) then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

**Osmose®  
Evipol 60SL**

Wood Preservative

FOR INDUSTRIAL & COMMERCIAL USE ONLY

**ACTIVE INGREDIENT: (w/w)**

Cyproconazole: ..... 5.00%

INERT INGREDIENTS: (w/w) ..... 95.00%

TOTAL: ..... 100.00%

Contains 8.25 lbs. product per gallon

KEEP OUT OF REACH OF CHILDREN

**DANGER**

**FIRST AID**

If on skin or clothing	<ul style="list-style-type: none"> <li>Take off contaminated clothing.</li> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If in eyes	<ul style="list-style-type: none"> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.</li> <li>Call a poison control center or doctor for treatment advice.</li> </ul>
If inhaled	<ul style="list-style-type: none"> <li>Move person to fresh air.</li> <li>If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible.</li> <li>Call a poison control center or doctor for further treatment advice.</li> </ul>
If swallowed	<ul style="list-style-type: none"> <li>Call a poison control or doctor immediately for treatment advice.</li> <li>Have person sip a glass of water if able to swallow.</li> <li>Do not induce vomiting unless told to do so by the poison control center or doctor.</li> </ul>
<ul style="list-style-type: none"> <li>In case of an emergency call toll free at 1-800-424-9300.</li> <li>Have the product container or label with you when calling a poison control center or doctor, or going for treatment.</li> <li><b>NOTE TO PHYSICIAN:</b> Probable mucosal damage may contraindicate the use of gastric lavage.</li> </ul>	

NET CONTENTS: \_\_\_\_\_

EPA Reg. No. 3008-XX

EPA Est. No. 3008-NY-1

Manufactured by: Osmose, Inc.  
980 Ellicott Street  
Buffalo, NY 14209  
USA

**DIRECTIONS FOR USE:**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**Description:** EVIPOL 60 SL is a wood preservative concentrate which requires dilution with water prior to use on wood products to protect against decay (brown and white rot) and staining fungi (blue stain).

**Product Uses:** For application to millwork, shingles and shakes, siding, plywood, structural lumber and timbers and composites that are used in above ground applications only. Do not use on wood that will come in contact with food.

**Wood Preparation:** Machine, cut, glue, and sand wood as desired before treating. Do not use over previously finished or stained wood without stripping off old finish. Wood must be clean and dry before treatment. Wood for pressure treatment should be kiln dried or air seasoned to a moisture content, of about 25% or less, that will permit adequate penetration of preservative during treatment.

**Treatment:** Apply by immersion, roller, flood, spray, brush or pressure treatment processes (double vacuum, full-cell or modified full-cell). For non-pressure application methods, dilute EVIPOL 60 SL 1:32 with water to give a treating solution concentration of 3.0%. Wood products to be treated by the bundle-dipping process should be completely immersed for three (3) minutes. Individual wood pieces treated by immersion, roller or flood shall be treated for not less than fifteen (15) seconds. Coverage for brush and spray application is approximately 150 square feet per gallon of treating solution, but varies by the species and condition of the wood. Pressure treatment should be performed according to the methods described in the American Wood Preservers' Association (AWPA) Standards. An uptake of 0.080 pounds per cubic foot (1.25 kg/m<sup>3</sup>) of EVIPOL 60 SL is recommended. All treated wood must be held on the drip pad until drippage has stopped. Any surface, cut after first treatment, should be retreated using the 3.0% EVIPOL 60 SL solution concentration recommended for non-pressure application.

**Finishing:** Before glazing, staining, painting, varnishing, or application of water repellents, treated wood should be completely dry and odor-free. For non-pressure applications, allow 4-8 hours drying time under average temperature and humidity conditions; treated wood can be heat dried for plant production. Pressure treated wood requires drying after treatment to a moisture content suitable for the type of coating to be applied.

**Clean-up:** Use water to remove wet EVIPOL 60 SL wood preservative from all surfaces, brushes and rollers.

**ACCEPTED  
with COMMENTS  
in EPA Letter Dated:**

NOV - 5 2001

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act as  
amended, for the pesticide,  
registered under EPA Reg. No. 3008-80

W/C