

b. The ingredient statement inert value must be changed from 73.5 to 73.52.

c. The preliminary analysis is acceptable. However, you must submit the batch analyses once full scale production of the product begins.

Note that the basic and alternate Confidential Statement of Formulas dated January 23, 2003 are acceptable.

3. Submit three (3) copies of the revised final printed label bearing the revisions prior to releasing this product for sale.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,



Adam Heyward
Product Manager 34
Regulatory Branch II
Antimicrobials Division (7510C)

Enclosure

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER. Corrosive. Causes skin burns and irreversible eye damage. May be fatal if inhaled. Harmful if swallowed. Do not get in eyes, on skin, or clothing. Wear protective goggles or face shield, protective clothing, and rubber gloves. Do not breathe vapors. Wear a mask or pesticide respirator approved by the National Institute for Occupational Safety and Health. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals. Individuals who enter pressure treatment cylinders and spray treatment booths/compartments contaminated with wood treatment solution (e.g., cylinders that are in operation or are not free of the treatment solution) must wear properly fitting, well-maintained, high-efficiency respirators, MSHA/NIOSH-approved for ammonia. If level of ammonia in the plant is unknown or exceeds 35 ppm (STEL) or 25 ppm (ACGIH) of air averaged over an 8-hour work period, air monitoring programs, procedures and record retention and submission must be conducted in accordance with OSHA standards.

PERSONAL PROTECTION EQUIPMENT (PPE):

Applicators and other handlers must wear: coveralls worn over long sleeved shirt and long pants; chemical-resistant footwear plus socks; goggles or face shield; chemical-resistant gloves (such as barrier laminate, butyl rubber, neoprene rubber, nitrile rubber, polyvinyl chloride (PVC and Vitron). For cleaning equipment, a chemical-resistant apron must also be worn. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instruction exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS:

Users should wash hands before drinking, chewing gum, using tobacco, or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Users should remove personnel protective equipment immediately after handling this product. Wash outside of gloves before removing. As soon as possible wash thoroughly.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment authority. For guidance, contact your State Water Board or Regional Office of the EPA.

SAFE HANDLING PROCEDURES

Do not attempt to use without implementing the necessary safety equipment. Applicators must wear gloves impervious to wood treatment solutions in all situations where dermal contact is expected (i.e., handling freshly treated wood, manually opening cylinder doors, etc.)

Individuals who enter treatment cylinders and other related equipment contaminated with wood treatment solutions must wear protective clothing, (including overalls, jacket, gloves, and boots), impervious to wood treatment solutions. In addition, individuals who enter treatment cylinders must wear properly fitting, well-maintained, high efficiency respirators that are MSHA/NIOSH-approved for ammonia. If level of ammonia in the plant is unknown or exceeds 35 ppm (STEL) or 25 ppm (ACGIH) or air averaged over an 8-hour work period, air monitoring programs, procedures, and record retention and submission must be conducted in accordance with OSHA Standards.

Applicators must not eat or drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment concentrate or solutions (i.e., manually opening/closing cylinder doors, moving trams out of the cylinder, mixing chemicals, handling freshly treated wood, etc.)

Wash thoroughly after skin contact and before eating, drinking, using tobacco products, or using restrooms.

Protective clothing must be replaced when it shows signs of significant contamination. Applicator must leave all protective clothing, work shoes or boots, and equipment at the treatment plant. Worn out or severely contaminated protective clothing must be disposed of in a manner approved for pesticide disposal and in accordance with state and federal regulations.

Refer to the NW 200 Material Safety Data Sheet for additional health and safety information.

NW 200

Wood Preservative Concentrate

ACTIVE INGREDIENTS:

Copper ammonium carbonate*	21.88%
n-Alkyl (67% C ₁₂ , 25% C ₁₄ , 7% C ₁₆ , 1% C ₁₈) dimethyl benzyl ammonium chloride	4.6%
INERT INGREDIENTS:	73.5%
TOTAL:	100.0%

*copper oxide equivalent 9.3%

**KEEP OUT OF REACH OF CHILDREN
DANGER**

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. In case of an emergency, for additional information call CHEMTREC toll free at 1-800-424-9300.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Reg. No. 3008-xx

EPA Est. No. 3008-TN-1
 3008-SC-1
 3008-OR-1

Manufactured by: **Osrose, Inc.**
980 Ellicott St
Buffalo, NY

ACCEPTED
with COMMENTS
EPA Letter Dated:

APR - 1 2003

Under the Federal Insecticide,
Fungicide, and Rodenticide Act as
amended, for the pesticide,
registered under EPA Reg. No. 3008-05

Net Contents: _____

DIREC

It is a violation of Federal law to use this

GENERA

NW 200 is a formulation of copper oxo benzyl ammonium chloride for the form solutions. Wood treated with NW 200 gazebos, walkways, park benches, retaining walls, and other wood structures.

The contents are for use in vacuum-pressure treated wood products. Wood products should only be treated with active ingredients(s) by weight. Impregnation should meet the specifications of the American Wood Protection Association for protection against termites and wood decay.

Note: Do not use in contact with brass, copper, or zinc.

**SPECIFIC U
For NW**

Refer to mixing instructions in the attachment.

STORAG

Do not contaminate water, food or feed. **PESTICIDE STORAGE:** Store in a cool, dry place. **PESTICIDE DISPOSAL:** Pesticide waste, including empty containers, pesticide, spray mixture or rinsate is a hazardous waste when the directions on the label require that it be disposed of according to label instructions. Contact Agency or the Hazardous Waste Emergency System for guidance.

CONTAINER DISPOSAL: Triple rinse, if necessary, with water, before reconditioning, or puncture and dispose of in a container approved of by state and local authorities.

CONDITIONS OF

Seller warrants that this product conforms to the Federal Insecticide, Fungicide, and Rodenticide Act. SELLER MAKES NO OTHER REPRESENTATION AS TO THE MERCHANTABILITY, FITNESS FOR USE, OR MATTER WITH RESPECT TO THE COMBINATION WITH ANY OTHER PERSONS OR PROPERTY ARISING FROM THE PRODUCT SUBJECT TO THE CONTRACT. TIME, GEOGRAPHICAL LOCATION, AND CIRCUMSTANCES ARE BEYOND SELLER'S CONTROL, AND SELLER IS NOT RESPONSIBLE FOR ANY DAMAGE ARISING OUT OF ANY CAUSE INCLUDING NEGLIGENCE. PRODUCT SHALL IN NO EVENT EXCEPT AS SPECIFIED IN RESPECT TO WHICH SUCH CAUSE IS THE REASON FOR REPLACEMENT OF SUCH PRODUCT. SELLER MAKES NO CLAIM FOR INCIDENTAL, SPECIAL, CONSEQUENTIAL, OR PUNITIVE DAMAGES FROM ANY CAUSE. No claim for any damages shall be made by Seller prompt written notice thereof. Failure to give such notice within one year from the date of delivery shall constitute a waiver by Buyer of any such claim.