

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC
ANIMALS**

CAUTION: Harmful if swallowed or absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear eye protection and rubber gloves.

Protective clothing must be changed when it shows signs of contamination. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Applicators must not eat or drink, or use tobacco products during those parts of the application process that may expose them to the wood treatment formulation (e.g., manually opening/closing cylinder doors, moving trams out of cylinders, chemicals, handling freshly treated wood).

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not contaminate water by cleaning of equipment or disposal of wash waters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) Permit and the Permitting Authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ACCEPTED
FEB 27 2007
Under the Federal Insecticide, Fungicide, and Rodenticide Act, etc. amended, for the pesticide, registered under EPA Reg. No. 3008-92

ORD-X370

ANTIMICROBIAL - WOOD PRESERVATIVE

Active Ingredients:
Copper Carbonate*..... 57.6 %
Inert Ingredients..... 42.4 %
Total : 100.0 %

This Product Contains Sodium Nitrite.
*Metallic Copper Equivalent: 33.31%

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

FIRST AID	
IF ON SKIN:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	<ul style="list-style-type: none"> Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
HOT LINE NUMBER	
In case of emergency, call CHEMTREC toll free at 800-424-9300. Have the product container or label with you when calling a poison control center or doctor or going for treatment.	

SEE LEFT PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS

EPA Registration No. 3008-92
EPA Establishment No. 3008-TN-1

Net Contents: _____

Manufactured by
Osmose, Inc.
980 Ellicott Street
Buffalo, NY 14209

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

Use ORD-X370 to control all types of fungal decay of wood products - brown, white and soft rot and wood eating insects. ORD-X370 should be used to treat any wood product that will be exposed to conditions favorable to rot, decay or insect attack both above and in ground, or water. Types of products include lumber, timbers, landscape ties, fence boards, and posts, building poles, and, utility land, freshwater and marine piling, sea walls, decks, docks, walkways, and wood shingles.

Tank mix ORD-X370 with quaternary ammonium *or azole* compounds approved for wood treatment. Apply the tank mix solution by pressure impregnation. Follow the mixing instructions "~~Solution Mixing Table for ORD-X370 (2 component)~~", in the ORD-X370 mix charts for obtaining the desired solution concentration. The percent solution to be used should be based on the retention, in lbs., per cubic foot (pcf), specified by the purchaser and by the treating process used.

STORAGE AND DISPOSAL

PROHIBITIONS: Do not contaminate water, food or feed by storage or disposal.

PESTICIDE DISPOSAL:
Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these pesticides cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL:
Plastic Container:
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or, if allowed by state and local authorities by burning. If burned, stay out of smoke.

Metal Container:
Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

3008-92
2/27/2007
Page 1 of 4

Mixing Table for ORD-X370 (2 Component)

Solution Strength, % Active	Component Balance Actives Basis (%)		To Mix 1000 Gallons Solution Combine following Gallons of		
	CuO	Quat	ORD-X370	Quat (50%)	Water
0.60%	0.400%	0.200%	5.53	4.18	990.3
0.65%	0.433%	0.217%	6.00	4.53	989.5
0.70%	0.467%	0.233%	6.46	4.88	988.7
0.75%	0.500%	0.250%	6.93	5.23	987.8
0.80%	0.533%	0.267%	7.39	5.58	987.0
0.85%	0.567%	0.283%	7.85	5.93	986.2
0.90%	0.600%	0.300%	8.32	6.29	985.4
0.95%	0.633%	0.317%	8.78	6.64	984.6
1.00%	0.667%	0.333%	9.25	6.99	983.8
1.10%	0.733%	0.367%	10.18	7.69	982.1
1.20%	0.800%	0.400%	11.11	8.40	980.5
1.30%	0.867%	0.433%	12.05	9.10	978.8
1.40%	0.933%	0.467%	12.98	9.81	977.2
1.50%	1.000%	0.500%	13.92	10.52	975.6
1.60%	1.067%	0.533%	14.86	11.23	973.9
1.70%	1.133%	0.567%	15.80	11.94	972.3
1.80%	1.200%	0.600%	16.74	12.65	970.6
1.90%	1.267%	0.633%	17.68	13.36	969.0
2.00%	1.333%	0.667%	18.62	14.07	967.3
2.10%	1.400%	0.700%	19.57	14.78	965.6
2.20%	1.467%	0.733%	20.51	15.50	964.0
2.30%	1.533%	0.767%	21.46	16.21	962.3
2.40%	1.600%	0.800%	22.41	16.93	960.7
2.50%	1.667%	0.833%	23.36	17.65	959.0
2.60%	1.733%	0.867%	24.31	18.37	957.3
2.70%	1.800%	0.900%	25.26	19.08	955.7
2.80%	1.867%	0.933%	26.21	19.80	954.0
2.90%	1.933%	0.967%	27.17	20.53	952.3
3.00%	2.000%	1.000%	28.12	21.25	950.6
3.10%	2.067%	1.033%	29.08	21.97	948.9
3.20%	2.133%	1.067%	30.04	22.70	947.3
3.30%	2.200%	1.100%	31.00	23.42	945.6
3.40%	2.267%	1.133%	31.96	24.15	943.9
3.50%	2.333%	1.167%	32.92	24.87	942.2
3.60%	2.400%	1.200%	33.89	25.60	940.5
3.70%	2.467%	1.233%	34.85	26.33	938.8
3.80%	2.533%	1.267%	35.82	27.06	937.1
3.90%	2.600%	1.300%	36.78	27.79	935.4

Mixing Table for ORD-X370 + Tebuconazole

Liquid Strength, % Active	Component Balance Actives Basis (%)		To Mix 1000 Gallons Liquid Combine following Gallons of		
	Cu	Tebuconazole	ORD-X370	Tebuconazole (33.95%)	Water
0.20	0.192	0.0078	3.30	0.237	996.5
0.25	0.240	0.0098	4.13	0.296	995.6
0.30	0.288	0.0117	4.96	0.356	994.7
0.35	0.336	0.0137	5.79	0.415	993.8
0.40	0.384	0.0156	6.62	0.475	992.9
0.45	0.432	0.0176	7.45	0.535	992.0
0.50	0.480	0.0195	8.28	0.595	991.1
0.55	0.529	0.0215	9.12	0.655	990.2
0.60	0.577	0.0234	9.95	0.714	989.3
0.65	0.625	0.0254	10.79	0.775	988.4
0.70	0.673	0.0273	11.62	0.835	987.5
0.75	0.721	0.0293	12.46	0.895	986.6
0.80	0.769	0.0312	13.30	0.955	985.7
0.85	0.817	0.0332	14.14	1.015	984.8
0.90	0.865	0.0351	14.98	1.076	983.9
0.95	0.913	0.0371	15.82	1.136	983.0
1.00	0.961	0.0390	16.67	1.197	982.1
1.05	1.009	0.0410	17.51	1.257	981.2
1.10	1.057	0.0429	18.36	1.318	980.3
1.15	1.105	0.0449	19.20	1.379	979.4
1.20	1.153	0.0468	20.05	1.440	978.5
1.25	1.201	0.0488	20.90	1.501	977.6
1.30	1.249	0.0507	21.75	1.562	976.7
1.35	1.297	0.0527	22.60	1.623	975.8
1.40	1.345	0.0546	23.45	1.684	974.9
1.45	1.393	0.0566	24.30	1.745	974.0
1.50	1.441	0.0585	25.16	1.806	973.0

Mixing Table for ORD-X370 + Tebuconazole

Liquid Strength, % Active	Component Balance Actives Basis (%)		To Mix 1000 Gallons Liquid Combine following Gallons of		
	Cu	Tebuconazole	ORD-X370	Tebuconazole (5.6%)	Water
0.20	0.192	0.0078	3.30	1.396	995.3
0.25	0.240	0.0098	4.13	1.747	994.1
0.30	0.288	0.0117	4.96	2.097	992.9
0.35	0.336	0.0137	5.79	2.448	991.8
0.40	0.384	0.0156	6.62	2.800	990.6
0.45	0.432	0.0176	7.45	3.152	989.4
0.50	0.480	0.0195	8.28	3.504	988.2
0.55	0.529	0.0215	9.12	3.857	987.0
0.60	0.577	0.0234	9.95	4.210	985.8
0.65	0.625	0.0254	10.79	4.564	984.7
0.70	0.673	0.0273	11.62	4.918	983.5
0.75	0.721	0.0293	12.46	5.272	982.3
0.80	0.769	0.0312	13.30	5.627	981.1
0.85	0.817	0.0332	14.14	5.983	979.9
0.90	0.865	0.0351	14.98	6.339	978.7
0.95	0.913	0.0371	15.82	6.695	977.5
1.00	0.961	0.0390	16.67	7.052	976.3
1.05	1.009	0.0410	17.51	7.409	975.1
1.10	1.057	0.0429	18.36	7.767	973.9
1.15	1.105	0.0449	19.20	8.125	972.7
1.20	1.153	0.0468	20.05	8.484	971.5
1.25	1.201	0.0488	20.90	8.843	970.3
1.30	1.249	0.0507	21.75	9.202	969.0
1.35	1.297	0.0527	22.60	9.562	967.8
1.40	1.345	0.0546	23.45	9.923	966.6
1.45	1.393	0.0566	24.30	10.283	965.4
1.50	1.441	0.0585	25.16	10.645	964.2