

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

August 3, 2017

Leigh Ann Richardson Koppers Performance Chemicals Inc. 1016 Everee Inn Rd. Griffin, GA 30224

Subject: Notification per PRN 98-10 – Deleting spray application method

Product Name: CU-89-RTU II

EPA Registration Number: 3008-122

Application Date: 07-03-2017 Decision Number: 531248

Dear Ms. Richardson:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Antimicrobials Division (AD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you have any questions, you may contact Sandra O'Neill at 703-347-0141 or via email at oneill.sandra@epa.gov.

Sincerely,

Jacque Hardy

Jacqueline Hardy, Product Manager 34 Regulatory Management Branch II Antimicrobials Division (7510P)

CU-89-RTU II™

Copper Naphthenate (2% copper as metal)
COPPER FUNGICIDE - INSECTICIDE FOR WOOD
PREVENTS WOOD DECAY - TERMITES, MILDEW

INCLUDING POLES AND POLETOPS, BORE HOLES, POSTS, BEAMS, LUMBER, BRIDGE AND MINE TIMBERS AND PILING

For Exterior Use Only

ACTIVE INGREDIENT:	
Copper naphthenate*	17.00%
INERT INGREDIENT:	83.00%
TOTAL	100.00%
*Equivalent to 2% metallic copper	

The applicant has certified that no

o 2% metallic copper changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

NOTIFICATION

3008-122

08/03/2017

KEEP OUT OF REACH OF CHILDREN WARNING

See other precautionary statements on side panel.

FIRST AID

If inhaled Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice. If on skin or clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person. Have the product container or label with you when calling a poison control center or doctor, or going for treatment.			
mouth to mouth, if possible. Call a poison control center or doctor for further treatment advice. If on skin or clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	If inhaled		
Call a poison control center or doctor for further treatment advice. If on skin or clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by	
If on skin or clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Call poison control center or doctor for treatment advice. Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		mouth to mouth, if possible.	
clothing Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		Call a poison control center or doctor for further treatment advice.	
Call a poison control center or doctor for treatment advice If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	If on skin or	Take off contaminated clothing.	
If in eyes Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	clothing	Rinse skin immediately with plenty of water for 15-20 minutes.	
Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	_	Call a poison control center or doctor for treatment advice	
Call a poison control center or doctor for treatment advice. If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
If swallowed Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.		Call a poison control center or doctor for treatment advice.	
Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.	If swallowed	Call poison control center or doctor immediately for treatment advice.	
Do not give anything by mouth to an unconscious person.		Have person sip a glass of water if able to swallow.	
		Do not induce vomiting unless told to do so by the poison control center or doctor.	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment.		Do not give anything by mouth to an unconscious person.	
	Have the product container or label with you when calling a poison control center or doctor, or going for treatment		
In case of medic questions, emergencies, or accidents involving this product, call CHEMTREC at 1-800-424-9300.			
Note To Physician: Contains petroleum distillate – vomiting may cause aspiration pneumonia.			

Manufactured for: Koppers Performance Chemicals Inc. I 016 Everee Inn Rd. Griffin, GA 30224	NET CONTENTS:	☐ 16 Fluid Ounce ☐ 5 Gallons ☐ 55 Gallons		
Batch Number:				

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed, inhaled or absorbed through skin. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Do not breathe vapors or mist during brush, roll, spray or dip applications. Wear a NIOSH/MHSA-approved mist/vapor respirator when spraying for continued or prolonged use of this product or for frequent use of this product.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Apply this product only as specified on label. Do not use, pour, spill or store near heat or open flame. Use only with adequate ventilation. Close container after each use.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Wood Preservation: For the control of fungal rot and decay, mold and mildew, moss, termites (including Formosan termites) and other wood destroying insects in wood products.

APPLICATION SITE

CU-89-RTU II is only intended for use on exterior wood. Do not apply to food or feed contact surfaces. Do not contaminate drinking water with treated articles. CU-89-RTU II provides protection against moisture, rot and mildew on any natural wood surface. This copper naphthenate wood preservative and insecticide will preserve, protect and seal wood surfaces that will be in contact with soil, water or concrete.

The copper fungicide gives a green cast to CU-89-RTU II. This product is not intended for use as a stain. The green color will fade within a few months when exposed to sunlight. Oil or alkyd stains or paints can be applied over CU-89-RTU II after overnight dry but the green may bleed through lighter colors. Do not over coat CU-89-RTU II with latex paint or clear finishes until thoroughly cured (6 to 12 months).

Application of this product may produce a strong, lingering unpleasant odor.

PREPARATION

Wood should be clean, dry and seasoned.

APPLICATION

Apply CU-89-RTU II liberally by brush, roller, total immersion, surface flooding or internal injection under pressure for the prevention and control of fungal decay organisms. Do not apply with an airless sprayer, by spray or by fine mist.

<u>Dipping</u> - Wood should be dipped for 3 to 30 minutes per inch of thickness. Fence posts, piles, poles, foundation timber and heavy wooden members should be free of bark, dry, and well seasoned and immersed in the product for a period of 12 to 48 hours to be an effective wood preserver.

Internal Treatment - To internally treat previously treated utility poles or other foundation timbers apply CU-89-RTU II solution to interior cavity of wood structure through prepared openings using air or mechanical pressure pump. Apply 1 gallon or to refusal

Use one coat on materials to be finished with paint or stain. If no finish is to be used, apply two liberal coats within the hour. Thoroughly cover ends. The more preservative absorbed by the wood, the longer and more effective the protection. Clean painting equipment with mineral spirits for quick clean up.

Coverage: One gallon will treat approximately 200-300 square feet.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store at temperature between 0°F and 120°F. If the product has been spilled or is leaking, remove the source of the spill or leak. Recover free liquid. Spread absorbant, then pick up and place in containers. Then, where applicable, wash area with detergent and water. Store product in the original container only. Keep container closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from use of this product should be disposed of according to state and local regulations. Do not contaminate water, food, or feed by storage and disposal.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.