AC EPTED

JUN 17 1975

Edco Algaecide is efficient, economical and

Edco Algaecide is compatible with all chemicals used in pool water and will not damage tile, concrete, metal, or plastics.

Edco Algaecide keeps pool water free and sparkling, clear of visible algae, slime and green brown colors.

Edco Algaecide improves filter operation and cuts down need for other chemicals.

Edco Algaecide imparts tone and a pleasant "feel" to swimming pool water.

EPA REG. No. 3040-40

stable in use dilution.

**EDCO** SWIMMING POOL

Under the Paueral Insecticide, Fungilide, and Roderticide Act. as amenual, for the pesticide registered under 3040-40

**DIRECTIONS** 

**OUTSTANDING ALGAE GROWTH DEPRESSANT ACTIVE INGREDIENTS:** 

Alkyl* Dimethyl Benzyl Ammonium Chloride	
*(C <sub>14</sub> , 60%; C <sub>12</sub> , 25%; C <sub>16</sub> , 15%)	40%
Ethanol	<b>8%</b>
INERT INGREDIENTS:	52%
	100%

Manufactured By: EDCO CHEMICAL COMPANY, INC. 1048 Key Road Columbia, South Carolina 29201

> One Gallon Est. No. 3040-SC01

mitter application: To a cleaned pool add one qt. to 50,000 gallons of water, or ratio thereof.

Maintenance Dose: Use 8 oz. per 50,000 gallons of water every 5 to 7 days. When weather is hot or bathing load is heavy, use this dosage every 5 days or as necessary.

Booster Dose: Immediately after every rain add 8 oz. per 50,000 gallons of water as above.

**Important:** Follow above directions without fail. even when pool is not used. Algae growth must be fought at all times.

**Pool-side Surfaces:** After cleaning surfaces, use ½ oz. to 8 gallons of water for sanitizing or 1/2 oz. to 4 gallons of water for disinfecting. Apply by wiping, mopping or scrubbing so as to wet surfaces thoroughly with the recommended solution.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds or public water. Apply this product only as specified on this label.

## FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

## **DANGER**

## Keep Out of Reach of Children.

Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

SEE SIDE PANELS FOR ANTIDOTE STATEMENT AND OTHER PRECAUTIONS.

Do not reuse container. Destroy when empty.

## NOTE TO PHYSICIAN:

Probable mucosal damage may contraindicate the use of gastric lavage. Measure against circufatory shock as well as oxygen and measures to support breathing manually or mechanically may be needed. If persistent, convulsions may be controlled by the cautious intravenous injection of a short-acting barbiturate drug.