

3051-30

DANGER

May be fatal if swallowed, inhaled or absorbed through skin.
Rapidly absorbed through skin.
Do not get on skin, in eyes or on clothing.
Wear protective clothing, goggles and a respirator or mask of a type approved by the U.S. Bureau of Mines for Parathion protection.
Wear natural rubber gloves.
Keep away from food or food products.
Wash hands, arms and face after handling and before eating or smoking.
Wash all contaminated clothing with hot water and soap before re-use.


**POISON**

(Call A Physician at Once)

ANTIDOTE:

Internal: If swallowed make patient vomit (finger down throat) or give a tablespoon of salt or baking soda in a glass of warm water and repeat until vomit fluid is clear. Have patient lie down and keep warm. Never give anything by mouth to an unconscious patient.
Skin: Immediately remove all contaminated clothing and wash skin thoroughly with soap and warm water.
Eyes: Immediately flush with water for at least 15 minutes.

WARRANTY AND LIMITATION OF DAMAGES: Agricultural Products Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the Directions for Use and Conditions of Sale, subject to the risks referred to therein. Agricultural Products Company makes neither express or implied warranty, including any other express or implied warranty of FITNESS or of MERCHANTABILITY, and no agent of Agricultural Products Company is authorized to do so except in writing with a specific reference to this warranty. Any damages arising from a breach of this warranty shall be limited to direct damages, and shall not include consequential commercial damages such as loss of profits or values, etc.



2%
PARATHION DUST

DANGER
KEEP OUT OF REACH OF CHILDREN

50 Lbs. Net Weight

U.S.D.A. Reg. No. 3051-30
Processed in New Mexico by

DIRECTIONS FOR USE

This insecticide is recommended for the control of the following **COTTON PESTS:** Aphids, red spider mites, leafworms, thrips, lygus bugs, flea hoppers, stink bugs, plant bugs, and webworms. Application should be made at the rate of 25-30 pounds per acre; application depending on size of plant, severity of infestation, and mode of application. Apply dust so that all foliage is completely covered. For additional information consult your local Agricultural authorities.

ACTIVE INGREDIENTS:

*Parathion 2%
INERT INGREDIENTS 98%

Total 100%

*Equivalent to 0,0-Diethyl 0-p-nitrophenyl thiosphosphate

CAUTION

"This Product is toxic to fish and wildlife."
"Birds feeding on treated areas may be killed."
"Keep out of any body of water."
"Do not apply when weather conditions favor drift from areas treated."
"Do not apply when runoff is likely to occur."
"Do not contaminate water by cleaning of equipment or disposal of wastes."
Apply this product only as specified on this label.
Make no application within 10 days of harvest or forage use. Avoid drift onto adjacent fields where contamination of personnel, livestock, or edible crops might occur. Keep all persons out of the operating area or vicinity where there may be danger of drift. Treated areas should not be reentered until the drifting insecticide and volatile residues have dissipated. Burn or destroy containers, never reuse.

AGRICULTURAL PRODUCTS CO., Inc.

MESQUITE, NEW MEXICO

ARTESIA, NEW MEXICO