

WARNING

May be harmful or fatal if inhaled or swallowed.

Do not breathe dust.
Do not get in eyes, on skin, on clothing.

In case of contact, wash skin with plenty of soap and water; for eyes, flush with water for 15 minutes and get medical attention; remove and wash contaminated clothing before re-use.

for information regarding choice of suitable mask or respirator. Wear clean clothes daily. Wash thoroughly after handling and before eating or smoking. Do not contaminate or store near feed or foodstuffs.

ANTIDOTE AND FIRST AID

ATROPINE IS AN ANTIDOTE—CONSULT PHYSICIAN FOR EMERGENCY SUPPLY OF 1/100 GRAIN ATROPINE TABLETS. CALL A PHYSICIAN AT ONCE IN ALL CASES OF SUSPECTED POISONING.

If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit fluid is clear. If inhaled, remove from exposure. Have patient lie down and keep quiet. If patient is not breathing, start artificial respiration immediately. Never give anything by mouth to an unconscious person.

If warning symptoms appear (See warning symptoms below), before physician arrives, immediately swallow two atropine tablets (each 1/100 gr.); thereafter, every 10 to 15 minutes, take one atropine tablet (1/100 gr.) until throat becomes dry and skin becomes dry and flushed. Take additional tablets as necessary to maintain a moderately dry throat and dry, flushed skin until physician arrives.

NOTE TO PHYSICIAN

Warning Symptoms—Methomyl poisoning produces effects associated with anticholinergic activity. They include weakness, blurred vision, headache, dry mouth, difficulty in swallowing, discomfort in the chest, constriction of pupils, sweating, slow and irregular heartbeats.

Treatment—Atropine tablets should be used for treatment of clusters repeated doses of 1 to 2 tablets every 10 to 15 minutes until full atropinization is achieved. Atropine should be continued until the patient recovers. Artificial respiration or oxygen may be necessary following exposure to any concentration of methomyl dust.

Do not use methomyl after 2 P.M.

AGCO

METHOMYL^{*} 2 INSECTICIDE DUST

ACTIVE INGREDIENT: Methomyl
S-methyl-N-[(methylcarbamoyl) oxy]
thioacetimidate 2%

INERT INGREDIENTS 98%

^{*}Lannate Methomyl Insecticide Reg. T.
M. E. I. Du Pont De Nemours & Company

WARNING

Keep Out of Reach
of Children

50 Lbs. Net Weight

EPA Reg. No. 3051—72

DIRECTIONS FOR USE

Apply with standard dust application equipment. Use only in commercial plantings; do not use in home plantings.

APPLICATION: Apply at the recommended rates when insects first appear. Continue applications at 5-to-7 day intervals or as needed. Apply the low rates on small plants, small worms and light infestations of insects. Use intermediate rates on larger worms and heavier infestations of insects. Use 1 to 3 applications of the highest recommended rate for controlling severe infestations. Thereafter, use the lowest rate possible to maintain control. The number of days in parentheses following the dosage rates is the preharvest interval.

Carrots (1 day)—Cabbage looper and beet armyworm: 25 to 50 lbs. per acre. 25 lbs. per acre (7 day) 50 lbs. per acre (10 days).

Cabbage—Cabbage Looper and beet armyworm: 25 to 50 lbs. per acre (1 day).

IMPORTANT

Not for use or storage in or near the home. Keep animals and unprotected persons out of operation areas during treatment while there is danger of drift. Do not use in areas where children play.

This product is toxic to fish, birds, and bees. Keep out of lakes, streams, or ponds. Do not apply to crops likely to be eaten by birds or bees. When weather conditions favor drift from areas treated, do not contaminate water by cleaning of equipment or disposal of waste. Apply this product only as specified on the label.

This product is not to be used in or near areas where children play or where livestock are kept.

DISCLAIMER

The Seller's guarantee shall be limited to the terms of the labels and seller makes no guarantee, warranty or representation as to the material other than that set forth on the label. Climatic and soil conditions and other factors beyond the seller's control necessarily affect results. The buyer agrees that the seller shall not be responsible or liable for injuries to crops, soil, person or property arising out of the use or handling of the material whether in accordance with seller's directions or not and accepts and uses the material on these conditions.

AGRICULTURAL PRODUCTS CO., Inc.

MESQUITE, NEW MEXICO

ACCEPTED

EPA Est. No. 3051—NM—1

ARTESIA, NEW MEXICO

MAY 6 1974

1717
FUNGICIDE AND INSECTICIDE ACT
FOR RECORDING PURPOSES
FILE UNDER NO. 3051-72