

MAR 14 1986

Woolsey Marine  
183 Lorraine Street  
Brooklyn, NY 11231

Attention: Mr. Orlando Petrocelli

Gentlemen:

Subject: Antifouling Paint for Inflatables Gray 101  
EPA File Symbol 3073-IA  
Your Submission Dated December 2, 1985  
EPA Received Date December 12, 1985

The revised certified limits submitted are acceptable.

For our validation of your storage and stability data, please submit actual analysis including dates and percentage of the active ingredients.

Sincerely yours,



John H. Lee  
Product Manager (31)  
Disinfectants Branch  
Registration Division (T:-767C)


86131:Lee:CBI-12:KENCO:2/21/86:3/5/86:DKD:VO

CONCURRENCES

SYMBOL ▶								
SURNAME ▶								
DATE ▶								

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

John H. Lee   
Product Manager (31)  
Disinfectants Branch  
Registration Division (TS-767C)

Enclosures

US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (TS-767) WASHINGTON, DC 20460  <b>NOTICE OF PESTICIDE:</b> <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION  <i>(Under the Federal Insecticide, Fungicide,          and Rodenticide Act, as amended)</i>	EPA REGISTRATION NO. 3073-86	DATE OF ISSUANCE <b>MAR 14 1986</b>
	TERM OF ISSUANCE	
	NAME OF PESTICIDE PRODUCT Antifouling Paint For Use on... Gray 100	

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

...  
 ...  
 ...

**NOTE:** Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

The product is conditionally registered in accordance with section 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for your registration/re-registration of your product under FIFRA section 3(c)(5) when the Agency receives all registrants of similar product to submit such data.

2. Make the labeling changes listed below to the label for shipment:

- a. Add the phrase "EPA Registration No. 3073-86."
- b. The ingredient statement should declare:

Active ingredients:	
Tributyltin Methacrylate . . . . .	10.63%
(as part of a polymer)	
Tributyltin Fluoride . . . . .	10.10%
Inert ingredients . . . . .	79.27%

Note that the sum of the declared percentages must equal 100%.  
 Your sum, as declared on the revised label, equals 100.1%.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL	DATE
---------------------------------	------

- c. The container and pesticide disposal instructions must be grouped under the heading "Storage and Disposal."

The label must bear a statement: "Do not contaminate water, food, or feed by storage or disposal."

The Pesticide Disposal instructions should be:

**Pesticide Disposal**

Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

The Container Disposal instructions for 1 quart containers should be similar to:

Container Disposal. Do not reuse empty container. Wrap container in newspaper and discard in trash.

See also item 10c of "The Label" enclosure.

- d. Delete the word "Poison" from the front panel.
- e. In the right panel, replace the word "severe" with the word "irreversible" in the sentence "corrosive, causes severe skin and eye damage . . . ."
- f. The signal word "Danger" and the Child Hazard Warning "Keep Out of Reach of Children" must be the appropriate type size - see the enclosure on type size requirements.
- g. In the "Preparation" paragraph correct the typographical errors:
  - . . . with isopropanol and or mineral spirits.
- h. In the last paragraph, right panel, replace the word "Caution" with the word "Care" so that there would be no conflict/confusion between the word "Caution" and the more important word "Danger."

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

# Woolsey®



ANTI-FOULING PAINT FOR INFLATABLES

Gray 101

Active Ingredients:

Tributyltin Methacrylate	19.63%
Tributyltin Fluoride	10.11%
Inert Ingredients	70.36%
	<u>100.00%</u>

Contains Petroleum Distillates

Mfg. by Woolsey Marine, Brooklyn, N.Y.  
 EPA Establishment No. 3073-NY-1  
 EPA Registration No. 3073-IA  
 Net contents 1 quart US 946 ml

KEEP OUT OF THE REACH  
 OF CHILDREN  
 DANGER-POISON

See back panel for  
 Additional  
 Precautionary Statements

ACCEPTED  
 with COMMENTS  
 by EPA Letter Direct

MAR 13 1986

U.S. Environmental Protection Agency  
 Office of Pesticide and Restoration  
 Washington, D.C. 20460  
 Registered under EPA Reg.

3073-86

## ANTIFOULING FOR INFLATABLES

( "Draft Label" )

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

#### **DANGER** **KEEP OUT OF REACH** **OF CHILDREN**

Corrosive. Causes severe skin and eye damage and burns. Harmful if absorbed through skin, swallowed, or inhaled. Do not get on skin, in eyes, or on clothing. Wear safety glasses. Wear protective clothing such as gloves, long-sleeved cotton shirt, long pants, hat and gloves. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapor. Use only with adequate ventilation.

#### **PRACTICAL TREATMENT**

In case of skin contact, remove contaminated clothing and immediately wash skin with soap and water. Get medical attention. Wash contaminated clothing before reuse. If inhaled, remove victim to fresh air. Use artificial respiration if breathing has stopped. Get immediate medical treatment. If swallowed, do not induce vomiting. Promptly drink a large quantity of milk, egg whites, gelatin solution, or if these are not available, large quantities of water. Avoid alcohol. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

IF IN EYES Flush with plenty of water. Get medical attention

#### **ENVIRONMENTAL HAZARD**

This material is toxic to fish. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not allow chips and dust generated during paint removal to enter water. Dispose of paint debris in an approved landfill.

#### **PHYSICAL OR CHEMICAL HAZARD**

COMBUSTIBLE: Do not use or store near heat or open flame

#### **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling. NOTE: When product is used in confined areas or applied by spraying, wear a respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR II

. For protection against barnacles, algae and slime

. May be used in fresh or salt water

. To be used on Inflatables only, and only below the waterline.

.Preparation: Surface must always be clean and dry prior to painting. If necessary clean bottom with Isopronand or mineral sprits.

General Application Procedures: No primer required. Apply one or two coats as needed. Do not thin coats. Can be brushed or rolled.

Mixing & Thinning Instructions: Stir before applying. If necessary thin sparingly with Woolsey 433 thinner.

Minimum Dry and Launching Time: Dry time between coats at 60 F to 80 F-6 hours. Below 60 F-8 hrs. Allow 16 hours to dry before launching.

Theoretical coverage: 200-250 sq. ft. per gallon.

Clean-Up: For tools, equipment, etc. use Woolsey's 433 Thinner.

#### **GENERAL DESCRIPTION**

The specially formulated antifouling paint is for use on Inflatable Boats, among which Hypolon is a major ingredient. This antifouling paint will not crack nor crease when your boat is deflated. Caution is to be taken that the paint is only used on the bottom of the Inflatable. When storing the deflated or inflated boat, keep in a cool place, away from direct sunlight and heat.