

SANITIZED® brand TPO

Active Ingredients:

Isopropanol	78.00%
3,4,5 - Tribromosalicylanilide	9.60%
3,5 - Dibromosalicylanilide	0.31%
4',5 - Dibromosalicylanilide	0.09%
	<hr/>
	88.00%

Inert Ingredients:

12.00%
<hr/>
100.00%

Use: A bacteriostatic treatment for textiles & paper.

Keep Out of Reach of Children. May cause eye burns.

FLAMMABLE! - Keep Away from Heat or Open Flame. Do not breathe spray mist. Avoid contact with eyes, skin and clothing. Wash thoroughly after handling. Harmful if swallowed. Do not reuse container. Destroy when empty. Do not use on food packaging paper.

FIRST AID: In case of eye contact, flush with water. If irritation persists, get medical attention.

Directions for Use: Using conventional methods of application (paddle, dyebeck, jig etc.) apply 1.0% to 2.5% (as received) based on the weight of material being treated. Apply with other anionic & nonionic finishing agents.

Optimum pH application is 4 to 8. Optimum application temperature is 80° to 140° F.

Net Contents _____ Gals.

E.P.A. Reg. No. 3090-152

Manufactured By:-

Corning Inc

Corning Inc

New York, N.Y.