

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE. Causes irreversible eye damage and/or skin burns. Maybe fatal if inhaled. Harmful if swallowed. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wear goggles or face shield. For handling activities during (insert applicable terms based on directions for use: Airbase mist power, pressure greater than 40 p.s.i. with fine droplets, smoke, mist fog, aerosol or direct overhead exposures, wear either a respirator with an organic vapor (OV) cartridge, or a canister with any N, P, R, or HE.

For all other exposures, wear a dust/mist/filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator in any N, P, R, HE prefilter. Wear protective clothing and rubber gloves. Wash hands before eating, drinking, chewing gum, and using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE INSTRUCTIONS

Open dumping is prohibited. Store in original containers and place in locked storage area. Keep from freezing.

SPILL OR LEAK PROCEDURES

Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional Office for guidance.

CONTAINER DISPOSAL

Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SANITIZED TB 83-35

A FABRIC/TEXTILE MICROBIOCIDE

ACTIVE INGREDIENTS

2-n-Octyl-4-isothiazolin-3-one.....	2.25%
1,2-Benzisothiazolin-3-one.....	0.90%
OTHER INGREDIENTS.....	96.85%
TOTAL.....	100.00%

Contains 8.4 lbs. of product per gallon

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements

STATEMENT OF PRACTICAL TREATMENT

Have the product container or label with you when calling a poison control center or doctor, or going to treatment.

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control or doctor immediately for treatment advice. Have person sip a glass of H₂O if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Call 860-868-9491 for additional medical advice.

SANITIZED INC.
PO BOX 2211
NEW PRESTON, CT 06777
(860) 868-9491

EPA Reg. No. 3090-217
EPA Est. No. 00000-XXX-000

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use by manufacturers only as an antimicrobial treatment. For the control of mildew, odor causing bacteria and fungi that may affect the integrity of the treated textiles used in the manufacture of mattress tickings. Also as a microbiostat preservative for the following aqueous compositions: latices, non-food contact adhesives, casein/rosin dispersions which are then used in the manufacture of carpet underlays, carpet backing and upholstery undersides.

DILUTION RATE AND APPLICATION

Use 1.0 to 2.0 % of the Sanitized TB 83-35 product per 1000 gallons.

Mattress Ticking:

Use a concentration of 1.0 to 2.0% of the Sanitized TB 83-35 product relative to the dry weight of the fabric/textile/material being treated

Latices: (polymers, synthetic, rubber)

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product relative to the total weight of the material being treated


Adhesives: (NON-FOOD CONTACT)

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product relative to the total weight of the material being treated.

Casein/Resin:

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product relative to the total weight of the material being treated

Refer to the technical bulletin for additional information



NET CONTENTS

BATCH NO

AMENDMENT LABEL NO 01 Sept 24, 2001

3090-217

11/9/2001

11