

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

MAR - 8 2011

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Sanitized Inc. 57 New Milford Turnpike PO Box 2211 New Preston, CT 06777

Attention: Stewart Klein

President

Subject:

Amendment - Addition of disclaimer statement

EPA Reg. 3090-217

Amendment Application Dated 02/17/2011

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. The Agency approves the following changes made to the label:

• Addition of the disclaimer statement, "SANITIZED is the registered trademark/brand name of Sanitized Inc. for its BACTERIOSTATIC Chemicals. *This product is not registered for use as a sanitizer" to the front panel of the label.

A stamped copy of the accepted labeling is enclosed. Submit three copies of your final printed labeling to the Agency before distributing or selling the product bearing the revised labeling.

If you have any questions concerning this letter, please contact Abigail Downs at (703) 305-5259.

Sincerely,

Marshall Swindell Product Manager (33)

Regulatory Management Branch I Antimicrobials Division (7510P)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

CORROSIVE. Causes irreversible eye damage and/or skin burns. Maybe fatal if inhaled, Harmful if swallowed. Do not get in eyes, on skin or clothing. Do not breathe spray mist. Wear goggles or face shield. For handling activities during [insert applicable terms based on directions for use, such as: airblast, mist blower, pressure greater than 40 p.s.i. with fine droplets, smoke, mist, fog, aerosol or direct overhead exposures), wear either a respirator with an organic vapor (OV) cartridge, or a canister with any N. P. R. or HE

For all other exposures, wear a dust/mist/filtering respirator (MSHA/NIOSH approval number prefix TC-21C) or a NIOSH approved respirator in any N, P, R, HE prefilter. Wear protective clothing and rubber gloves. Wash hands before eating, drinking, chewing gum, and using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish and wildlife. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE INSTRUCTIONS

Open dumping is prohibited. Store in original containers and place in locked storage area. Keep from freezing.

SPILL OR LEAK PROCEDURES

Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

PESTICIDE DISPOSAL

Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions contact your State Pesticide or Environmental Control Agency, or the hazardous waste representative at the nearest EPA regional Office for guidance.

CONTAINER DISPOSAL

Do not reuse empty container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

SANITIZED TB 83-35

A FABRIC/ TEXTILE MICROBIOCIDE

ACTIVE INGREDIENTS 2-n-Octyl-4-isothiazolin-3-one...... 2.25% 1,2-Benzisothiazolin-3-one......0.90% OTHER INGREDIENTS......96.85% TOTAL......100.00% Contains 8.4 lbs. of product per gallon

KEEP OUT OF REACH OF CHILDREN DANGER

See side panel for additional precautionary statements

STATEMENT OF PRACTICAL TREATMENT Have the product container or label with you when

calling a poison control center or doctor, or going to treatment.

If in eyes: Hold eye open and rinse slowly and gently withwater for 15-20 minutes. Remove contact lenses, if present. after the first five minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment..

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Call 860-868-9491 for additional medical advice.

> SANITIZED INC. PO BOX 2211 NEW PRESTON, CT 06777 (860) 868-9491

EPA Reg. No. 3090-217 EPA Est. No. 00000-XXX-000

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

For use by manufacturers only as an antimicrobial treatment. For the control of mildew, odor causing bacteria and fungi that may affect the integrity of the treated textiles used in the manufacture of mattress tickings. Also as a microbiostat preservative for the following aqueous compositions: latices, non-food contact adhesives, casein/rosin dispersions, which are then used in the manufacture of carpet underlays, carpet backing and upholstery undersides.

DILUTION RATE AND APPLICATION

Use 1.0 to 2.0 % of the Sanitized TB 83-35 product per 1000 gallons.

Mattress Ticking:

Use a concentration of 1.0 to 2.0% of the Sanitized TB 83-35 product. relative to the dry weight of the fabric/textile/material being treated.

Latices: (polymers, synthetic, rubber)

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product, relative to the total weight of the material being treated.


Adhesives: (NON-FOOD CONTACT)

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product, relative to the total weight of the material being treated.

Casein/Resin:

Use a concentration of 0.3 to 1.5 % of the Sanitized TB 83-35 product. relative to the total weight of the material being treated.

Refer to the technical bulletin for additional information.



LABEL NO. DCI-BIT 01 Sept 05, 2008