

[3095-4]

**GIANT SIZE**  
HIGHLY CONCENTRATED  
FOR HARD TO KILL INSECTS

SHAKE  
BEFORE USING

- NON STAINING
- KILLS
- MOSQUITOES
- ANTS
- FLIES
- ROACHES
- SPIDER MOTES
- HOUSEFLIES
- SPIDERS
- GNATS
- CENTIPEDES
- WASPS
- FLEAS
- BEDBUGS
- CRICKETS
- CARPET BEETLES
- SOW BUGS



**Inside  
Outside  
BUG KILLER**

**EXTRA STRENGTH  
OUNCES  
SAVINGS**

**CAUTION:**  
KEEP OUT OF REACH OF CHILDREN  
READ PRECAUTIONS ON BACK  
BEFORE USING

- KILLS sucking insects such as Red Spiders, Aphids and other mites exposed Thrips, Leaf hoppers
- Kills chewing insects such as Climbing Cutworms, Japanese Beetles that attack Asters, Roses, Marigolds, Salvia Delphiniums, Snapdragons Pfitzer Juniper Privet, Forsythia Platycodon Chinese Elm, African Violet, White Spruce Geranium, English Ivy Philodendron Lemon Mockorange

**DIRECTIONS**

Hold insecticide in spray bottle as long as possible to allow insecticide to settle to bottom of bottle.

**TO KILL HOUSE PESTS:**

Flying insects: Turn on lights and wait for insects to fly to light. Spray directly at insects. Repeat every 2-3 days until insects are dead.

Crawling insects: Spray directly on insects. Repeat every 2-3 days until insects are dead.

Flies: Spray directly on flies. Repeat every 2-3 days until flies are dead.

Spiders: Spray directly on spiders. Repeat every 2-3 days until spiders are dead.

Ants: Spray directly on ants. Repeat every 2-3 days until ants are dead.

Beetles: Spray directly on beetles. Repeat every 2-3 days until beetles are dead.

Wasps: Spray directly on wasps. Repeat every 2-3 days until wasps are dead.

Flies: Spray directly on flies. Repeat every 2-3 days until flies are dead.

Spiders: Spray directly on spiders. Repeat every 2-3 days until spiders are dead.

Ants: Spray directly on ants. Repeat every 2-3 days until ants are dead.

**PLANT SENSITIVE AREAS:**

Avoid spraying on plants listed below. If spraying is necessary, spray only on the underside of leaves.

**PRECAUTIONS**

Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin.

CONT VOL. 18 FL. OZ.  
NET WT. 16.33 AVDP. OZ.

Only **\$249**

CONT VOL. 18 FL. OZ.  
NET WT. 16.33 AVDP. OZ.

**CAUTION: KEEP OUT OF REACH OF CHILDREN**

**ACCEPTED**  
APR 1 1968  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTRATION  
SUBJECT

mites, exposed  
 Thrips,  
 Leaf-hoppers,  
 Kills chewing  
 insects such as  
 Climbing  
 Cutworms  
 Caterpillars,  
 Japanese Beetles  
 that attack  
 Asters, Roses,  
 Marigolds, Salvia,  
 Delphiniums,  
 Snapdragons,  
 Pfitzer Juniper,  
 Privet, Forsythia,  
 Platycodrin,  
 Chinese Elm,  
 African Violet,  
 White Spruce,  
 Geranium,  
 English Ivy,  
 Philodendron,  
 Lemon  
 Mockorange

sprayers and other  
 hitting all visible pests.  
**Carpet Beetles.** Hit these bugs directly on wall, floor, baseboard, and underside of carpets. Repeat at frequent intervals.  
**Bedbugs.** Take beds apart. Spray frames, joints, mattress, part under tufts and seams, floorboard, moulding and baseboards.  
**Ants.** Spray ant trails, nests and points of entry. Hit as many ants as possible.

**TO KILL GARDEN PESTS**

For best results, spray plants in the early morning or late evening. Avoid spraying in the middle of the day. Avoid spraying on plants when the wind is blowing and temperature is under 40° F. Use with caution on young plants and new growth. Use only on those plants listed on the front panel. Insects must be hit by spray to be killed.

**USE AS AN AREA SPRAY**

Outdoors, spraying an area when air is still reduces number of annoying insects during picnic meals. Avoid spraying directly on foods but grill area and tables may be sprayed.

**CAUTIONS**

**Avoid prolonged or repeated breathing of vapor. Avoid prolonged or repeated contact with skin.**

Avoid inhalation. Avoid spraying on plants in direct sunlight. Never puncture or throw container in fire. Never leave container where temperature will exceed 120° F. Keep out of the reach of children. Avoid freezing.

**Guarantee:** Effective for purposes claimed

**Active Ingredients by Weight**

Pyrethrins	0.48%
*Technical Piperonyl Butoxide	0.60
N-Octyl Bicycloheptene Dicarboximide	1.00
Petroleum Distillates	7.60
	9.68%
<b>Inert Ingredients</b>	<b>90.32%</b>
	<b>100.00%</b>

\*Equivalent to 0.48% (butylcarbityl) (6-propyl-piperonyl) ether and 0.12% related compounds.

U.S.P.A. Reg. No. 3095

DISTRIBUTED BY PIC CORP. ORANGE, N. J.

TRADE MARK REG'D

CONT. VOL. 18 FL. OZ.  
 NET WT. 16.39 AVDP OZ.

REN