
95-24

08/01/2008



AUG 1 2008

Mr. John Wright PIC Corporation c/o Product and Regulatory Associates P.O. Box 1683 Voorhees, NJ 08043-9998

Subject: Revised Labeling PIC Ant Trap EPA Registration Number: 3095-24 Application Dated: May 16, 2008 Decision No: 832210, 829427,826061

Dear Mr. Wright:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

On pages 1, 5, and 8: change "Kills Ants" to Kills Ants (except fire ants, harvester ants, pharaoh ants, and carpenter ants)".

A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Melody Banks on (703) 305-5413.

Sincerely,

Product Manager Insecticide Branch Registration Division (7507P)

Enclosure: Stamped Copy of Label "With Comments"

1

an construction of the state of the terms of the

The many address of the second second to many the second second second second second second second second second

PIC ANT CONTROL BAIT STATIONS

Black PVC Plastic 0.07 oz./2 gr. unit

Outer Packaging Front Panel

PIC ANT CONTROL BAIT STATIONS

PIC Logo

PIC Dependable Insect And Rodent Control Products For Over 50 Yearssm Marketing Claim

- Kill Ants
- Kills Sweet & Grease Eating Ants, Pavement Ants, Odorous Ants And Little Black Ants
- Effective And Easy To Use

Pictogram:

- Ants
- Bait Station

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION


See First Aid and Precautionary Statements on back panel.

| Active Ingredients: Sodium Tetraborate Decahydrate | |
|--|-----|
| Ortho Boric Acid | |
| Other Ingredients: | 91% |
| Total | |

Contents:

1 Child Resistant Bait Tray NET WEIGHT: 0.07 ounces / 2 grams

MADE IN U.S.A.



AUG 1 2008

Under the Federal Insoctionse, Pungleide, and Rodenticide Ast as amended, for the pesticide registered under EPA Rog. No. <u>3095-34</u>

PIC Ant Control Bait Stations Master Label Page 1 of 9



PIC ANT CONTROL BAIT STATIONS PIC Logo

Pictogram:

- Ants
- Bait Station Pictogram
- Suggested tray placement

PIC ANT CONTROL BAIT STATIONS has been the effective method for destroying ants for years. The bait is in a child resistant container. It is effective and easy to use.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed. Do not leave package where children or animals may gain access.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by Poison Control Center or Doctor. Do not give anything by month to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

HOT LINE NUMBER Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. For Emergency Information on our product call 1-800-255-3924.

DIRECTIONS FOR USE:

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Separate bait trays.
- 2. Remove all sources of food such as crumbs, sugar and grease spots.
- 3. Place under sinks-refrigerators-cupboards.
- 4. Place by ant trails where ants are numerous.

PIC Ant Control Bait Stations Master Label Page 2 of 9

STORAGE AND DISPOSAL

Do not contaminate water, food or feed with storage and disposal.

STORAGE: Store in a cool dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW THE SYSTEM WORKS: The ants you see are worker food providers to the Queen Mother and the larvae residing in the nest. The worker ants feed the colony and then themselves.

SATISFACTION OR REFUND. Should "PIC Ant Control Bait Stations" not reduce the population, return the tray plus your sales slip for refund.

PIC CORPORATION 1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA MADE IN U.S.A.

EPA Reg. No. 3095-24 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

UPC Bar Code

Bait Station Label

PIC ANT CONTROL BAIT STATIONS

(

PIC Logo

This surface is bottom. Bottom should be placed against floor or stuck on wall.

| Active Ingredients: Sodium Tetraborate Decahydrate | 5% |
|--|-----|
| Ortho Boric Acid | 4% |
| Other Ingredients: | 91% |
| Total | |

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See Directions for Use, First Aid, Storage, Disposal and Precautionary Statements on the outer carton.

EPA Reg. No. 3095-24 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number Net Wt. 0.07 oz./2gr.

PIC CORP., Linden, NJ 07036

Date:

PIC Ant Control Bait Stations Master Label Page 4 of 9

Optional Labeling

Metal Can with a metal friction fit lid 0.21 oz. (6 gram) unit

Outer Packaging Front Panel

PIC ANT CONTROL BAIT STATIONS

PIC Logo

PIC Dependable Insect And Rodent Control Products For Over 50 Yearssm

Marketing Claim

- Kill Ants
- Kills Sweet & Grease Eating Ants, Pavement Ants, Odorous Ants And Little Black Ants
- Effective And Easy To Use

Pictogram:

• Ants

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See Directions for Use, First Aid, Storage, Disposal and Precautionary Statements on back panel.

| Active Ingredients: Sodium Tetraborate Decahydrate | 5% |
|--|----|
| Ortho Boric Acid | 4% |
| Other Ingredients: | |
| Total | |

Contents: Optional Packaging

1- NET WEIGHT: 0.21 ounces / 6 grams 3 -NET WEIGHT: 0.63 ounces / 18 grams 6 -NET WEIGHT: 1.26 ounces / 36 grams 9 -NET WEIGHT: 1.89 ounces / 54 grams

MADE IN U.S.A.

PIC Ant Control Bait Stations Master Label Page 5 of 9

Outer Packaging Back Panel

PIC ANT CONTROL BAIT STATIONS PIC Logo

Pictogram:

• Ants

PIC ANT CONTROL BAIT STATIONS has been the effective method for destroying ants for years.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

CAUTION: Harmful if swallowed. Avoid contact with eyes. Wash thoroughly with soap and water after handling. Avoid contamination of food or feed. Do not leave package where children or animals may gain access.

FIRST AID

IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by Poison Control Center or Doctor. Do not give anything by month to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

HOT LINE NUMBER Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. For Emergency Information on our product call 1-800-255-3924.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

- 1. Press in all side holes.
- 2. Remove all sources of food such as crumbs, sugar and grease spots.
- 3. Place under sinks-refrigerators-cupboards.
- 4. Place by ant trails where ants are numerous.
- 5. For Garden & Lawn: Place along trails & ant colonies. Put Traps 10-20 ft. apart. In 3-7 days ants will be killed. Replace with new traps every 30 days. Avoid Contamination with food and feedstuff.

PIC Ant Control Bait Stations Master Label Page 6 of 9

STORAGE AND DISPOSAL

Do not contaminate water, food or feed with storage and disposal.

STORAGE: Store in a cool dry place inaccessible to children and pets.

DISPOSAL: Nonrefillable Container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

HOW THE SYSTEM WORKS: The ants you see are worker food providers to the Queen Mother and the larvae residing in the nest. The worker ants feed the colony and then themselves.

PIC CORPORATION 1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA MADE IN U.S.A.

EPA Reg. No. 3095-24 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

UPC Bar Code

PIC Ant Control Bait Stations Master Label Page 7 of 9

PIC ANT CONTROL BAIT STATIONS PIC Logo

Marketing Claims

• Kill Ants

Pictogram:

• Ants

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS CAUTION

See First Aid, Storage, Disposal and Precautionary Statements on outer packaging.

| Active Ingredients: Sodium Tetraborate Decahydrate | |
|--|-----|
| Ortho Boric Acid | |
| Other Ingredients: | 91% |
| Total | |

NET WEIGHT: 0.21 oz. / 6 grams

Side Can Label

Punch in semi-perforated holes

EPA Reg. No. 3095-24 EPA Est. No. 3095-NJ-1 P : 3095-NJ-2 B Circled letter is first letter of lot number

Bottom Can Label

PIC ANT CONTROL BAIT STATIONS PIC Logo

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Press in all side holes.

Remove all sources of food such as crumbs, sugar and grease spots. Place under sinks-refrigerators-cupboards.

Place by ant trails where ants are numerous.

PIC Ant Control Bait Stations Master Label Page 8 of 9

For Garden & Lawn: Place along trails & ant colonies. Put traps 10-20 ft. apart. In 3-7 days ants will be killed. Replace with new traps every 30 days. Avoid Contamination feed and foodstuff.

PIC CORPORATION

1

1101-1107 W. Elizabeth Ave., Linden, NJ 07036, USA

ĺ

PIC Ant Control Bait Stations Master Label Page 9 of 9