	EPA REGISTRATION NO.	
U.S. ENVIRONMENTAL PROTECTION AGENCY	EPA REGISTRATION NO.	DATE OF ISSUANCE
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460	TERM OF ISSUANCE	DCT 9 1984
NOTICE OF PESTICIDE: PEREGISTRATION	NAME OF PESTICIDE PRODUC	T
(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)	****	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	<u></u>	
		18
The State of the s	7	1266
The first of the f		16/1/
e ey ta ottorio	,	18/126618
	•	, ,
L	T	
IOTE: Changes in labeling formula differing in substance submitted to and accepted by the Registration Division proceeduct always refer to the above U.S. EPA registration number of the basis of information furnished by the registrant, the	or to use of the label in commerce mber.	. In any correspondence on th
he Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticine is nereby	Kefizielea/Kelefizielea ande
A copy of the labeling accepted in connection with this Re	gistration/Reregistration is retur	nec herewith.
	O AYCTOTIAL MINE OF (US DRIME OF (C	its use it it has been coveted
ey others. This is to meet as well-internably reconstruction in the coverage of the coverage.		
The trainer to we have ally e	Ten 1974 for high land of the second of the	
This is no not in two litterally was considered by war to be a second of the considered by the conside	en lota per o por a la composa o participanto o portación a a 65) o deportación de en monoción de contra	Synt Fire Co.
This is no not in two literally resistances in 127% or no coverde a thef index 1. The interpolation of the 117% con. 3(2. Originally of minibal circles are a	entistaga nigologi ologiczny i promograficzny na na odko graficji obeg na odkow na możni ologiczny na na odkowanie okaz	STATE COL
The trop not to extintionally relations to consider that upons i. The trop extending of the elliptic or and the elliptic or all the elliptic or and the elliptic or all trops of the elliptic or all trops of the elliptic or all trops of the elliptic or all trops or	entification of a control was city they the same the formal of the same city the formal of the same cathering the same of the same	And Andrew Co.
This the net is set streamed to entitle ally entitles and set of the set of t	entification and was selected as the catholic translation and the catholic translation and the catholic translation and the catholic translation and translation and translation and translations.	
This the net is well-treadly resident to receive the forest 1. The received of the old terms of any received in the old the old terms of a section of the old terms of a section of the old terms of a section of the old terms of	The laters of the control of the con	
This is no not in the literally of the 12 to receive the top of the 12 to receive the top of the 12 to receive the top of the 12	entification and the cattle of	
This is no not in the literally of the 12 to receive the top of the 12 to receive the top of the 12 to receive the top of the 12	entification and the cattle of	

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Timothy A. Gardner
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Fnclosures

RD:DCR=45330:A.Heyward:RD=54:KIM:Kendrick:898=1270:10/3/84:Del.10/11/84

STECCHEN LARGE

PIC Leside Outside Bug Killer, Extra Strong Front Panel

INSECT KILLER

For Household Use. Also for Use in Non-Food Areas of Industrial Buildings: Schools, Warehouses, Office Buildings, Theatres, Garages, Hotels, Motels.

Also Kills Fleas and Ticks on Dogs and Cats.

ACTIVE INGREDIENTS:

Tetramethrin [(1-cyclohexene-1,2-dicarboximido) methyl 2,2dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate/

0.250%

*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate

0.1432

*Other isomers

0.007%

INERT INGREDIENTS:

99.600% 100.0002

*d-(cis,trans) phenothrin

**cis/trans isomer ratio: Max. 25% (+ or -) cis.

Min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Kills Common Household Pests:

Houseflies, Mosquitoes, Cockroaches, and others listed on back panel.

ALVRICTORY CANADA to PPA Local Dixels

1

t:

Kills Fleas and Ticks on Dogs and Cats.

Net Weight 12 oz.

Manufactured For:

PIC Corporation Orange, NJ 07050

EPA Reg. No. 3095-

EPA Est. No.

Bagards to Burmans and Desertic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fi h aquariums before spraying.

i

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

General Classification

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Product Disposal: Do not reuse empty container. Securely wrap

original container in several layers of newspaper and discard in trash.

SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

To Kill Flies, Mosquitoes, Small Flying Moths, Gnats and Wasps: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensils.

To Kill Cockroaches, Ants and Crickets: Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window frames, ant trails and other ureas of entry. Repeat as necessary.

To Kill Carpet Beetles: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

It hall Exposed forms of Confused Figur Pertler, Saw-toothed Grain Leetle Labelies William Revises Find and destroy infested package goods. Remove all other item from the Spray the shelves to kill any of the named insects present. Place Clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sowbugs, Centipedes, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, in the surfaces under sinks, behind stoves and refrigerators.

To Kill Fleas and Ticks on Dogs and Cats: Apply directly to animal's back, under forelegs, and other areas except scrotum and anus. Part hair to contact skin and insure good coverage. Hold nozzle about one foot away while spraying. Apply until hair is thoroughly moist. Do not spray directly in eyes or mouth of animal. Repeat within 24 hours of first treatment, if necessary. Note: This aerosol may make a slight hissing sound and cause a temporary cool sensation. Hold pet securely while applying. Nervous animals may become frightened the first time this product is used, but soon become accustomed to the treatment.

To Kill Fleas and Ticks in Pet Bedding and Pet Areas: To reduce reinfestation, thoroughly spray the animal's bedding and other resting places until the surface is slightly moist. Treat these areas at the rate of two seconds per linear foot at a distance of 12 to 18 inches. Also spray the entire inside surface of dog houses. Repeat as necessary.

To Treat Flea and Tick Infestation in Rugs and Carpets: Spray rugs and carpets where fleas tend to hide. If used on light or delicate upholstery fabrics, test for potential staining in an inconspicuous place prior to use. Spray thoroughly into hiding places such as cracks and crevices, in walls and floors, along baseboards, window and door frames. Repeat as necessary.