

John Doe Label

PIC INSIDE OUTSIDE BUG KILLER RESIDUAL

For Household Use. Also for Use in Non-food Areas of Industrial Buildings: Schools, warehouses, office buildings, theaters, garages, hotels, motels.

ACTIVE INGREDIENTS:

Tetramethrin \(\frac{1}{\text{-Cyclohexene-1, 2-dicarboximido}}{\text{methyl 2, 2-dimethyl-3-(2-methylpropenyl)}}{\text{cyclopropanecarboxylate}} \)
\(\text{cyclopropanecarboxylate} \)

*3-Phenoxybenzyl d-cis and trans** 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate \)

*0ther isomers

0.009%

INERT INGREDIENTS:

99.600%
100.000%

*d-(cis, trans) phenothrin

**cis/trans isomer ratio: max. 25% (+ or -) cis min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

SPECIMEN LABEL

3 m m. 1.

Eills Cormon Household Pests:

House Flies, Mosquitoes, Cockroaches, Fire Brats, and others listed on back panel.

Net weight 1 ounces

Marin Company

 $\Lambda G V \mathbb{C}$

EPA Reg. No.

EPA Est. No. 3095-MJ-1

, . . .

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

SPECIMEN LABEL

Storage: Store in a coel area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container and put in trash collection.

SHARE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

To Kill Flies, Mosquitoes, Small Flying Moths, Gnats and Wasps: Close all doors and windows and direct spray upward into center of room with a slow sweeping motion. Spray 5-10 seconds for average room. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy fallen insects. Before spraying cover exposed food and utensile

To Kill Cockroaches, Ants and Crickets: Contact as many fusects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, tehind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat doors, around window fraces, and trails and other areas of entry. Repeat on the course

in Fill (arget Feetles: Idrectly spray of any insects as posible. Spray both interport and exterior of uphological furniture. Both top and bottom of rune and exterior of uphological formally. Also treat delives, closets, area could furtifure and wherever these insects are seen or supported.

To Kill Exposed Forms of Confused Flour Beetles, Saw-toothed Grain Beetles, and Rice Weevils: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Sowbugs, Centipedes, Firebrats and Spiders: Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harbouring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerators.

To Kill Fleas and Brown Dog Ticks: Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Do not spray animals. Put fresh bedding in pets quarters after spray has dried. Also treat dogs and cats with a registered flea and tick control product before allowing them to enter treated area.

To treat carpets, spray at the rate of one square foot per second. Repeat as necessary.

| U.S. ENVIRONMENTAL PROTECTION AGENCY | FPA RE D. TRATION NO. | DATE OF PREAME |
|--|--------------------------------------|---|
| OFFICE CONTROL THE THE SECOND | TERM OF LISHAN, E | . 1 |
| NOTICE OF PESTICIDE: | NAME OF STREET | |
| $egin{array}{cccccccccccccccccccccccccccccccccccc$ | | |
| NAME AND AGE OF SUPERIOR HE THAT THE FOR THE | | |
| t- | ! | |
| | | 16/1/10/03 |
| k_ | 1 | • |
| NGTE Change on Early to a toroid a latter ready of target Early and Experience to a comparing the trade of the early to the Early restricts to the early to the EDA or a strategy of the early the early to the early the early to | it one earlithe lated in commen | or with this registration must be see, In any correspondence on the |
| On the form of automorphism is a finite property of the first term of the first term of the form of the first term of the fir | of the more figure to a few a faces | t . Regar tered Reregal tered unde |
| Assign the trivier of the second of the second of the second | a testo e Borella tenta con cel | Surped berewith |
| A control of the conjugate of the Arman Conjugate of the | the group of the tolerath, the tells | test, to due profile to inder this - |
| | | |
| [[] | | |