

PIC AUTOMATIC INDOOR ROOM FOGGER

Front Panel

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats,
Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

One Unit Treats up to 6,000 Cubic Feet

ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]	0.200%
*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl) benzeneacetate	0.400%

INERT INGREDIENTS:

Contains Petroleum Distillates.	99.400%
	<u>100.000%</u>

*Licensed under U. S. Patent No. 4,062,968 of Sumitomo Chemical Company.

EVERCIDE® - Registered Trademark of McLaughlin Gormley King Company.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard.
Get medical attention.

IF ON SKIN: Wash off with soap and warm water. Get medical
attention if irritation persists.

IF IN EYES: Flush with plenty of water. Get medical attention
if irritation persists.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel for Additional Precautionary Statements

Kills Flies, Cockroaches, Fleas, Saw-toothed Grain Beetles, Ticks, Confused Flour
Beetles, Rice Weevils, Small Flying Moths, Pill Bugs, Crickets.


Net Weight 7.5 Ounces

Manufactured For:

PIC CORPORATION
Orange, N.J. 07050

EPA Reg. No. 3095-45

EPA Est. No. 6990-NJ-1



Precautionary Statements

Hazards To Humans and Domestic Animals

CAUTION

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish, aquariums before spraying.

Physical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperature above 130°F may cause bursting.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Storage and Disposal

Storage: Store in a cool, dry area away from heat or open flame.

Disposal: Do not re-use empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks, Pill Bugs, Crickets.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.