

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION, PESTICIDES AND TOXIC SUBSTANCES

Mr. Rudolph E. A. Jackson PIC Corporation P.O. box 543 23 South Essex Ave. Orange, NJ 07050-0543

APR 2 1 2000

Dear Mr. Jackson:

Subject: Submission of Revised Labeling

PIC Liquid Ant Bait Killer EPA Reg. No. 3095-47

Submission dated Oct. 26, 1999 to replace Oct. 11, 1999 submission

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable, subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

You must delete all references on the label that depict "destroy entire colony". This claim must be substantiated by efficacy data. If you questions regarding efficacy requirements, please contact Mr. Kevin Sweeney, one of entomologist, at (703) 305-5063.

Sincerel

Marion J. Johnson Jr.

Product Manager Insecticide Branch

Registration Division (7505C)

ACCEPTED with COMMENTS la (il) il la lar **Pated:** APR 2 1 2000

Liber the Divisial Investicide, Pungeolde, and Codonsisido Act, er aucoures, her the pesticide regetors union Edd lies No.



Active Ingredient:8orax 95% Total 100% Kills sweet & grease eating Ants



vomiting by touching back of throat with finger, or if available by administering Syrup of Ipecac. If person is uncon-scious, do not give anything by mouth and do not induce vomiting,

Practical

Trealment:

If On Skin: Wash skin with soap and water, If On Eyes: Flush with plenty of water, Get medical treatment if irritation persists.

See back panel for additional cautions. Net Content: 60 grams EPA Reg. No. 3095-47 EPA Est. No. 3095-NJ-1 PIC CORP. Orange, NJ 07050

FOOD AREA APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY.

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Place a few drops along the ant trails and a small amount in cracks and crevices where ants are visible. The ants will take bait back to their nest for feeding the Larvae, Queen Ant and themselves. In about 7-10 days, the entire colony will be destroyed.

CARE SHOULD BE TAKEN TO AVOID DEPOSITING THE PRODUCT OVER EXPOSED SURFACES.

AVOID CONTAMINATION OF FOOD OR FOOD PROCESSING SURFACES LIKELY TO BE CONTACTED BY FOOD.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals-CAUTION. Harmful if the contents from inside of this bottle are swallowed. Wash thoroughly with soap and water after handling the bottle.

STORAGE: Store only in original container, in a cool dry place inaccessible to children and pets.

DISPOSAL: Do not reuse empty container, Rinse thoroughly, securely wrap in newspaper. Discard in trash.

Zecticide. Service Act. as amendad, for the passicide registered under DPA Reg. No.



DESTROYS ENTIRE COLONY

LIQUID BAIT ANT KILLER

PIC Liquid Bait Ant Killer • has been the effective method for destroying ants for years. It is effective and easy to use:

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

- 1. Remove all sources of food such as crumbs, sugar, & grease spots.
- 2. Remove the "bait reservoir" insert from inside the box and carefully cut into individual squares.
- 3. Fold up the sides of each square to make reservoir. Fill reservoir and place where ants were seen, such as edge of sinks, tubs, base-board, windowsills and doorway entrance. (If you do not use this board, take aluminum foil & fold to make reservoir.)

In approx, 7-10 days ants will be killed. Replace with new traps when needed. Avoid contamination of feed and foodstuff.

PRECAUTIONARY STATEMENTS:

Hazards to Humans and Domestic Animals-CAUTION.

Harmful if the contents from inside of this bottle are swallowed. Wash thoroughly with soap and water after handling the bottle.

STATEMENT OF PRACTICAL TREATMENT:

If Swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger, or if available by administering Syrup of Ipecac. If person is unconscious, do not give anything by mouth and do not induce vomiting.

If On Skin: Wash skin with soap and water.

If On Eyes: Flush with plenty of water. Get medical treatment if irritation persists.

STORAGE AND DISPOSAL STATEMENT:

STORAGE-Store bottle in a dry place inaccessible to children and pets.

DISPOSAL-Do not reuse empty container. Securely wrap in newspaper and discard in trash.

HOW THE SYSTEM WORKS:

The ants you see are worker food providers to the Queen Mother and the larvae residing in the nest. In the beginning, they may feed in large numbers. The number of ants diminish as the worker ants feed the colony and then themselves. Thus, the entire colony is destroyed.



MADE IN U.S.A
PIC Corporation

23 South Essex Avenue, Orange, NJ 07050, USA www.pic-corp.com

Other Quality PIC Ant Control Products

Ant Control Bait Stations (Disposable Tins and Plastic Traps)

Roach Ant & Spider Killer II
(Aerosol Can)

Dependable Insect And Rodent Control Products For Over 40 Years

SATISFACTION OR REFUND. Should "PIC Liquid Bait Ant Killer" not reduce the ant population, return the unused portion plus your sales slip for refund.

EPA REG. NO. 3095-47

EPA EST. NO.3095-NJ-1

