

NOTE TO EPA
 WE DELETED
 PROSQUITO CHITIME

0000
 0000

PM 03

3095-61



9/30/98

1/1

LONG ACTING TOTAL RELEASE FOGGER

One unit treats an entire room (up to 24' x 25' with a 10' ceiling) with an effective bug killing fog that leaves no unpleasant residual odor. This fog is an exclusive water based formula when used as directed, will not harm drapes, upholstery, fabrics, carpeting, bedspreads, clothing, linens, furniture, walls, floor tiles, ceilings, shades or blinds. **KILLS FLEAS, COCKROACHES, FLIES, SILVERFISH, BLACK CARPET BEETLES, SAWTOOTHED GRAIN BEETLES, RICE WEEVILS, WASPS, TICKS, SPIDERS, SMALL FLYING MOTHS, PILLBUGS, CRICKETS,**

CONTROLS ADULT FLEAS AND LARVAE FOR UP TO FOUR WEEKS.
DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use in commercial food/feed handling establishments, restaurants, or other areas when food or feed is commercially prepared or processed.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT. Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow it to air for 30 minutes. Repeat spraying in two weeks or when necessary.

TO KILL TICKS AND FLEAS: Old bedding should be removed and replaced with fresh, clean bedding after treatment. Fleas should be treated with a registered product for flea and tick control in conjunction with this treatment.

DO NOT USE IN COMMERCIAL FOOD/FEED HANDLING ESTABLISHMENTS, RESTAURANTS, OR OTHER AREAS WHEN FOOD OR FEED IS COMMERCIALY PREPARED OR PROCESSED.

NOTICE: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purposes stated on the label when used in accordance with directions under normal conditions use, but neither this warranty nor any other warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry area away from heat or open flame.
Disposal: Replace cap, wrap container in several layers of news paper and discard container in trash. Do not incinerate or puncture.

NOTICE: BUYER ASSUMES ALL RESPONSIBILITY FOR SAFETY AND USE NOT IN ACCORDANCE WITH DIRECTIONS.

PIC ROOM FOGGER III

THIS PRODUCT IS FOR HOUSEHOLD USE ONLY

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, Cabins.

One Unit Treats up to 6,000 Cubic Feet
KILLS ROACHES, FLEAS, ANTS AND OTHER BUGS

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
"N-Octyl bicycloheptene dicarboximide	0.400%
Permethrin [1-[3-Phenoxyphenyl] methyl (+ or -) cis-trans-3-(2,2-dichloroethyl) 2,2-dimethylcyclopropanecarboxylate]	0.400%
Related compounds	0.035%
INERT INGREDIENTS:	99.115%

*MGK® 264, Insecticide Synergist
 **cis-trans isomer ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans
EVERCIDE, MGK - Registered trademarks of McLaughlin Gormley King Co.

MADE IN U.S.A.

EPA Reg. No. 3095-61

EPA Est. No. 10806-NJ-1

Net Weight 6 Ounces (170g)

CAUTION KEEP OUT OF REACH OF CHILDREN

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.
IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
IF INHALED: Remove victim to fresh air if effects occur, and call a physician.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and water after use. Obtain medical attention if irritation persists.

Environmental Hazards

Do not contaminate water when disposing of equipment washwaters. This product is extremely toxic to fish and other aquatic organisms. Do not contaminate water by direct application or disposal of wastes.

Physical & Environmental Hazards

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

ACCEPTED

SEP 30 1998

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 3095-61