CAUTION: KEEP OUT OF REACH OF CHILDREN. See additional precautionary statement and directions.



Use in and around homes, apartments, industrial or institutional areas.

**ACTIVE INGREDIENTS:** 

0-Isopropoxyphenyl Methylcarbamate Inert Ingredients; 2% 98%

Total: 100%

CAUTION: KEEP OUT OF REACH OF CHILDREN STOP: Read the label before using

DIRECTIONS FOR USE: It is a violation of Federal Law to use this product in a manner inconsistant with its labeling. Remove cap at tip of barrel of the pre-filled, disposable syringe or the tube applicator then apply paste into cracks and crevices only in areas not easily accessable to children and pets.

Keep exposed paste from food contact, surfaces and open food.

Use Pic Roach Control Paste as a spxt or crack and crevice treatment for control of cockroaches in and around home; non food areas of institutions, warehousing and commercial buildings; telephone facilities, sewers, garbage areas, on buses, trains, planes, and ships.

For commercial, industral and institutional use only. Not for home owner use.

Additional Directions and Cautions See Back Panel

EPA Reg. 3095-67 EPA Est. 3095-N.J.-1 Pic Corp., Orange N.J. 07050

## (Continued) DIRECTIONS FOR USE:

Apply paste near aggregation and harboring areas. Use under surface of counters, tables, shelving, drawers, under sinks, around pipe collars, under refrigerators, stoves, electrical boxes and computer housing. Keep record of area to which applied. Reapply in 1-2 weeks if no bait is visible.

Use a number of smaller spot applications for quicker control rather than a few large spots.

CONDITION OF SALE: FAILURE TO FOLLOW LABEL DIRECTIONS MAY CAUSE INJURY TO ANIMALS, MAN, AND DAMAGE TO THE ENVIRONMENT. PIC OFFERS, AND THE BUYER ACCEPTS AND USES THIS PRODUCT SUBJECT TO THE CONDITIONS THAT EXTRAORDINARY OR ENVIRONMENTAL CONDITIONS, OR FAILURE TO TO FOLLOW LABEL DIRECTIONS ARE BEYOND CONTROL OF PIC AND ARE THEREFORE, THE RESPONSIBILTY OF THE BUYER.

RESTICTIONS: Do not apply to floors or other surfaces likely to be contacted by children or pets.

PRECAUTIONARY STATEMENT: Hazards to humans and domestic animals.

CAUTION: May be harmful it swallowed or absorbed through skin. Wear rubber gloves when applying. Wash hands and arms thoroughly after use.

SYMPTOMS OF POISONING: A sense of "tightness" in the chest. Sweating. Contracting pupils. Stomache pains. Vomding and diarrhea.

## STATEMENT OF PRACTICAL TREATMENT:

If in eyes, flush with plenty of water

If on skin, wash thoroughly with soap and water.

If swallowed, call a physician or Poison Control Center.

Orink 1 or 2 glasses of water and induce vorniting by touching back of throat with finger. If person is unconscious, do not give anything by mouth and do not induce vorniting.<sup>6, 6, 6, 6</sup>

STORAGE AND DISPOSAL:

Store in areas inaccessable to children.

Wrap used caulk tube or syringe and place in trash care. Do not contaminate water, food, or feed by storage or disposal. Pesticide Disposal: Wastes resulting from the use of this product may be disposed of or, site or at an approved waste disposal facility.

Store in a cool, dry piece and in such manner as to prevent cross contamination with other pesticides, fertilizers, find and feed. Store in original container and out of the react of children, preferably in a locked storage area.

## ACCEPTED

AUG 3 0 1995

Under the Federal Innecticide, Fungicide, and Redenticide Act as amended, for the pesticide registered under AGS-17

BEST COPY AVAILABLE