JUL 12 1996

Sid Goldman PIC CORPORATION 23 S. Essex Avenue Orange, NJ 07050

Dear Mr. Goldman:

)

Subject: Amended Product Labeling

PIC Boric Acid Roach Killer Gel EPA Registration Number 3095-68 Submission Dated June 26, 1996

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comment:

Add the signal word "CAUTION" immediately below the child hazard warning statement "Keep Out of Reach of Children".

A stamped copy of the label is enclosed for your records. Submit three copies of revised final printed labeling prior to releasing product for shipment.

If you have any questions or comments, please contact me at (703) 305-6788.

Sincerely,

RPK

Richard P. Keigwin, Jr. Product Manager 10 Insecticide-Rodenticide Branch Registration Division (7505C)



Active Ingredient Inert Ingredients Boric Acid

-

TOTAL

33.3% 66.7% 100.0 %

EPA Reg. No. 3095-68 EPA Est. No. 3095-N.J.-1

PRECAUTIONARY STATEMENTS:
Hazards to Humans and Domestic Animals.
CAUTION: Harmful if swallowed. May cause eye irritation. Avoid eye contact. Wash thoroughly with soap and water after handling.

STATEMENT OF PRACTICAL TREATMENT:

IF SWALLOWED: Call a physician or Poison Control Center immediately.

IF IN EYES:

Flush eyes with plenty of water. Get medical attention if irritation persists.

PIC CORP. ORANGE, NEW JERSEY 07050 TEL 201-678-7300 <u>DIRECTIONS FOR USE</u>: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

TO CONTROL ROACHES: Domestic use. Apply the gel amply behind and under the following: Stoves, refrigerators, dishwashers, sinks, washing machines, tubs, water pipes, drains, sewers, man holes, electrical conduit, cracks and crevices of baseboards, in corners of cupboards, cabinets and closets. Remove drawers from chests and cabinets, apply freely into corners of drawer wells. Reapply every three months. All visible gel should be packed into cracks and crevices. Remove excess gel and dispose into garbage. Be sure not to apply in areas accessible to children and pets. Avoid contamination of feed and food stuff.

TO CONTROL ROACHES: Crack and Crevice

Treatment. In food and feed stuff establishments: application is limited to crack and crevices treatment only in areas where food and feed stuff are received, stored, prepared, packaged (canning-boxing or wrapping) or served: care must be taken to avoid depositing this product on serving surface where food and feed stuff are processed. Use this product only in cracks and crevices in food handling establishments.

SERVING AREAS: In Dining Rooms, apply into cracks or crevices such as baseboard and floor cracks. Avoid areas likely to be contacted by food.

NON FOOD AREAS: Apply to crack and crevices and around water pipes in areas such as garbage rooms, locker rooms, mop closets, boiler rooms, and lavatories.

STORAGE AND DISPOSAL: Store in a cool, dry place inaccessible to children and pets. Do not reuse container. When empty wrap in newspaper and dispose in trash. Do not contaminate water or food or teed stuff.

Net Wt. 8 OUNCES

ACCEPTED
with COMMENTS
in EPA Latter Dated

Under JUL 1 2 199	5
Fig. 2	
registered those ENAIN	а
3095-68	1.0