

JUN 11 2007

Ms. Jeanette A. Covert  
PIC Corporation  
PO Box 1683  
Voorhees, NJ 08043-9998

Subject: Amended Labeling/Response to PR Notice 2001-1  
PIC Boric Acid Roach Killer Gel  
EPA Registration Number: 3095-68  
Application Dated: February 12, 2007  
Decision No: 377912

Dear Ms. Covert:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comment listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

Page 1

Revise Crack & Crevice "to read" Crack and Crevice.

A stamped copy of the label is enclosed for your records.

If you have any questions, please contact Melody Banks of my staff on (703) 305-5413.

Sincerely,



Richard Gebken  
Product Manager 10  
Insecticide Branch  
Registration Division (7505c)

Enclosure: Stamped Copy of Label with Comments

286

ACCEPTED  
with COMMENTS  
in EPA Letter Dated

JUN 11 2007

PIC BORIC ACID ROACH KILLER GEL

Front Carton:

PIC BORIC ACID ROACH KILLER GEL

PIC Logo

PIC Dependable Insect And Rodent Control Products for Over 50 Years

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
3095-68

Marketing Claims:

- Boric Acid Gel Injector
- Effective For Commercial, Industrial, Institutional And Home Use.
- Strong Formula Controls Roaches
- Long-Term Control
- Easily Applies in Cracks and Crevices
- Accepted For Use In Apartments, Homes, Food Areas, etc.
- Disposable
- Cracks & Crevice

Pictograms

- Injectors (Single or Double, assembled or snap together)
- Roaches

1 Pre-Filled Disposable Injector  
Net Weight: 1 ounce/ 30 grams

2 Pre-Filled Disposable Injectors  
Net Weight: 2 ounces/ 60 grams

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS  
CAUTION

See First Aid and Precautionary Statements on the Back Panel

Active Ingredient: Boric Acid .....	33.3%
Other Ingredients: .....	66.7%
Total: .....	100%

MADE IN USA

**Back Carton:**

**PRECAUTIONARY STATEMENTS:**

Hazards to Humans and Domestic Animals

**CAUTION:** Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF SWALLOWED:** Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing, Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

**DIRECTIONS FOR USE:**

It is a Violation of Federal Law to use this product in a manner inconsistent with its labeling.

**To Control Roaches- Domestic Use:**

Apply the gel amply behind and under the following: Stoves, refrigerators, dishwashers, sinks, washing machines, tubs, water pipes, drains, sewers, manholes, electrical conduits, cracks and crevices of baseboards, in corners of cupboards, cabinets, and closets. Remove drawers from chests and cabinets, apply freely into corners of drawer wells. Reapply every two to three months. Remove excess gel and dispose into garbage. Be sure not to apply in areas accessible to children and pets. Avoid contamination of food and feed.

**To Control Roaches- Crack and Crevice Treatment:**

In food and feed handling establishments: Application is limited to crack and crevices treatment only in areas where food and feed are received, stored, prepared, packages (canning-boxing or wrapping) or served: care must be taken to avoid depositing this product on serving surfaces where food and feed are processed. Use this product only in cracks and crevices in food and feed handling establishments.

**Serving Areas:**

In Dining Rooms, apply into cracks and crevices such as baseboards and floor cracks. Avoid areas likely to be contacted by food.

**Non Food Areas:**

Apply to cracks and crevices and around water pipes in areas such as garbage rooms, locker rooms, mop closets, boiler rooms, and lavatories.

**Storage and Disposal:** Store in a cool, dry place inaccessible to children and pets.  
If empty: Do not reuse this container. Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

**Optional Pictogram for snap together unit:**

Directions to put injector together

Insert Plunger (A) Into the tube (B). Gently push the plunger into the tube (DO NOT REMOVE the clear "piston" already inside the tube). You will hear a "SNAP". This is the plunger hooking onto the clear piston. Remove the Protective end cap (C), slowly push in the plunger to release gel contents.

EPA Reg. No. 3095-68  
EPA Est. No. 3095-NJ-1

UPC Bar Code

PIC Corporation  
1101-1107 West Elizabeth Ave  
Linden, NJ 07036  
USA  
[www.pic-corp.com](http://www.pic-corp.com)

**Injector Label:**

PIC BORIC ACID ROACH KILLER GEL

PIC Logo

Dependable Insect and Rodent Control Products for 50 Years

KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS

CAUTION

Active Ingredient: Boric Acid .....	33.3%
Other Ingredients: .....	66.7%
Total: .....	100%

Made in USA

EPA Reg. No. 3095-68

EPA Est. No. 3095-NJ-1

NET WEIGHT 1 Ounce/30 Grams

**PRECAUTIONARY STATEMENTS:**

Hazards to Humans and Domestic Animals

CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

**FIRST AID**

**IF SWALLOWED:** Call a Poison Control Center or Doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the Poison Control Center or Doctor. Do not give anything by mouth to an unconscious person.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or Doctor for treatment advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or Doctor for treatment advice.

**HOT LINE NUMBER**

Have the product container or label with you when calling a Poison Control Center or Doctor, or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

Directions for use: It is a Violation of Federal Law to use this product in a manner inconsistent with its labeling.

drains, sewers, manholes, electrical conduits, cracks and crevices of baseboards, in corners of cupboards, cabinets, and closets. Remove drawers from chests and cabinets,, apply freely into corners of drawer wells. Reapply every two to three months. Remove excess gel and dispose into garbage. Be sure not to apply in areas accessible to children and pets. Avoid contamination of feed and food.

To Control Roaches- Crack and Crevice Treatment: In food and feed handling establishments: Application is limited to crack and crevices treatment only in areas where food and feed are received, stored, prepared, packages (canning-boxing or wrapping) or served: care must be taken to avoid depositing this product on serving surfaces where food and feed are processed. Use this product only in cracks and crevices in food and feed handling establishments.

Serving Areas: In Dining Rooms, apply into cracks and crevices such as baseboards and floor cracks. Avoid areas likely to be contacted by food.

Non Food Areas: Apply to cracks and crevices and around water pipes in areas such as garbage rooms, locker rooms, mop closets, boiler rooms, and lavatories.

**Storage and Disposal:** Store in a cool, dry place inaccessible to children and pets.  
If empty: Do not reuse this container. Place in trash or offer for recycling if available.  
If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

Dates Applied: \_\_\_\_\_