

3095-71

01/16/2003

1/5



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg.
Number:

Date of Issuance:

3095-71

JAN 16 2003

Term of Issuance:

Conditional

Name of Pesticide Product:

PIC ANT KILLER GEL

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

PIC Corporation
P.O. Box 543
23 South Essex Avenue
Orange, N.J. 07050-0543

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.

2. Make the following label changes:

a. Revise the EPA Registration Number to read, "EPA Reg. No. 3095-71".

Signature of Approving Official:

See page 2

Date:

January 16, 2003


page 2
EPA Reg. No. 3095-71

Submit two copies of the final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely yours,



Joseph M. Tavano
Acting, Product Manager 10
Insecticide Branch
Registration Division 7505c

FRONT PANEL

PIC ANT KILLER GEL

- KILLS ANTS UP TO 2 MONTHS
- KILLS SWEET & GREASE EATING ANTS, PAVEMENT ANTS, ODOROUS HOUSE ANTS AND LITTLE BLACK ANTS. EXCLUDING FIRE ANTS AND CARPENTER ANTS.
- EFFECTIVE FORMULA – SLOW ACTING FOR COMPLETE ANT CONTROL
- EASY TO USE IN CRACKS AND CREVICES
- EASY TO STORE

ACTIVE INGREDIENT: SODIUM TETRABORATE PENTAHYDRATE (BORAX 5MOL)..... 5%
 INERT INGREDIENTS:95%
 TOTAL:100%

MADE IN U.S.A.

DESTROYS ANT COLONY


REDUCES ANT POPULATION WITHIN DAYS

CONTENTS:
 1 PRE-FILLED DISPOSABLE INJECTOR/SYRINGE

NET WEIGHT: 1 OUNCE / 30 Grams

CAUTION: KEEP OUT OF REACH OF CHILDREN AND DOMESTIC ANIMALS.

See First Aid and Precautionary Statements on Back Panel.



BACK PANEL

PIC ANT KILLER GEL is an effective method for destroying ants and their colonies. It is easy to use.

PRECAUTIONARY STATEMENTS: Hazardous to humans and Domestic Animals
CAUTION: Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

FIRST AID:

IF SWALLOWED: Call a Poison Control Center or Doctor immediately for treatment advice. Have person sip a glass of water if able to swallow.

Do not induce vomiting unless told to do so by the Poison Control Center or Doctor.

Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes.

Remove contact lenses, if present, after the first 5 minutes, then continuing rinsing eye.

Call a Poison Control Center for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a Poison Control Center or Doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or Doctor or going for treatment.

For Emergency Information on our product call 1-800-255-3924

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL INFORMATION

Bait products are generally effective and work best in the absence of other competing food substances. Therefore, remove all food and feedstuff from the area being treated.

Prebaiting: - Locate Worker ant and apply a droplet or two of the gel in its path, the Worker ant will then recruit other ants to form a trail to the nest or colonies.

Baiting: - Apply gel thinly in holes, along trails and any points of entry. Use approximately 2-4 lines about one-half to one inch long per point of entry. After baiting is complete, redirect the ants to the bait and clean up the prebaited spots. Old baited spots should be wiped clean with warm damp cloth or tissue. Bait as often as needed.

TREATMENT INSTRUCTIONS

To Control Ants – Domestic Use: Apply the gel thinly behind and under the following: - stoves, refrigerators, dishwashers, sinks, washing machines, tubs, water pipes, drains, sewers, man holes, electrical conduits, cracks and crevices of baseboards, in corner of cupboards and cabinets. Reapply as often as needed. Be sure not to apply in areas accessible to children and Pets. Avoid contamination of food and feed stuff.

To Control Ants – Crack and Crevice Application: - Application is limited to crack and crevices only in areas where food and feed stuff are received, stored, prepared, packaged (canning – boxing or wrapping) or served. Care must be taken to avoiding depositing this product on serving surface where food and feedstuff are processed. Use this product only in cracks and crevices in food handling establishments.

In approx. 7-10 days the bait will start killing ants in their colonies. It may take up to two months to kill all the Queens in the baited colonies.

HOW THE SYSTEM WORKS: The ants you see are workers food providers to the Queen Mother and the larvae residing in the nest. The Worker ants feed the colony and the Queen. Thus, when the Worker ants bring back the bait, the entire colony is destroyed.

STORAGE AND DISPOSAL STATEMENT:

Do not contaminate water, food or feed by storage and disposal

Pesticide Storage: Store in an area inaccessible to children and Pets.

Pesticide Disposal: **If Empty:** Do not reuse this container. Place in trash or offer for recycling if available. **If Partly Filled:** Call your local solid waste agency or 1800 – CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

SATISFACTION GUARANTEED: PIC Corporation guarantees the effectiveness of this product to control ants when the product is used according to directions. If dissatisfied with your purchase, please contact our customer service division at 1-973-678-7300. Please have product and original register receipt available.

EPA Reg. No. 3095-XX

EPA Est. No. 3095-NJ-1

PIC Corporation
23 South Essex Avenue
Orange, NJ 07050

Dependable Insect and Rodent Control Products for over 50 years.

Questions or Comments. Call 973-678-7300 or visit website: www.pic-corp.com